

Publication List Priv.-Doz. Dr. Mazda Adli - April 23rd, 2019

Total Impact Factor: 575.712

Hirsch Factor 32

Content:

A Original Papers (First or Senior Authorships)

B Co-Authorships

C Reviews

D Case Reports

E Comments & Letters

F Editor

G Book Chapters

H Other Publications (not peer-reviewed)

Nr.	Year	Typ	Citation	Impact Factor	Perzentil
1	2019	A Original Papers (First or Senior Authorships)	Bopp SK*, Heilbronner U*, Schlattmann P, Mühleisen TW, Bschor T, Richter C, Steinacher B, Stamm TJ, Merkl A, Herms S, Köhler S, Sterzer P, Hellweg R, Heinz A, CichonS, Lang UE, Schulze TG, Adli M*, Ricken R* (2019). Leptin gene polymorphisms are associated with weight gain during lithium augmentation in patients with major depression. <i>Eur Neuropsychopharmacol</i> , 2018. Dec .006	04.129	
2	2018	A Original Papers (First or Senior Authorships)	Ricken R, Busche M, Schlattmann P, Himmerich H, Bopp S, Bschor T, Richter C, Stamm TJ, Heinz A, Hellweg R, Lang UE, Adli M (2018). Cytokine serum levels remain unchanged during lithium augmentation of antidepressants in major depression. <i>J Psychiatr Res</i> . 96:203-208	04.183	
3	2018	A Original Papers (First or Senior Authorships)	Ricken R, Wiethoff K, Reinhold T, Stamm TJ, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Laux G, Hauth I, Möller HJ, Heinz A, Bauer M, Adli M (2018). A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients - Results from the German Algorithm Project (GAP3). <i>J Affect Disord</i> . 228:173-177.	03.432	
4	2018	A Original Papers (First or Senior Authorships)	Dimitrov A, Veer IM, Kleeblatt J, Seyfarth F, Roenneberg T, Ising M, Uhr M, Keck ME, Kramer A, Berger M, von Koch L, Walter H, Adli M (2018). Chronotype is associated with psychological well-being depending on the composition of the study sample. <i>J Health Psychol</i> . 2018 Jan 1:1359105317751618.	02.182	
5	2017	A Original Papers (First or Senior Authorships)	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Elstner S, Stamm TJ, Schulz-Ratei B, Lingesleben A, Reischies FM, Sterzer P, Borgwardt S, Bauer M, Heinz A, Hellweg R, Lang UE, Adli M (2017). Ghrelin Serum Concentrations Are Associated with Treatment Response During Lithium Augmentation of Antidepressants. <i>Int J Neuropsychopharmacol</i> . 20(9):692-697.	04.712	16.3
6	2017	A Original Papers (First or Senior Authorships)	Adli M, Wiethoff K, Baghai TC, Fisher R, Seemüller F, Laakmann G, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Kronmüller KT, Smolka MN, Schlattmann P, Berger M, Ricken R, Stamm TJ, Heinz A, Bauer M (2017). How Effective Is Algorithm-Guided Treatment for Depressed Inpatients? Results from the Randomized Controlled Multicenter German Algorithm Project 3 Trial. <i>Int J Neuropsychopharmacol</i> . 20(9):721-730.	04.712	24.2
7	2016	A Original Papers (First or Senior Authorships)	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Stamm TJ, Bauer F, Heinz A, Hellweg R, Lang UE, Adli M (2016). Leptin serum concentrations are associated with weight gain during lithium augmentation. <i>Psychoneuroendocrinology</i> . 71:31-35.	04.944	2
8	2016	A Original Papers (First or Senior Authorships)	Stamm TJ, Rampp C, Wiethoff K, Stingl J, Mössner R, O'Malley G, Ricken R, Seemüller F, Keck M, Fisher R, Gaebel W, Maier W, Möller HJ, Bauer M, Adli M (2016). The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>J Psychopharmacol</i> . 30(1):40-7.	03.898	77.7
9	2015	A Original Papers (First or Senior Authorships)	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? <i>Con. Nervenarzt</i> . 87(5):561-2.	0787	
10	2015	A Original Papers (First or Senior Authorships)	Köhler S, Wiethoff K, Ricken R, Stamm T, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Zeiler J, Heinz A, Bauer M, Adli M (2015). Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>J Affect Disord</i> . 173: 126-33.	0371	55
11	2014	A Original Papers (First or Senior Authorships)	Fakhri H*, Ricken R*, Adli M*, Fajol A, Walter M, Föllner M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. <i>J Clin Psychopharmacol</i> . 34(6): 745-7.	03.761	
12	2014	A Original Papers (First or Senior Authorships)	Stamm TJ, Becker D, Sondergeld LM, Wiethoff K, Hiemke C, O'Malley G, Ricken R, Bauer M, Adli M (2014). Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry</i> . 47(4-5): 174-9.	02.168	23.9
13	2013	A Original Papers (First or Senior Authorships)	Lange C, Zschucke E, Ising M, Uhr M, Bermpohl F, Adli M (2013). Evidence for a normal HPA axis response to psychosocial stress in patients remitted from depression. <i>Psychoneuroendocrinology</i> , 38(11): 2729-36.	05.591	59.2
14	2013	A Original Papers (First or Senior Authorships)	Ricken R*, Adli M*, Lange C, Krusche E, Stamm TJ, Gaus S, Koehler S, Nase S, Bschor T, Richter C, Steinacher B, Heinz A, Rapp MA, Borgwardt S, Hellweg R, Lang UE (2013). Brain-derived neurotrophic factor serum concentrations in acute depressive patients increase during lithium augmentation of antidepressants. <i>J Clin Psychopharmacol</i> . 33(6): 806-9.	03.761	58.4

15	2013	A Original Papers (First or Senior Authorships)	Stamm TJ, Stingl J, Wiethoff K, Ricken R, Heinz A, Bauer M, O'Malley G, Adli M (2013). Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>J Affect Disord.</i> 151: 605-610.	03.383	24.1
16	2011	A Original Papers (First or Senior Authorships)	Sterzer P, Hilgenfeldt T, Freudenberg P, Adli M (2011). Unconscious emotional information processing in patients with major depressive disorder. <i>Psychol Med</i> 5: 1-10	05.012	60.2
17	2011	A Original Papers (First or Senior Authorships)	Ricken R, Wiethoff K, Reinhold T, Schietsch K, Stamm T, Kiermeir J, Neu P, Heinz A, Bauer M, Adli M (2011). Algorithm-guided treatment of depression reduces treatment costs - Results from the randomized controlled German Algorithm Project (GAPII). <i>J Affect Disord.</i> 134:249-256	03.740	25.7
18	2010	A Original Papers (First or Senior Authorships)	Wiethoff K, Bauer M, Baghai TC, Möller HJ, Fisher R, Hollinde D, Kiermeir J, Hauth I, Laux G, Cordes J, Marneros A, Kronmüller K, Zeiler J, Adli M (2010). Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. <i>J Clin Psychiatry</i> 71:1047-54	05.218	
19	2009	A Original Papers (First or Senior Authorships)	Adli M, Kleinert S, Lafont, A, Kahn A, Ganten D (2009). Shaping the future of health care: the Berlin 2009 Evolution of Medicine Summit. <i>Lancet</i> 373: 519-520	30.758	
20	2009	A Original Papers (First or Senior Authorships)	Adli M, Bschor T, Bauer M, Lucka C, Lewitzka U, Ising M, Uhr M, Müller-Oerlinghausen B, Baethge C (2009). Long-term outcome after lithium augmentation in unipolar depression: focus on HPA system activity. <i>Neuropsychobiology</i> 60: 23-30.	01.752	
21	2009	A Original Papers (First or Senior Authorships)	Bauer M, Pfennig A, Linden M, Smolka M, Neu P, Adli M (2009). Efficacy of an algorithm-guided treatment compared to treatment as usual: A randomized controlled study of inpatients with depression. <i>J Clin Psychopharmacology</i> 29: 327-333.	05	
22	2008	A Original Papers (First or Senior Authorships)	Bauer M, Glenn T, Whybrow PC, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M (2008). Changes in self-reported sleep duration predict mood changes in bipolar disorder. <i>Psychol Med.</i> 38: 1069-71.	04.718	
23	2008	A Original Papers (First or Senior Authorships)	Mahlberg R, Kienast T, Bschor T, Adli M (2008). Evaluation of time memory in acutely depressed patients, manic patients, and healthy controls using a time reproduction task. <i>Eur Psychiatry</i> 23: 430-433.	02.433	
24	2008	A Original Papers (First or Senior Authorships)	Adli M, Pilhatsch M, Bauer M, Köberle U, Ricken R, Janssen G, Ulrich S, Bschor T (2008). Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatment-resistant depression. <i>Pharmacopsychiatry</i> 41: 252-7.	02.402	
25	2008	A Original Papers (First or Senior Authorships)	Mahlberg R, Adli M, Bschor T, Kienast T (2008). Age effects on trail making test during acute depressive and manic episode. <i>Int J Neurosci.</i> 118: 1347-1356.	0884	
26	2008	A Original Papers (First or Senior Authorships)	Adli M, Wiethoff K, Pfennig A, Stamm T, Baethge C, Bauer M (2008). Olanzapine in the treatment of depression with psychotic features – a prospective open-label study. <i>Int J Psychiatr Clin Practice</i> 12: 202-209.	0410	
27	2007	A Original Papers (First or Senior Authorships)	Adli M, Hollinde D, Stamm T, Wiethoff K, Tshauridu M, Kirchheiner J, Heinz A, Bauer M (2007). Response to lithium augmentation treatment in depression is associated with the glycogen synthase kinase 3-beta (GSK3-beta) - 507/C single nucleotide polymorphism. <i>Biol Psychiatry</i> 62: 1295-1302	08.672	
28	2005	A Original Papers (First or Senior Authorships)	Adli M, Baethge C, Langlitz N, Bauer M (2005). Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed? – a systematic review. <i>Eur Arch Psychiatry Clin Neurosci.</i> 255: 387-400	02.852	
29	2005	A Original Papers (First or Senior Authorships)	Adli M, Whybrow P, Grof P, Rasgon N, Gyulai L, Baethge C, Glenn T, Bauer M (2005). Use of polypharmacy and self-reported mood in outpatients with bipolar disorder. <i>Int J Psychiatry Clin Practice</i> 9: 251-256	0410	
30	2002	A Original Papers (First or Senior Authorships)	Adli M, Berghöfer A, Linden M, Helmchen H, Müller-Oerlinghausen B, Mackert A, Stamm T, Bauer M (2002). Effectiveness and feasibility of a standardized stepwise drug treatment algorithm for inpatients with depressive disorders – results of a two-year observational study. <i>J Clin Psychiatry</i> 63: 782-79	05.053	
31	2019	B Co-Authorships	Buspavanich, P., Behr, J., Stamm, T., Schlattmann, P., Bschor, T., Richter, C., ... & Rentzsch, J. (2019). Treatment response of lithium augmentation in geriatric compared to non-geriatric patients with treatment-resistant depression. <i>Journal of affective disorders.</i>	03.786	
32	2018	B Co-Authorships	Reinbold CS, Forstner AJ, Hecker J, Fullerton JM, Hoffmann P, Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Arda R, Arias B, Backlund L, Benabarre A, Bengesser S, Kumar Bhattacharjee A, Biernacka JM, Birner A, Marie-Claire C, Cervantes P, Chen G, Chen H, Chillotti C, Clark SR, Colom F, Cousins DA, Cruceanu C, Czernski PM, Dayer A, Etain B, Falkai P, Frisén L, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Jamain S, Jiménez E, Kahn J, Kassem L, KittelSchneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau AG, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt SH, Wright AJ, Young LT, Zandi P, Potash JB, DePaulo JR, Bauer M, Reininghaus E, Novák T, Aubry J, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo P, Kato T, Grigoriou-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray N, Kelsoe JR, Alda M, McMahon FJ, Schulze TG, Rietschel M, Nöthen MM, Cichon S (2018). Analysis of the influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Front. Psychiatry.</i> 9:207.	03.532	
33	2018	B Co-Authorships	International Consortium on Lithium Genetics (ConLi+Gen) (2018). Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry.</i> 2018 Jan 1;75(1):65-74.	15.307	74.2

34	2018	B Co-Authorships	Kalman JL, Papiol S, Forstner AJ, Heilbronner U, Degenhardt F, Strohmaier J, Adli M, Adorjan K, Akula N, Alda M, Anderson-Schmidt H, Andlauer TF, Anghelescu IG, Ardu R, Arias B, Arolt V, Aubry JM, Backlund L, Bartholdi K, Bauer M, Baune BT, Becker T, Bellivier F, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Budde M, Cervantes P, Chillotti C, Cichon S, Clark SR, Colom F, Comes AL, Cruceanu C, Czerni PM, Dannowski U, Dayer A, Del Zombo M, DePaulo JR, Dietrich DE, Étain B, Ethofer T, Falkai P, Fallgatter A, Figge C, Flatau L, Folkerts H, Frisen L, Frye MA, Fullerton JM, Gade K, Gard S, Garnham JS, Goes FS, Grigoriou-Serbanescu M, Gryaznova A, Hake M, Hauser J, Herms S, Hoffmann P, Hou L, Jäger M, Jamain S, Jiménez E, Juckel G, Kahn JP, Kassem L, Kelsøe J, Kittel-Schneider S, Kliwicki S, Klohn-Sagatholislam F, Koller M, König B, Konrad C, Lackner N, Laje G, Landén M, Lang FU, Lavebratt C, Leboyer M, Leckband SG, Maj M, Manchia M, Martinsson L, McCarthy MJ, McElroy SL, McMahon FJ, Mitchell PB, Mitjans M, Mondimore FM, Monteleone P, Nieratschker V, Nievergelt CM, Novák T, Ösby U, Pfenning A, Potash JB, Reich-erkelenz D, Reif A, Reimer J, Reininghaus E, Reitt M, Ripke S, Rouleau GA, Rybakowski JK, Schalling M, Scherk H, Schmauß M, Schofield PR, Schubert KO, Schulte EC, Schulz S, Senner F, Severino G, Shekhtman T, Shilling PD, Simhandl C, Slaney CM, Spitzer C, Squassina A, Stamm T, Stegmaier S, Stierl S, Stopkova P, Thiel A, Tighe SK, Tortorella A, Turecki G, Vieta E, Veeh J, von Hagen M, Wigand ME, Wiltfang J, Witt S, Wright A, Zandi PP, Zimmermann J, Nöthen M, Rietschel M, Schulze TG (2018). Investigating polygenic burden in age at disease onset in bipolar disorder: findings from an international multicentric study. <i>Bipolar Disord</i> . In print.	04.539	
35	2018	B Co-Authorships	Schnenack R, Obermeier M, Spellmann I, Seemüller F, Musil R, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller T, Ising M, Brieger P, Maier W, Lemke MR, Rüter E, Klingberg S, Gastpar M, Möller H, Riedel M (2018). Remission in schizophrenia - what are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophr Res</i> . Submitted on 12 May 2018.	03.986	2
36	2018	B Co-Authorships	. Dimitrov A, Schaake J, Ligdorf A, Oei NYL, Adli M, Walter H, Veer IM (2018). Natural sleep loss is associated with lower mPFC activity during negative distracter processing. <i>Soc Cogn Affect Neurosci</i> . Submitted on 10 July 2018.	03.500	
37	2018	B Co-Authorships	Musil R, Seemüller F, Meyer S, Spellmann I, Adli M, Bauer M, Kronmüller KT, Brieger P, Laux G, Bender W, Heuser I, Fisher R, Gaebel W, Schenack R, Möller HJ, Riedel M (2018). Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>Int J Methods Psychiatr Res</i> . 27(1).	03.176	
38	2017	B Co-Authorships	Haffner P, Quinlivan E, Fiebig J, Sondergeld LM, Strasser ES, Adli M, Moritz S, Stamm TJ (2017). Improving functional outcome in bipolar disorder: A pilot study on metacognitive training. <i>Clin Psychol Psychother</i> . [Epub ahead of print].	01.933	
39	2016	B Co-Authorships	Strasser ES, Haffner P, Fiebig J, Quinlivan E, Adli M, Stamm TJ (2016). Behavioral measures and self-report of impulsivity in bipolar disorder: no association between Stroop test and Barratt Impulsiveness Scale. <i>Int J Bipolar Disord</i> . 4(1):16.	4.88	43.7
40	2016	B Co-Authorships	Hasselmann H, Bellmann-Strobl J, Ricken R, Oberwahrenbrock T, Rose M, Otte C, Adli M, Paul F, Brandt AU, Finke C, Gold SM (2016). Characterizing the phenotype of multiple sclerosis – associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> . Mult Scler. 2016 Jan 8. pii: 1352458515622826. [Epub ahead of print]	4.82	77.7
41	2016	B Co-Authorships	Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Ardu R, Arias B, Backlund L, Banzato CEM, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Bui ET, Cervantes P, Chen GB, Chen HC, Chillotti C, Cichon S, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerni PM, Dantas CR, Dayer A, Étain B, Falkai P, Forstner AJ, Frisen L, Fullerton JM, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A, Jamain S, Jiménez E, Kahn JP, Kassem L, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, Jaramillo CAL, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Nöthen MM, Ösby U, Ozaki N, Perlis RH, Pfenning A, Reich-erkelenz D, Rouleau GA, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt S, Wright A, Young LT, Zandi PP, Potash JB, DePaulo JR, Bauer M, Reininghaus EZ, Novák T, Aubry JM, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo PH, Kato T, Grigoriou-Serbanescu M, Reif A, Del Zombo M, Bellivier F, Schalling M, Wray NR, Kelsøe JR, Alda M, Rietschel M, McMahon FJ, Schulze TG (2016). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> . 387(10023):1085-1093.	39.207	97.2
42	2016	B Co-Authorships	The International Consortium on Lithium Genetics (ConLiGen). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> . 2016 Mar 12;387(10023):1085-93.	39.207	97.2
43	2016	B Co-Authorships	The International Consortium on Lithium Genetics (ConLiGen). Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Hum Mol Genet</i> 2016 Jun 21. [Epub ahead of print]	05.985	92.8

44	2016	B Co-Authorships	Spellmann I, Schennach R, Seemüller F, Meyer S, Musil R, Jäger M, Schmauß M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller KT, Ising M, Brieger P, Maier W, Lemke MR, Rütger E, Klingberg S, Gastpar M, Riedel M, Möller HJ (2016). Validity of remission and recovery criteria for schizophrenia and major depression: comparison of the results of two one-year follow-up naturalistic studies. <i>Eur Arch Psychiatry Clin Neurosci</i> . 267(4):303-313.	04.113	2
45	2016	B Co-Authorships	Seemüller F, Obermeier M, Schennach R, Bauer M, Adli M, Brieger P, Laux G, Riedel M, Falkai P, Möller HJ (2016). Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> . 2016 May 20;16:153.	02.210	26.7
46	2015	B Co-Authorships	Bauer M, Berman S, Stamm T, Plotkin M, Adli M, Pilhatsch M, London ED, Hellemann GS, Whybrow PC, Schlagenhaut F (2015). Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebo-controlled positron emission tomography study. <i>Mol Psychiatry</i> . Mol Psychiatry. 2016 Feb;21(2):229-36.	05.620	83.6
47	2015	B Co-Authorships	Willert A, Mohnke S, Erk S, Schnell K, Romanczuk-Seiferth N, Krusche E, Schreiter S, Spengler S, Herold D, Wackerhagen C, Pöhlend L, Garbusow M, Stamm T, Adli M, Heinz A, Birmphol F, Walter H. (2015). Alterations in neural Theory of Mind processing in euthymic patients with bipolar disorder and unaffected relatives. <i>Bipolar Disorders</i> . 17(8):880-91	04.888	7.3
48	2014	B Co-Authorships	Stamm TJ, Lewitzka U, Sauer C, Pilhatsch M, Smolka MN, Koeberle U, Adli M, Ricken R, Scherk H, Frye MA, Juckel G, Assion HJ, Gitlin M, Whybrow PC, Bauer M (2014). Supraphysiologic doses of levothyroxine as adjunctive therapy in bipolar depression: a randomized, double-blind, placebo-controlled study. <i>J Clin Psychiatry</i> . 75(2): 162-8.	03.761	61.9
49	2014	B Co-Authorships	Rentszsch J, Adli M, Wiethoff K, Gómez-Carrillo de Castro A, Gallinat J (2014). Pretreatment anterior cingulate activity predicts antidepressant treatment response in major depressive episodes. <i>Eur Arch Psychiatry Clin Neurosci</i> . 264(3): 213-23.	03.525	56.9
50	2014	B Co-Authorships	Seemüller F, Meier S, Obermeier M, Musil R, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Riedel M, Falkai P, Möller HJ (2014). Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>Eur Arch Psychiatry Clin Neurosci</i> . 264(7): 567-75.	03.355	74.4
51	2013	B Co-Authorships	Musil R, Zill P, Seemüller F, Bondy B, Meyer S, Spellmann I, Bender W, Adli M, Heuser I, Fisher R, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). Genetics of emergent suicidality during antidepressive treatment--data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>Eur Neuropsychopharmacol</i> . 23(7): 663-74.	04.736	42.2
52	2013	B Co-Authorships	Rhein C, Naumann J, Mühle C, Zill P, Adli M, Hegerl U, Hiemke C, Mergl R, Möller HJ, Reichel M, Kornhuber J (2013). The Acid Sphingomyelinase Sequence Variant p.A487V Is Not Associated With Decreased Levels of Enzymatic Activity. <i>JIMD Rep</i> . 8:1-6	04.138	9.2
53	2013	B Co-Authorships	Manchia M, Adli M, Akula N, Ardu R, Aubry JM, Backlund L, Banzato CE, Baune BT, Bellivier F, Bengesser S, Biernacka JM, Brichant-Petitjean C, Bui E, Calkin CV, Cheng AT, Chillotti C, Cichon S, Clark S, Czerni PM, Dantas C, Zompo MD, Depaulo JR, Detera-Wadleigh SD, Etain B, Falkai P, Frisén L, Frye MA, Fullerton J, Gard S, Garnham J, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Heilbronner U, Hoban R, Hou L, Jamain S, Kahn JP, Kassem L, Kato T, Kelsoe JR, Kittel-Schneider S, Kliwicki S, Kuo PH, Kusumi I, Laje G, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, Maj M, Malafosse A, Martinsson L, Masui T, Mitchell PB, Mondimore F, Monteleone P, Nallet A, Neuner M, Novák T, O'Donovan C, Osby U, Ozaki N, Perlis RH, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reininghaus E, Richardson S, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schubert OK, Schweizer B, Seemüller F, Grigoriou-Serbanescu M, Severino G, Seymour LR, Slaney C, Smoller JW, Squassina A, Stamm T, Steele J, Stopkova P, Tighe SK, Tortorella A, Turecki G, Wray NR, Wright A, Zandi PP, Zilles D, Bauer M, Rietschel M, McMahon FJ, Schulze TG, Alda M (2013). Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS One</i> . 8(6):e65636	03.530	85.6
54	2013	B Co-Authorships	Musil R, Zill P, Seemüller F, Bondy B, Obermeier M, Spellmann I, Bender W, Adli M, Heuser I, Zeiler J, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). No influence of brain-derived neurotrophic factor (BDNF) polymorphisms on treatment response in a naturalistic sample of patients with major depression. <i>Eur Arch Psychiatry Clin Neurosci</i> . 263(5):405-12.	03.355	44.5
55	2013	B Co-Authorships	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Grof P, Müller-Oerlinghausen B, Rybakowski JK, Suwalska A, Pfennig A (2013). Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>Int J Bipolar Disord</i> . 2013 Jul 31;1:11.		49.2
56	2012	B Co-Authorships	Seemüller F, Riedel M, Obermeier M, Schennach-Wolff R, Spellmann I, Meyer S, Bauer M, Adli M, Kronmüller K, Ising M, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Möller HJ (2011). The validity of self-rated psychotic symptoms in depressed inpatients. <i>Eur Psychiatry</i> . Mar 8. [Epub ahead of print]	43.680	45.6
57	2012	B Co-Authorships	Lange C, Adli M, Zschucke E, Beyer R, Ising M, Uhr M, Birmphol F (2012). Affective set-shifting deficits in patients with major depression in remission. <i>J Psychiatr Res</i> . 46(12):1623-6.	04.460	28.4
58	2012	B Co-Authorships	Ricken R, Birmphol F, Schlattmann P, Bschor T, Adli M, Mönter N, Bauer M (2012). Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders - effects on bone mineral density. <i>J Affect Disord</i> . 136: 89-94.	03.740	35.7

59	2012	B Co-Authorships	Stoy M, Schlagenhauf F, Sterzer P, Bermpohl F, Hägele C, Suchotzki K, Schmack K, Wrase J, Ricken R, Knutson B, Adli M, Bauer M, Heinz A, Ströhle A (2012). Hyporeactivity of ventral striatum towards incentive stimuli in unmedicated depressed patients normalizes after treatment with escitalopram. <i>J Psychopharmacol</i> . 26:677-688.	03.396	95
60	2011	B Co-Authorships	Riedel M, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Seemüller F (2011). Clinical predictors of response and remission in inpatients with depressive syndromes. <i>J Affect Disord</i> . 133:137-49.	03.383	72.5
61	2010	B Co-Authorships	Bermpohl F, Kahnt T, Dalanay U, Hägele C, Sajonz B, Wegner T, Stoy M, Adli M, Krüger S, Wrase J, Ströhle A, Bauer M, Heinz A (2010). Altered representation of expected value in the orbitofrontal cortex in mania. <i>Hum Brain Mapp</i> 31: 958-69	05.395	
62	2010	B Co-Authorships	Seemüller F, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Riedel M (2010). Do efficacy and effectiveness samples differ in antidepressant treatment outcome? an analysis of eligibility criteria in randomized controlled trials. <i>J Clin Psychiatry</i> 71:1425-33	05.218	40.4
63	2010	B Co-Authorships	Riedel M, Möller HJ, Obermeier M, Schennach-Wolff R, Bauer M, Adli M, Kronmüller K, Nickel T, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Seemüller F (2010). Response and remission criteria in major depression – a validation of current practice. <i>J Psychiatr Res</i> 44: 1063-1068	04.679	93
64	2010	B Co-Authorships	Abou Jamra R, Schulze TG, Becker T, Brockschmidt FF, Green E, Alblas MA, Wendland JR, Adli M, Grozeva D, Strohmaier J, Georgi A, Craddock N, Propping P, Rietschel M, Nöthen MM, Cichon S, Schumacher J (2010). A systematic association mapping on chromosome 6q in bipolar affective disorder-evidence for the melanin-concentrating-hormone-receptor-2 gene as a risk factor for bipolar affective disorder. <i>Am J Med Genet B Neuropsychiatr Genet</i> 153B: 878-84	03.932	
65	2010	B Co-Authorships	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Dichgans E, Bottländer R, Musil R, Möller HJ (2010). Outcomes of 1014 naturalistically treated inpatients with major depressive episode. <i>Eur Neuropsychopharmacol</i> 20 :346-55.	03.661	
66	2010	B Co-Authorships	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Riedel M, Möller HJ (2010). Relationship between baseline severity and antidepressant treatment outcome. <i>Pharmacopsychiatry</i> Oct 27 2010 [Epub ahead of print]	02.317	35.2
67	2010	B Co-Authorships	Bauer M, Adli M, Bschor T, Pilhatsch M, Pfennig A, Sasse J, Lewitzka U (2010). Lithium's emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. <i>Neuropsychobiology</i> 62: 36-42	01.752	
68	2010	B Co-Authorships	Schulze G, Alda M, Adli M, Akula N, Ardaur R, Chilotti C, Cichon S, Czerski P, Del Zompo M, Detera-Wadleigh S, Grof P, Gruber O, Hashimoto R, Hauser J, Hoban R, Iwata N, Kassem L, Kato T, Kittel-Schneider S, Kliwicky S, Kelsøe J, Kusumi I, Laje G, Leckband S, Manchia M, MacQueen G, Masui T, Ozaki N, Perlis R, Pfennig A, Piccardi P, Richardson S, Rouleau G, reif A, Rybakowski J, Sasse J, Schumacher J, Severino G, Smoller J, Squassina A, Turecki G, Young L, Yoshikawa T, Bauer M, MacMahon F (2010). The international Consortium on Lithium Genetics (ConLiGen) – an initiative by the NIMH and IGSU to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> 62: 72-78	01.752	
69	2010	B Co-Authorships	Mazurek B, Olze H, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ. (2010). Molekularbiologische Aspekte der Neuroplastizität: Ansätze für die Therapie bei Tinnitus und Hörstörungen. <i>HNO</i> , 58, 973-982	01.752	
70	2010	B Co-Authorships	Mazurek B, Stöver T, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ (2010). The significance of stress: ist role in the auditory system and the pathogenesis of tinnitus. <i>HNO</i> 58(2):162-72	0570	
71	2009	B Co-Authorships	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Glenn T, Grof P, Müller-Oerlinghausen B, Rybakowski J, Suwalska A, Pfennig A (2008). Long-term effectiveness of lithium in bipolar disorder – a multicenter investigation of patients with typical and atypical features. <i>J Clin Psychiatry</i> 69(12):1860-8	05.053	
72	2009	B Co-Authorships	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Mundt C, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Henkel V, Möller HJ (2009). The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. <i>Int J Neuropsychopharmacol</i> 12(2):181-9.	04.378	
73	2009	B Co-Authorships	Bermpohl F, Dalanay U, Kahnt T, Sajonz B, Heimann H, Ricken R, Stoy M, Hägele C, Schlagenhauf F, Adli M, Wrase J, Ströhle A, Heinz A, Bauer M (2009). A preliminary study of increased amygdala activation to positive affective stimuli in mania. <i>Bipolar Disord</i> 11: 70-75.	03.959	
74	2009	B Co-Authorships	Bauer M, Glenn T, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M, Whybrow PC (2009). Comparison of Sleep/Wake Parameters for Self-Monitoring Bipolar Disorder. <i>J Affect Disord</i> 116: 170-175.	03.271	
75	2009	B Co-Authorships	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Mundt C, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Möller HJ, Riedel M (2009). Does early improvement triggered by antidepressants predict response/remission? - Analysis of data from a naturalistic study on a large sample of inpatients with major depression. <i>J Affect Disord</i> 115: 439-449.	03.271	
76	2009	B Co-Authorships	Bermpohl F, Walter M, Sajonz B, Lücke C, Hägele C, Sterzer P, Adli M, Heinz A, Northoff G (2009). Attentional modulation of emotional stimulus processing in patients with major depression—Alterations in prefrontal cortical regions. <i>Neuroscience Letters</i> 463: 108-113	02.200	

77	2008	B Co-Authorships	Seemüller F, Riedel M, Wickelmaier F, Adli M, Mundt C, Marneros A, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Möller HJ, Henkel V (2008). Atypical symptoms in hospitalised patients with major depressive episode: frequency, clinical characteristics, and internal validity. <i>J Affect Disord</i> 108 (3): 271-278	03.271	
78	2008	B Co-Authorships	Stamm TJ, Adli M, Kirchheiner J, Smolka MN, Kaiser R, Tremblay P, Bauer M (2008). Serotonin transporter gene and lithium augmentation response in depression. <i>Psychiatr Genetics</i> 18: 92-97	02.696	
79	2007	B Co-Authorships	Bauer M, Blumentritt H, Finke R, Schlattmann P, Adli M, Baethge C, Bschor T, Müller-Oerlinghausen B, Berghöfer A (2007). Using ultrasonographically to determine thyroïd size and prevalence of goiter in lithium-treated patients with affective disorders. <i>J Affect Disord</i> 104: 45-51	03.271	
80	2007	B Co-Authorships	Knubben K, Reischies FM, Adli M, Schlattmann P, Bauer M, Dimeo F (2007). A randomized, controlled study on the effects of a short-term endurance training programme in patients with major depression. <i>Br J Sports Med</i> 41(1):29-33.	02.126	
81	2007	B Co-Authorships	Grunze H, Adli M, Bauer M, Berger M, Bergmann A, Bräunig P, Bschor T, Falkai P, Gastpar M, Greil W, Kasper S, Krüger S, Laux G, Müller WE, Naber D, Walden J (2007). Clinical standing of valproate treatment of bipolar disorders. <i>Fortschr Neurol Psychiatr</i> 75(4): 220-235	0793	
82	2005	B Co-Authorships	Baethge C, Baldessarini RJ, Mathiske-Schmidt K, Hennen J, Berghöfer A, Müller-Oerlinghausen B, Bschor T, Adli M, Bauer M (2005). Long-term combination versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>J Clin Psychiatry</i> 66:174-182	05.053	
83	2005	B Co-Authorships	Baethge C, Blumentritt H, Berghöfer A, Bschor T, Glenn T, Adli M, Schlattmann P, Bauer M (2005). Long-term lithium treatment and thyroid antibodies – a study of 100 patients with affective disorders and 100 normal controls. <i>J Psychiatry Neurosci</i> 30: 423-427	04.123	
84	2003	B Co-Authorships	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2003). Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. <i>J Psychiatr Res</i> 37:135-143	04.679	
85	2003	B Co-Authorships	Bschor T, Baethge C, Adli M, Lewitzka U, Eichmann U, Bauer M (2003). Hypothalamic-pituitary-thyroid system activity during lithium augmentation therapy in patients with unipolar major depression. <i>J Psychiatry Neurosci</i> 28: 210-216	04.123	
86	2003	B Co-Authorships	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Müller-Oerlinghausen B, Bauer M (2003). Lithium augmentation increases post-dexamethasone cortisol in the dexamethasone suppression test in unipolar major depression. <i>Depress Anxiety</i> 17:43-48	02.526	
87	2002	B Co-Authorships	Bauer M, Berghöfer A, Bschor T, Baumgartner A, Kießlinger U, Hellweg R, Adli M, Baethge C, Müller-Oerlinghausen B (2002). Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> 27: 620-628	06.835	
88	2002	B Co-Authorships	Bschor T, Adli M, Baethge C, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2002). Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> 27: 470-478	06.835	
89	2002	B Co-Authorships	Bschor T, Berghöfer A, Ströhle A, Kunz D, Adli M, Müller-Oerlinghausen B, Bauer M (2002). How long should the lithium augmentation strategy be maintained? A 1-year follow up of a placebo-controlled study in unipolar refractory major depression. <i>J Clin Psychopharmacol</i> 22: 427-430	04.371	
90	2002	B Co-Authorships	Bauer M, Forsthoft A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2002). Lithium augmentation therapy in refractory depression-update 2002. <i>Eur Arch Psychiatry Clin Neurosci</i> 253(3):132-9.	02.852	
91	2018	C Reviews	Bauer M, Rush J, Ricken R, Pilhatsch M, Adli M (2018). Algorithms for treatment of major depressive disorder: efficacy and cost-effectiveness. <i>Pharmacopsychiatry</i> . Accepted on 7 June 2018	01.765	
92	2017	C Reviews	Ricken R, Ulrich S, Schlattmann P, Adli M (2017). Tranylcypromine in mind (Part II): Review of clinical pharmacology and meta-analysis of controlled studies in depression. <i>Eur Neuropsychopharmacol.</i> (8):714-731.	04.577	65.2
93	2017	C Reviews	Ulrich S, Ricken R, Adli M (2017). Tranylcypromine in mind (Part I): Review of pharmacology. <i>Eur Neuropsychopharmacol.</i> 27(8):697-713.	04.577	81.7
94	2017	C Reviews	Holzinger F, Fahrenkrog S, Roll S, Kleefeld F, Adli M, Heintze C (2017). Discharge management strategies and post-discharge care interventions for depression - Systematic review and meta-analysis. <i>J Affect Disord.</i> 223:82- 94.	03.845	38.1
95	2017	C Reviews	Gruebner O, Rapp MA, Adli M, Kluge U, Galea S, Heinz A (2017). Cities and Mental Health. <i>Dtsch Arztebl Int.</i> 114(8):121-127.	03.738	91.5
96	2017	C Reviews			
97	2016	C Reviews	Köhler S, Cierpinsky K, Kronenberg G, Adli M (2016). The serotonergic system in the neurobiology of depression: Relevance for novel antidepressants. <i>J Psychopharmacol.</i> 2016 Jan; 30(1):13-22.	03.898	95.1
98	2016	C Reviews	Borgmann M, Holtkamp M, Adli M, Behr J (2016). Depression and epilepsy: Two clinical pictures with common causes? <i>Nervenarzt.</i> 87(7):724-30.	0787	13
99	2014	C Reviews	Bauer M, Adli M, Ricken R, Severus E, Pilhatsch M (2014). Role of lithium augmentation in the management of major depressive disorder. <i>CNS Drugs.</i> 28(4): 331-42.	04.376	87.4
100	2014	C Reviews	Bschor T, Bauer M, Adli M (2014). Chronic and treatment resistant depression – diagnosis and stepwise therapy. <i>Dtsch Arztebl Int.</i> 111(45): 766-76	04	87.4
101	2013	C Reviews	Krings-Ernst I, Ulrich S, Adli M (2013). Antidepressant treatment with MAO-inhibitors during general and regional anesthesia: a review and case report of spinal anesthesia for lower extremity surgery without discontinuation of tranylcypromine. <i>Int J Clin Pharmacol Ther.</i> 51(10): 763-70.	01	8.5
102	2012	C Reviews	Köhler S, Bauer M, Adli M (2012). Behandlungsstrategien der therapieresistenten Depression. <i>Psychiatrie und Psychotherapie up2date</i> 6: 137-148		

103	2011	C Reviews	Rentzsch, J, Ricken R, Adli M (2011). Akutbehandlung der Manie. Psychiatrie und Psychotherapie up2date 5: 209-224		
104	2009	C Reviews	Riedel M, Seemüller F, Wickelmaier F, Schennach-Wolff R, Adli M, Bauer M, Kranmüller K, Brieger P, Laux G, Bender W, Haeuser I, Zeiler J, Gaebel W, Jaeger M, Moeller H, Henkel V (2009). Häufigkeit und klinische Charakteristika von atypisch depressiven Symptomen. Nervenheilkunde 4: 193-199	0373	
105	2009	C Reviews	Wiethoff K, Ricken R, Keck M, Baghai T, Bauer M, Möller H, Adli M (2009). Das Berliner Algorithmusprojekt. Nervenheilkunde 4: 179-185.		00
106	2008	C Reviews	Bschor T, Adli M (2008). Therapie depressiver Erkrankungen. Zertifizierte medizinische Fortbildung. Deutsches Ärzteblatt 105: 782-792		01.099
107	2006	C Reviews	Adli M, Bauer M, Rush AJ (2006). Algorithms and collaborative care systems for depression: are they effective and why? Biol Psychiatry 59: 1029-1038		08.672
108	2005	C Reviews	Wiethoff K, Bauer M, Baghai T, Heinz A, Adli M (2005). Therapiealgorithmen in der Depressionsbehandlung - Das Berliner Algorithmusprojekt. Nervenheilkunde 24: 381-387	0373	
109	2005	C Reviews	Wiethoff K, Baghai T, Heinz A, Bauer M, Adli M (2005). Algorithmusgestützte Behandlung depressiver Erkrankungen: Was bringen systematische Therapieansätze im klinischen Alltag? Med Welt 56: 332-337		
110	2004	C Reviews	Möller HJ, Adli M, Laux G, Müller N, Schmitt J, unter Mitwirkung einer Expertengruppe „Kognitive Störungen bei Antidepressivabehandlung“ (2004). Kognitive und psychomotorische Effekte von Antidepressiva unter besonderer Berücksichtigung von SSRIs. Psychopharmakotherapie 1: 15-21		0202
111	2003	C Reviews	Bauer M, Forsthoef A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2003). Lithium augmentation therapy in refractory depression – update 2002. Eur Arch Psychiatry Clin Neurosci 253: 132-139	02.852	
112	2003	C Reviews	Bauer M, Adli M, Baethge C, Berghöfer A, Sasse J, Heinz A, Bschor T (2003). Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. Can J Psychiatry 48: 440-448	02.828	
113	2003	C Reviews	Bauer M, Adli M, Bschor T, Heinz A, Rasgon N, Frye M, Grunze H, Kupka R, Whybrow PC (2003). Clinical applications of levothyroxine in refractory mood disorders. Clin Appr Bipol Disord 2: 49-56	02.531	
114	2003	C Reviews	Adli M, Rush AJ, Möller H-J, Bauer M (2003). Algorithms for optimizing the treatment of depression: making the right decision at the right time. Pharmacopsychiatry 36 [suppl 3]: 222-229	02.402	
115	2003	C Reviews	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U, Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. Pharmacopsychiatry 36 [suppl 3]: 230-234	02.402	
116	2003	C Reviews	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U & Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. Pharmacopsychiatry: 36 (Suppl 3): 230-234	02.402	
117	1998	C Reviews	Adli M, Bschor T, Canata B, Döpfmer S, Bauer M (1998). Lithium in der Behandlung der akuten Depression. Fortschr Neurol Psychiat 66: 435-441	0793	
118	2006	D Case Reports	Pilhatsch MK, Burghardt R, Wandinger KP, Bauer M, Adli M (2006). Augmentation with atomoxetine in treatment-resistant depression with psychotic features. A case report. Pharmacopsychiatry 39(2): 79-80.	02.402	
119	1999	D Case Reports	Adli M, Rossius W, Bauer M (1999). [Olanzapine in the treatment of depressive disorders with psychotic symptoms] Olanzapin in der Behandlung depressiver Störungen mit psychotischer Symptomatik. Nervenarzt 70: 68-71	0814	
120	2017	E Comments & Letters	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Gomez-Carrillo A, Hehl R, Heinz A, H JM, Mehran N, Tolaas S, Walter H, Weiland U, Stollmann J (2017). Neurourbanism: towards a new discipline. Lancet Psychiatry. 4(3):183-185.	11.588	76.4
121	2015	E Comments & Letters	Berger M, Adli M, Beine KH, Bschor T, Herpertz S, Lauterbach K (2015). Psychiatrische Versorgung: Das Krankenhaus-Psych-Budget – ein Alternativkonzept. Dtsch Arztebl. 112(13): A 574-6	03.608	
122	2015	E Comments & Letters	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? Con. Nervenarzt. 87(5):561-2.	0787	87.4
123	2015	E Comments & Letters	Bschor T, Bauer M, Adli M (2015). Comment on: Chronic and treatment resistant depression: diagnosis and stepwise therapy. [Dtsch Arztebl Int. 2014] Dtsch Arztebl Int. 2015 Jun 12;112(24):421-2.	04	27.3
124	2014	E Comments & Letters	Adli M, Hegerl U. (2014). Do we underestimate the benefits of antidepressant drugs? Lancet. 383(9926): 1361-2.	39.207	29.6
125	2014	E Comments & Letters	Adli M, Hegerl U. (2014). Do we underestimate the benefits of antidepressant drugs? Lancet. 383(9926): 1361-2.	39.207	29.6
126	2014	E Comments & Letters	Fakhri H, Ricken R, Adli M, Fajol A, Walter M, Föller M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. J Clin Psychopharmacol. 34(6): 745-7.	03.761	6.9
127	2011	E Comments & Letters	Adli M, Kleinert S, Bonk M, Wesslingh S, Ganten D (2011). From science to policy: the M8 Alliance invites policy makers to step in. Lancet. 378: 1447-1449.	30.758	
128	1999	E Comments & Letters	Bauer M, Adli M, Bschor T, Döpfmer S (1999). Stellungnahme. Fortschr Neurol Psychiat 67: 386	0793	
129	2017	F Editor	Adli M. Stress and the City: Warum Städte uns krank machen. Und warum sie trotzdem gut für uns sind. 1. Auflage, 2017, C. Bertelsmann Verlag, München		
130	2005	F Editor	Bauer M, Berghöfer A, Adli M (eds.) Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. 2., vollständig neuberarbeitete Auflage 2005 (1. Auflage 1997, 1. Nachdruck 1998). Springer Verlag, Berlin, Heidelberg, New York		
131	2018	G Book Chapters	Schramm E, Bauer M, Adli M Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 14. Auflage. München: Urban & Fischer S. (publication due in December 2018)		

132	2017	G Book Chapters	Schramm E, Bauer M, Adli M (2017). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 13. Auflage. München: Urban & Fischer S. 183-208.
133	2016	G Book Chapters	Schramm E, Bauer M, Adli M (2016). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 12. Auflage. München: Urban & Fischer S. 183-208.
134	2015	G Book Chapters	Schramm E, Bauer M, Adli M (2015). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 11. Auflage. München: Urban & Fischer S. 183-208.
135	2014	G Book Chapters	Schramm E, Bauer M, Adli M (2014). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 10. Auflage. München: Urban & Fischer S. 183-208.
136	2013	G Book Chapters	Schramm E, Bauer M, Adli M (2013). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 9. Auflage. München: Urban & Fischer S. 183-208.
137	2012	G Book Chapters	Schramm E, Bauer M, Adli M (2012). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 8. Auflage. München: Urban & Fischer
138	2011	G Book Chapters	Schramm E, Bauer M, Adli M (2011). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 7. Auflage. München: Urban & Fischer, S. 165-188.
139	2008	G Book Chapters	Pfennig A, Adli M (2008). Antidepressiva-Hochdosisbehandlung. In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 40-47.
140	2008	G Book Chapters	Wiethoff K, Adli M (2008). Systematisierte Therapiealgorithmen (antidepressive Stufenpläne). In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 408-418
141	2006	G Book Chapters	Bschor T, Lewitzka, Adli M (2006). Lithium in non-psychiatric conditions. In: Bauer, Grof, Müller-Oerlinghausen (Hrsg.) Bauer M, Grof P, Müller-Oerlinghausen (Eds.) Lithium in Neuropsychiatry – The Comprehensive Guide. Taylor and Francis Books, Abingdon, S. 237-250
142	2005	G Book Chapters	Bauer M, Pfennig A, Mavrogiorgou P, Juckel G, Adli M, Sasse J, Heinz A (2005) Perspektiven für Quetiapin in der Behandlung der unipolaren Depression. In: Möller HJ (Hrsg.) Quetiapin. Erfahrungen und Ausblicke. Schattauer GmbH, S. 131-141
143	2005	G Book Chapters	Fähser NC, Wiethoff K, Adli M (2005) Therapiealgorithmen in der Langzeitpsychopharmakologie. In: Linden M, Müller WE (Hrsg.) Rehabilitationspsychopharmakologie - Psychopharmakotherapie chronifizierender und chronifizierter Erkrankungen. Köln: Deutscher Ärzteverlag, S. 43-58
144	2005	G Book Chapters	Adli M, Wiethoff K (2005). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie bipolarer Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 103-121
145	2005	G Book Chapters	Berghöfer A, Adli M, Bauer M (2005) Antidepressiva-Übersicht für die klinische Praxis. In: Bauer M, Berghöfer A, Adli M (Hrsg.) Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 587-600
146	2005	G Book Chapters	Adli M, Wiethoff K, Baghai T, Bauer M (2005). Algorithmusgestützte Behandlung stationärer Patienten mit depressiven Erkrankungen: das Berliner Algorithmusprojekt. In: Bauer M, Berghöfer A, Adli M (Hrsg.) Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 477-487
147	2004	G Book Chapters	Adli M, Wiethoff K (2004). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie depressiver Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 96-112
148	2004	G Book Chapters	Adli M, Bauer (2004). M Elektrokonvulsionstherapie bei therapieresistenten Depressionen. In: T. Baghai, R. Frey, S. Kasper, H.-J. Möller (Hrsg.) Elektrokonvulsionstherapie-klinische und wissenschaftliche Aspekte. Wien: Springer, S. 366-393
149	2003	G Book Chapters	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2003). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Weißbuch Bipolare Störungen in Deutschland, BoD GmbH, Norderstedt, S. 131-200
150	2002	G Book Chapters	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2002). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Kurzfassung Weißbuch Bipolare Störungen in Deutschland, Hamburg, Conference Point, S. 67-74
151	2001	G Book Chapters	Adli M, Kießlinger U, Smolka M, Neu P, Linden M, Bauer M (2001). Does algorithm-guided stepwise treatment in depression have an influence on treatment execution? In: Fromm E, ed.: Jahrbuch 2001 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 466
152	2000	G Book Chapters	Adli M, Kießlinger U, Neu P, Smolka M, Linden M, Bauer M (2000). Efficacy of an algorithm-guided treatment regimen in depression compared to standard treatment as usual: The Berlin Algorithm Project. In: Fromm E, ed.: Jahrbuch 2000 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 439
153	1999	G Book Chapters	Kießlinger U, Adli M, Neu P, Smolka M, Linden M, Bauer M (1999). Beschreibung medikamentöser Depressionsbehandlung. In: Jahrbuch 1999, Fachbereich Humanmedizin, Universitätsklinikum Benjamin Franklin der Freien Universität Berlin: S. 494

154	2016	H Other Publications (not peer-reviewed)	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Hehl R, Heinz A, Mayer H. J, Matussek T, Mehran N, Tolaas S, Walter H, Weiland U, Sollmann J (2016). Neurourbanistik – ein methodischer Schlußschluss zwischen Stadtplanung und Neurowissenschaften. 13(2):70-8.
155	2012	H Other Publications (not peer-reviewed)	Kiermeir J, Gassner LM, Siebörger A, Wiethoff K, Ricken R, Stamm T, Bauer M, Heinz A, Adli M (2012). Euthymic Therapy to Reduce Residual Symptoms of Depression and Strengthen Self-Care: a Randomised Controlled Trial. German J Psychiatry. 15 (1): 15-22
156	2010	H Other Publications (not peer-reviewed)	Lange C, Adli M (2010). Residualsymptome nach akuter Depression. MMW Fortschr Med 152(3), 34-35.
157	2009	H Other Publications (not peer-reviewed)	Heimann H, Dietz F, Lange C, Adli M (2009). Behandlung von depressiven Episoden – Relevanz der Vollremission. Neuro aktuell 2: 31-33.
158	2006	H Other Publications (not peer-reviewed)	Bauer M, Pfennig A, Wiethoff K, Sasse J, Ricken R, Pilhatsch M, Adli M (2006). Warum ist die Remission ein wichtiges Ziel in der Depressionsbehandlung? PsychoNeuro 32: 67-71
159	2005	H Other Publications (not peer-reviewed)	Bauer M, Köberle U, Sasse J, Gutzmann C, Neuhaus K, Adli M, Pfennig A, Heinz A (2005). Rezidivprophylaxe Bipolarer Erkrankungen - auf was es ankommt. Schweizer Zeitschrift für Psychiatrie & Neurologie 1: 37-44
160	2005	H Other Publications (not peer-reviewed)	Adli M (2005). Bipolarer Alkoholiker: mit Valproinsäure zwei Fliegen mit einer Klappe schlagen? Info Neurologie Psychiatrie 7 [suppl1]: 12-13
161	2005	H Other Publications (not peer-reviewed)	Bauer M, Stamm T, Sasse J, Adli M (2005). Duloxetine – a novel dual acting antidepressant [Duloxetin - ein neues Antidepressivum mit dualem Wirkmechanismus]. Die Psychiatrie 2: 244-251
162	2004	H Other Publications (not peer-reviewed)	Pfennig A, Adli M, Bauer M (2004). Atypische Neuroleptika bei wahnhafter Depression. Info Neurologie Psychiatrie 6 [suppl1]: 36-37
163	2004	H Other Publications (not peer-reviewed)	Adli M (2004). Die „maskierte“ bipolare Störung: Fehldiagnose unipolare Depression vermeiden. Der Neurologe & Psychiater 3: 38-42
164	2003	H Other Publications (not peer-reviewed)	Sasse J, Köberle U, Bschor T, Adli M, Trendelenburg M, Bauer M. (2003). Bipolare Depression: L-Thyroxin-Augmentation als Möglichkeit einer medikamentösen Behandlung. PsychoNeuro 29: 400-402
165	2003	H Other Publications (not peer-reviewed)	Adli M, Bauer M (2003). Wahnhafte Depression – eine vernachlässigte Sonderform. (Neuroleptika bei wahnhafter Depression). Info Neurologie Psychiatrie 2: 44-50