

Publication List Priv.-Doz. Dr. Mazda Adli (October 7th, 2019)

Total Impact Factor: 582,599

Hirsch Factor 32

Inhalt

A Original Papers (First or Senior Authorships).....	1
B Co-Authorships	4
C Reviews	12
D Case Reports	13
F Editor	14
G Book Chapters	14
H Other Publications (not peer-reviewed).....	16

A Original Papers (First or Senior Authorships)

Nr.	Jahr	Zitation	Impact Factor	Perzentil
1	2019	Ulrich, S., Ricken, R., Buspavanich, P., Schlattmann, P., Adli, M. (2019). Efficacy and adverse effects of tranylcypromine and tricyclic antidepressants in the treatment of depression: a systematic review and comprehensive meta-analysis. Journal of Clinical Psychopharmacology (in press)	.5	
2	2019	Bopp SK*, Heilbronner U*, Schlattmann P, Mühleisen TW, Bschor T, Richter C, Steinacher B, Stamm TJ, Merkl A, Herms S, Köhler S, Sterzer P, Hellweg R, Heinz A, CichonS, Lang UE, Schulze TG, Adli M*, Ricken R* (2019). Leptin gene polymorphisms are associated with weight gain during lithium augmentation in patients with major depression. Eur Neuropsychopharmacol, 2018. Dec .006	04.129	
3	2018	Ricken R, Busche M, Schlattmann P, Himmerich H, Bopp S, Bschor T, Richter C, Stamm TJ, Heinz A, Hellweg R, Lang UE, Adli M (2018). Cytokine serum levels remain unchanged during lithium augmentation of antidepressants in major depression. J Psychiatr Res. 96:203-208	04.183	
4	2018	Ricken R, Wiethoff K, Reinhold T, Stamm TJ, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Laux G, Hauth I, Möller HJ, Heinz A, Bauer M, Adli M (2018). A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients - Results from the German Algorithm Project (GAP3). J Affect Disord. 228:173-177.	03.432	
5	2018	Dimitrov A, Veer IM, Kleeblatt J, Seyfarth F, Roenneberg T, Ising M, Uhr M, Keck ME, Kramer A, Berger M, von Koch L, Walter H, Adli M (2018). Chronotype is associated with psychological well-being depending on the composition of the study sample. J Health Psychol. 2018 Jan 1:1359105317751618.	02.182	

6	2017	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Elstner S, Stamm TJ, Schulz-Ratei B, Lingesleben A, Reischies FM, Sterzer P, Borgwardt S, Bauer M, Heinz A, Hellweg R, Lang UE, Adli M (2017). Ghrelin Serum Concentrations Are Associated with Treatment Response During Lithium Augmentation of Antidepressants. <i>Int J Neuropsychopharmacol.</i> 20(9):692-697.	04.712	16.3
7	2017	Adli M, Wiethoff K, Baghai TC, Fisher R, Seemüller F, Laakmann G, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Kronmüller KT, Smolka MN, Schlattmann P, Berger M, Ricken R, Stamm TJ, Heinz A, Bauer M (2017). How Effective Is Algorithm-Guided Treatment for Depressed Inpatients? Results from the Randomized Controlled Multicenter German Algorithm Project 3 Trial. <i>Int J Neuropsychopharmacol.</i> 20(9):721-730.	04.712	24.2
8	2016	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Stamm TJ, Bauer F, Heinz A, Hellweg R, Lang UE, Adli M (2016). Leptin serum concentrations are associated with weight gain during lithium augmentation. <i>Psychoneuroendocrinology.</i> 71:31-35.	04.944	2
9	2016	Stamm TJ, Rampp C, Wiethoff K, Stingl J, Mössner R, O Malley G, Ricken R, Seemüller F, Keck M, Fisher R, Gaebel W, Maier W, Möller HJ, Bauer M, Adli M (2016). The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>J Psychopharmacol.</i> 30(1):40-7.	03.898	77.7
10	2015	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? <i>Con. Nervenarzt.</i> 87(5):561-2.	0.787	
11	2015	Köhler S, Wiethoff K, Ricken R, Stamm T, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Zeiler J, Heinz A, Bauer M, Adli M (2015). Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>J Affect Disord.</i> 173: 126-33.	0.371	55
12	2014	Fakhri H*, Ricken R*, Adli M*, Fajol A, Walter M, Föllner M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. <i>J Clin Psychopharmacol.</i> 34(6): 745-7.	03.761	
13	2014	Stamm TJ, Becker D, Sondergeld LM, Wiethoff K, Hiemke C, O'Malley G, Ricken R, Bauer M, Adli M (2014). Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry.</i> 47(4-5): 174-9.	02.168	23.9
14	2013	Lange C, Zschucke E, Ising M, Uhr M, Birmaher B, Adli M (2013). Evidence for a normal HPA axis response to psychosocial stress in patients remitted from depression. <i>Psychoneuroendocrinology,</i> 38(11): 2729-36.	05.591	59.2
15	2013	Ricken R*, Adli M*, Lange C, Krusche E, Stamm TJ, Gaus S, Köhler S, Nase S, Bschor T, Richter C, Steinacher B, Heinz A, Rapp MA, Borgwardt S, Hellweg R, Lang UE (2013). Brain-derived neurotrophic factor serum concentrations in acute depressive patients increase during lithium augmentation of antidepressants. <i>J Clin Psychopharmacol.</i> 33(6): 806-9.	03.761	58.4

16	2013	Stamm TJ, Stingl J, Wiethoff K, Ricken R, Heinz A, Bauer M, O'Malley G, Adli M (2013). Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>J Affect Disord.</i> 151: 605-610.	03.383	24.1
17	2011	Sterzer P, Hilgenfeldt T, Freudenberg P, Adli M (2011). Unconscious emotional information processing in patients with major depressive disorder. <i>Psychol Med</i> 5: 1-10	05.012	60.2
18	2011	Ricken R, Wiethoff K, Reinhold T, Schietsch K, Stamm T, Kiermeir J, Neu P, Heinz A, Bauer M, Adli M (2011). Algorithm-guided treatment of depression reduces treatment costs - Results from the randomized controlled German Algorithm Project (GAPII). <i>J Affect Disord.</i> 134:249-256	03.740	25.7
19	2010	Wiethoff K, Bauer M, Baghai TC, Möller HJ, Fisher R, Hollinde D, Kiermeir J, Hauth I, Laux G, Cordes J, Marneros A, Kronmüller K, Zeiler J, Adli M (2010). Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. <i>J Clin Psychiatry</i> 71:1047-54	05.218	
20	2009	Adli M, Kleinert S, Lafont, A, Kahn A, Ganten D (2009). Shaping the future of health care: the Berlin 2009 Evolution of Medicine Summit. <i>Lancet</i> 373: 519-520	30.758	
21	2009	Adli M, Bschor T, Bauer M, Lucka C, Lewitzka U, Ising M, Uhr M, Müller-Oerlinghausen B, Baethge C (2009). Long-term outcome after lithium augmentation in unipolar depression: focus on HPA system activity. <i>Neuropsychobiology</i> 60: 23-30.	01.752	
22	2009	Bauer M, Pfennig A, Linden M, Smolka M, Neu P, Adli M (2009). Efficacy of an algorithm-guided treatment compared to treatment as usual: A randomized controlled study of inpatients with depression. <i>J Clin Psychopharmacology</i> 29: 327-333.	0.5	
23	2008	Bauer M, Glenn T, Whybrow PC, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M (2008). Changes in self-reported sleep duration predict mood changes in bipolar disorder. <i>Psychol Med.</i> 38: 1069-71.	04.718	
24	2008	Mahlberg R, Kienast T, Bschor T, Adli M (2008). Evaluation of time memory in acutely depressed patients, manic patients, and healthy controls using a time reproduction task. <i>Eur Psychiatry</i> 23: 430-433.	02.433	
25	2008	Adli M, Pilhatsch M, Bauer M, Köberle U, Ricken R, Janssen G, Ulrich S, Bschor T (2008). Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatment-resistant depression. <i>Pharmacopsychiatry</i> 41: 252-7.	02.402	
26	2008	Mahlberg R, Adli M, Bschor T, Kienast T (2008). Age effects on trail making test during acute depressive and manic episode. <i>Int J Neurosci.</i> 118: 1347-1356.	0.884	
27	2008	Adli M, Wiethoff K, Pfennig A, Stamm T, Baethge C, Bauer M (2008). Olanzapine in the treatment of depression with psychotic features – a prospective open-label study. <i>Int J Psychiatr Clin Practice</i> 12: 202-209.	0.410	
28	2007	Adli M, Hollinde D, Stamm T, Wiethoff K, Tsahuridu M, Kirchheiner J, Heinz A, Bauer M (2007). Response to lithium augmentation treatment in depression is associated with the glycogen synthase	08.672	

		kinase 3-beta (GSK3-beta) - 50T/C single nucleotide polymorphism. Biol Psychiatry 62: 1295-1302		
29	2005	Adli M, Baethge C, Langlitz N, Bauer M (2005). Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed ? – a systematic review. Eur Arch Psychiatry Clin Neurosci. 255: 387-400	02.852	
30	2005	Adli M, Whybrow P, Grof P, Rasgon N, Gyulai L, Baethge C, Glenn T, Bauer M (2005). Use of polypharmacy and self-reported mood in outpatients with bipolar disorder. Int J Psychiatry Clin Practice 9: 251-256	0.410	
31	2002	Adli M, Berghöfer A, Linden M, Helmchen H, Müller-Oerlinghausen B, Mackert A, Stamm T, Bauer M (2002). Effectiveness and feasibility of a standardized stepwise drug treatment algorithm for inpatients with depressive disorders – results of a two-year observational study. J Clin Psychiatry 63: 782-79	05.053	

B Co-Authorships

32	2019	Veer I., Nowak J., Dimitrov A., Oei N., Walter H., & Adli M. (2019) Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> [Epub ahead of print]	04.731	
33	2019	Schennach R, Obermeier M, Spellmann I, Seemüller F, Musil R, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller KT, Ising M, Brieger P, Maier W, Lemke MR, Rütger E, Klingberg S, Gastpar M, Möller HJ, Riedel M. Remission in schizophrenia - What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. Schizophr Res. 2019 May 25. pii: S0920-9964(19)30155-0. doi: 10.1016/j.schres.2019.04.022. [Epub ahead of print]	04.748	
34	2019	Dimitrov A, Wenzel J, Kabisch N, Engel L, Hemmerling J, Bunz M, Veer IM, Walter H, Adli M. (in press). The urban brain under stress – Influence of residential green space and air pollution.		
35	2019	Schennach, R., Obermeier, M., Spellmann, I., Seemüller, F., Musil, R., Jäger, M., ... & Schmidt, L. G. (2019). Remission in schizophrenia—What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. Schizophrenia research.	04.785	
36	2019	Kalman JL, Papiol S, Forstner AJ, Heilbronner U Degenhardt F, Strohmaier J, Adli M, Adorjan K Akula N, Alda M, Anderson-Schmidt H Andlauer TF, Anghelescu IG, Ardu R, Arias B, Arolt V, Aubry JM, Backlund L, Bartholdi K, Bauer M, Baune BT, Becker T, Bellivier F, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Budde M, Cervantes P, Chillotti C, Cichon S Clark SR, Colom F, Comes AL Cruceanu C Czerski PM, Dannlowski U, Dayer A, Del Zompo M, DePaulo JR, Dietrich DE, Étain B, Ethofer T, Falkai P, Fallgatter A, Figge C, Flatau L, Folkerts H, Frisen L, Frye MA, Fullerton JM Gade K Gard S, Garnham JS, Goes FS, Grigoriu-Serbanescu M, Gryaznova A, Hake M, Hauser J, Herms S Hoffmann P Hou L, Jäger M, Jamain S, Jiménez E, Juckel G, Kahn JP, Kassem L, Kelsoe J, Kittel-		

		<p>Schneider S, Kliwicki S, Klohn-Sagatholislam F Koller M, König B, Konrad C, Lackner N, Laje G, Landén M Lang FU, Lavebratt C, Leboyer M Leckband SG, Maj M, Manchia M Martinsson L, McCarthy MJ, McElroy SL, McMahon FJ, Mitchell PB Mitjans M, Mondimore FM, Monteleone P Nieratschker V, Nievergelt CM, Novák T Ösby U, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reimer J, Reininghaus E, Reitt M, Ripke S Rouleau GA, Rybakowski JK, Schalling M, Scherk H, Schmauß M, Schofield PR Schubert KO, Schulte EC Schulz S, Senner F Severino G, Shekhtman T, Shilling PD, Simhandl C Slaney CM, Spitzer C, Squassina A, Stamm T Stegmaier S, Stierl S, Stopkova P, Thiel A, Tighe SK, Tortorella A, Turecki G, Vieta E, Veeh J, von Hagen M, Wigand ME, Wiltfang J, Witt S, Wright A Zandi PP, Zimmermann J, Nöthen M, Rietschel M, Schulze TG (2019).</p> <p>Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. Bipolar Disord. 2019 Feb;21(1):68-75. doi: 10.1111/bdi.12659. Epub 2018 Jun 28. PubMed PMID:29956436</p>		
37	2019	<p>Buspavanich, P., Behr, J., Stamm, T., Schlattmann, P., Bschor, T., Richter, C., ... & Rentzsch, J. (2019). Treatment response of lithium augmentation in geriatric compared to non-geriatric patients with treatment-resistant depression. <i>Journal of affective disorders</i>.</p>	03.786	
38	2018	<p>Reinbold CS, Forstner AJ, Hecker J, Fullerton JM, Hoffmann P, Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Ardau R, Arias B, Backlund L, Benabarre A, Bengesser S, Kumar Bhattacharjee A, Biernacka JM, Birner A, Marie-Claire C, Cervantes P, Chen G, Chen H, Chillotti C, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dayer A, Etain B, Falkai P, Frisé L, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Jamain S, Jiménez E, Kahn J, Kassem L, KittelSchneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau AG, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt SH, Wright AJ, Young LT, Zandi P, Potash JB, DePaulo JR, Bauer M, Reininghaus E, Novák T, Aubry J, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo P, Kato T, Grigoriu-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray N, Kelsoe JR, Alda M, McMahon FJ, Schulze TG, Rietschel M, Nöthen MM, Cichon S (2018). Analysis of the influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Front. Psychiatry</i>. 9:207.</p>	03.532	
39	2018	<p>International Consortium on Lithium Genetics (ConLi+Gen) (2018). Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i>. 2018 Jan 1;75(1):65-74.</p>	15.307	74.2
40	2018	<p>Kalman JL, Papiol S, Forstner AJ, Heilbronner U, Degenhardt F, Strohmaier J, Adli M, Adorjan K, Akula N, Alda M, Anderson-Schmidt H, Andlauer TF, Angheliescu IG, Ardau R, Arias B, Arolt V, Aubry JM, Backlund L, Bartholdi K, Bauer M, Baune BT, Becker T, Bellivier F, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Budde M,</p>	04.539	

		Cervantes P, Chillotti C, Cichon S, Clark SR, Colom F, Comes AL, Cruceanu C, Czernski PM, Dannlowski U, Dayer A, Del Zompo M, DePaulo JR, Dietrich DE, Étain B, Ethofer T, Falkai P, Fallgatter A, Figge C, Flatau L, Folkerts H, Frisen L, Frye MA, Fullerton JM, Gade K, Gard S, Garnham JS, Goes FS, Grigoriu-Serbanescu M, Gryaznova A, Hake M, Hauser J, Herms S, Hoffmann P, Hou L, Jäger M, Jamain S, Jiménez E, Juckel G, Kahn JP, Kassem L, Kelsoe J, Kittel-Schneider S, Kliwicky S, Klohn-Sagatholislam F, Koller M, König B, Konrad C, Lackner N, Laje G, Landén M, Lang FU, Lavebratt C, Leboyer M, Leckband SG, Maj M, Manchia M, Martinsson L, McCarthy MJ, McElroy SL, McMahon FJ, Mitchell PB, Mitjans M, Mondimore FM, Monteleone P, Nieratschker V, Nievergelt CM, Novák T, Ösby U, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reimer J, Reininghaus E, Reitt M, Ripke S, Rouleau GA, Rybakowski JK, Schalling M, Scherk H, Schmauß M, Schofield PR, Schubert KO, Schulte EC, Schulz S, Senner F, Severino G, Shekhtman T, Shilling PD, Simhandl C, Slaney CM, Spitzer C, Squassina A, Stamm T, Stegmaier S, Stierl S, Stopkova P, Thiel A, Tighe SK, Tortorella A, Turecki G, Vieta E, Veeh J, von Hagen M, Wigand ME, Wiltfang J, Witt S, Wright A, Zandi PP, Zimmermann J, Nöthen M, Rietschel M, Schulze TG (2018). Investigating polygenic burden in age at disease onset in bipolar disorder: findings from an international multicentric study. <i>Bipolar Disord.</i> In print.		
41	2018	Schennach R, Obermeier M, Spellmann I, Seemüller F, Musil R, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller T, Ising M, Brieger P, Maier W, Lemke MR, Rütger E, Klingberg S, Gastpar M, Möller H, Riedel M (2018). Remission in schizophrenia - what are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophr Res.</i> Submitted on 12 May 2018.	03.986	2
42	2018	. Dimitrov A, Schaake J, Ligdorf A, Oei NYL, Adli M, Walter H, Veer IM (2018). Natural sleep loss is associated with lower mPFC activity during negative distracter processing. <i>Soc Cogn Affect Neurosci.</i> Submitted on 10 July 2018.	03.500	
43	2018	Musil R, Seemüller F, Meyer S, Spellmann I, Adli M, Bauer M, Kronmüller KT, Brieger P, Laux G, Bender W, Heuser I, Fisher R, Gaebel W, Schennach R, Möller HJ, Riedel M (2018). Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>Int J Methods Psychiatr Res.</i> 27(1).	03.176	
44	2017	Haffner P, Quinlivan E, Fiebig J, Sondergeld LM, Strasser ES, Adli M, Moritz S, Stamm TJ (2017). Improving functional outcome in bipolar disorder: A pilot study on metacognitive training. <i>Clin Psychol Psychother.</i> [Epub ahead of print].	01.933	
45	2017	Spellmann I, Schennach R, Seemüller F, Meyer S, Musil R, Jäger M, Schmauß M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller KT, Ising M, Brieger P, Maier W, Lemke MR, Rütger E, Klingberg S, Gastpar M, Riedel M, Möller HJ (2017). Validity of remission and recovery criteria for schizophrenia and major depression: comparison of the results of two one-year follow-up naturalistic studies. <i>Eur Arch Psychiatry Clin Neurosci.</i> 267(4):303-313.	04.113	2
46	2016	Strasser ES, Haffner P, Fiebig J, Quinlivan E, Adli M, Stamm TJ (2016). Behavioral measures and self-report of impulsivity in bipolar disorder: no association between Stroop test and Barratt Impulsiveness Scale. <i>Int J Bipolar Disord.</i> 4(1):16.	4.88	43.7

47	2016	Hasselmann H, Bellmann-Strobl J, Ricken R, Oberwahrenbrock T, Rose M, Otte C, Adli M, Paul F, Brandt AU, Finke C, Gold SM (2016). Characterizing the phenotype of multiple sclerosis – associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> . <i>Mult Scler</i> . 2016 Jan 8. pii: 1352458515622826. [Epub ahead of print]	4.82	77.7
48	2016	Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Arda R, Arias B, Backlund L, Banzato CEM, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Bui ET, Cervantes P, Chen GB, Chen HC, Chillotti C, Cichon S, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dantas CR, Dayer A, Étain B, Falkai P, Forstner AJ, Frisé L, Fullerton JM, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A, Jamain S, Jiménez E, Kahn JP, Kassem L, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, Jaramillo CAL, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Nöthen MM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau GA, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt S, Wright A, Young LT, Zandi PP, Potash JB, DePaulo JR, Bauer M, Reininghaus EZ, Novák T, Aubry JM, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo PH, Kato T, Grigoriu-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray NR, Kelsoe JR, Alda M, Rietschel M, McMahon FJ, Schulze TG (2016). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> . 387(10023):1085-1093.	39.207	97.2
49	2016	The International Consortium on Lithium Genetics (ConLiGen). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> . 2016 Mar 12;387(10023):1085-93.	39.207	97.2
50	2016	The International Consortium on Lithium Genetics (ConLiGen). Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Hum Mol Genet</i> 2016 Jun 21. [Epub ahead of print]	05.985	92.8
51	2016	Seemüller F, Obermeier M, Schennach R, Bauer M, Adli M, Brieger P, Laux G, Riedel M, Falkai P, Möller HJ (2016). Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> . 2016 May 20;16:153.	02.210	26.7
52	2015	Bauer M, Berman S, Stamm T, Plotkin M, Adli M, Pilhatsch M, London ED, Hellemann GS, Whybrow PC, Schlagenhaut F (2015). Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebo-controlled positron emission tomography study. <i>Mol Psychiatry</i> . <i>Mol Psychiatry</i> . 2016 Feb;21(2):229-36.	05.620	83.6
53	2015	Willert A, Mohnke S, Erk S, Schnell K, Romanczuk-Seiferth N, Krusche E, Schreiter S, Spengler S, Herold D, Wackerhagen C, Pöhland L, Garbusow M, Stamm T, Adli M, Heinz A, BERPohl F, Walter H. (2015). Alterations in neural Theory of Mind processing in euthymic patients with bipolar disorder and unaffected relatives. <i>Bipolar Disorders</i> . 17(8):880-91	04.888	7.3
54	2014	Stamm TJ, Lewitzka U, Sauer C, Pilhatsch M, Smolka MN, Koeberle U, Adli M, Ricken R, Scherk H, Frye MA, Juckel G, Assion HJ, Gitlin M, Whybrow PC, Bauer M (2014). Supraphysiologic doses of levothyroxine as adjunctive	03.761	61.9

		therapy in bipolar depression: a randomized, double-blind, placebo-controlled study. <i>J Clin Psychiatry</i> . 75(2): 162-8.		
55	2014	Rentzsch J, Adli M, Wiethoff K, Gómez-Carrillo de Castro A, Gallinat J (2014). Pretreatment anterior cingulate activity predicts antidepressant treatment response in major depressive episodes. <i>Eur Arch Psychiatry Clin Neurosci</i> . 264(3): 213-23.	03.525	56.9
56	2014	Seemüller F, Meier S, Obermeier M, Musil R, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Riedel M, Falkai P, Möller HJ (2014). Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>Eur Arch Psychiatry Clin Neurosci</i> . 264(7): 567-75.	03.355	74.4
57	2013	Musil R, Zill P, Seemüller F, Bondy B, Meyer S, Spellmann I, Bender W, Adli M, Heuser I, Fisher R, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). Genetics of emergent suicidality during antidepressive treatment--data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>Eur Neuropsychopharmacol</i> . 23(7): 663-74.	04.736	42.2
58	2013	Rhein C, Naumann J, Mühle C, Zill P, Adli M, Hegerl U, Hiemke C, Mergl R, Möller HJ, Reichel M, Kornhuber J (2013). The Acid Sphingomyelinase Sequence Variant p.A487V Is Not Associated With Decreased Levels of Enzymatic Activity. <i>JIMD Rep</i> . 8:1-6	04.138	9.2
59	2013	Manchia M, Adli M, Akula N, Ardu R, Aubry JM, Backlund L, Banzato CE, Baune BT, Bellivier F, Bengesser S, Biernacka JM, Brichant-Petitjean C, Bui E, Calkin CV, Cheng AT, Chillotti C, Cichon S, Clark S, Czerski PM, Dantas C, Zompo MD, Depaulo JR, Detera-Wadleigh SD, Etain B, Falkai P, Frisé L, Frye MA, Fullerton J, Gard S, Garnham J, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Heilbronner U, Hoban R, Hou L, Jamain S, Kahn JP, Kassem L, Kato T, Kelsoe JR, Kittel-Schneider S, Kliwicki S, Kuo PH, Kusumi I, Laje G, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, Maj M, Malafosse A, Martinsson L, Masui T, Mitchell PB, Mondimore F, Monteleone P, Nallet A, Neuner M, Novák T, O'Donovan C, Osby U, Ozaki N, Perlis RH, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reininghaus E, Richardson S, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schubert OK, Schweizer B, Seemüller F, Grigoriu-Serbanescu M, Severino G, Seymour LR, Slaney C, Smoller JW, Squassina A, Stamm T, Steele J, Stopkova P, Tighe SK, Tortorella A, Turecki G, Wray NR, Wright A, Zandi PP, Zilles D, Bauer M, Rietschel M, McMahon FJ, Schulze TG, Alda M (2013). Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS One</i> . 8(6):e65636	03.530	85.6
60	2013	Musil R, Zill P, Seemüller F, Bondy B, Obermeier M, Spellmann I, Bender W, Adli M, Heuser I, Zeiler J, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). No influence of brain-derived neurotrophic factor (BDNF) polymorphisms on treatment response in a naturalistic sample of patients with major depression. <i>Eur Arch Psychiatry Clin Neurosci</i> . 263(5):405-12.	03.355	44.5
61	2013	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Grof P, Müller-Oerlinghausen B, Rybakowski JK, Suwalska A, Pfennig A (2013). Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>Int J Bipolar Disord</i> . 2013 Jul 31;1:11.		49.2

62	2012	Seemüller F, Riedel M, Obermeier M, Schennach-Wolff R, Spellmann I, Meyer S, Bauer M, Adli M, Kronmüller K, Ising M, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Möller HJ (2011). The validity of self-rated psychotic symptoms in depressed inpatients. <i>Eur Psychiatry</i> . Mar 8. [Epub ahead of print]	43.680	45.6
63	2012	Lange C, Adli M, Zschucke E, Beyer R, Ising M, Uhr M, BERPohl F (2012). Affective set-shifting deficits in patients with major depression in remission. <i>J Psychiatr Res</i> . 46(12):1623-6.	04.460	28.4
64	2012	Ricken R, BERPohl F, Schlattmann P, Bschor T, Adli M, Mönter N, Bauer M (2012). Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders - effects on bone mineral density. <i>J Affect Disord</i> . 136: 89-94.	03.740	35.7
65	2012	Stoy M, Schlagenhaut F, Sterzer P, BERPohl F, Hägele C, Suchotzki K, Schmack K, Wrase J, Ricken R, Knutson B, Adli M, Bauer M, Heinz A, Ströhle A (2012). Hyporeactivity of ventral striatum towards incentive stimuli in unmedicated depressed patients normalizes after treatment with escitalopram. <i>J Psychopharmacol</i> . 26:677-688.	03.396	95
66	2011	Riedel M, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Seemüller F (2011). Clinical predictors of response and remission in inpatients with depressive syndromes. <i>J Affect Disord</i> . 133:137-49.	03.383	72.5
67	2010	BERPohl F, Kahnt T, Dalanay U, Hägele C, Sajonz B, Wegner T, Stoy M, Adli M, Krüger S, Wrase J, Ströhle A, Bauer M, Heinz A (2010). Altered representation of expected value in the orbitofrontal cortex in mania. <i>Hum Brain Mapp</i> 31: 958-69	05.395	
68	2010	Seemüller F, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Riedel M (2010). Do efficacy and effectiveness samples differ in antidepressant treatment outcome? an analysis of eligibility criteria in randomized controlled trials. <i>J Clin Psychiatry</i> 71:1425-33	05.218	40.4
69	2010	Riedel M, Möller HJ, Obermeier M, Schennach-Wolff R, Bauer M, Adli M, Kronmüller K, Nickel T, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Seemüller F (2010). Response and remission criteria in major depression – a validation of current practice. <i>J Psychiatr Res</i> 44: 1063-1068	04.679	93
70	2010	Abou Jamra R, Schulze TG, Becker T, Brockschmidt FF, Green E, Alblas MA, Wendland JR, Adli M, Grozeva D, Strohmeier J, Georgi A, Craddock N, Propping P, Rietschel M, Nöthen MM, Cichon S, Schumacher J (2010). A systematic association mapping on chromosome 6q in bipolar affective disorder-evidence for the melanin-concentrating-hormone-receptor-2 gene as a risk factor for bipolar affective disorder. <i>Am J Med Genet B Neuropsychiatr Genet</i> 153B: 878-84	03.932	
71	2010	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Dichgans E, Bottländer R, Musil R, Möller HJ (2010). Outcomes of 1014 naturalistically treated inpatients with major depressive episode. <i>Eur Neuropsychopharmacol</i> 20 :346-55.	03.661	
72	2010	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Riedel M, Möller HJ (2010). Relationship between baseline severity and	02.317	35.2

		antidepressant treatment outcome. <i>Pharmacopsychiatry</i> Oct 27 2010 [Epub ahead of print]		
73	2010	Bauer M, Adli M, Bschor T, Pilhatsch M, Pfennig A, Sasse J, Lewitzka U (2010). Lithium's emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. <i>Neuropsychobiology</i> 62: 36-42	01.752	
74	2010	Schulze G, Alda M, Adli M, Akula N, Arda R, Chilotti C, Cichon S, Czerski P, Del Zompo M, Detera-Wadleigh S, Grof P, Gruber O, Hashimoto R, Hauser J, Hoban R, Iwata N, Kassem L, Kato T, Kittel-Schneider S, Kliwicky S, Kelsoe J, Kusumi I, Laje G, Leckband S, Manchia M, MacQueen G, Masui T, Ozaki N, Perlis R, Pfennig A, Piccardi P, Richardson S, Rouleau G, reif A, Rybakowski J, Sasse J, Schumacher J, Severino G, Smoller J, Squassina A, Turecki G, Young L, Yoshikawa T, Bauer M, MacMahon F (2010). The international Consortium on Lithium Genetics (ConLiGen) – an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> 62: 72-78	01.752	
75	2010	Mazurek B, Olze H, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ. (2010). Molekularbiologische Aspekte der Neuroplastizität: Ansätze für die Therapie bei Tinnitus und Hörstörungen. <i>HNO</i> , 58, 973-982	01.752	
76	2010	Mazurek B, Stöver T, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ (2010). The significance of stress: its role in the auditory system and the pathogenesis of tinnitus. <i>HNO</i> 58(2):162-72	0.570	
77	2009	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Glenn T, Grof P, Müller-Oerlinghausen B, Rybakowski J, Suwalska A, Pfennig A (2008). Long-term effectiveness of lithium in bipolar disorder – a multicenter investigation of patients with typical and atypical features. <i>J Clin Psychiatry</i> 69(12):1860-8	05.053	
78	2009	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Mundt C, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Henkel V, Möller HJ (2009). The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. <i>Int J Neuropsychopharmacol</i> 12(2):181-9.	04.378	
79	2009	Berpohl F, Dalanay U, Kahnt T, Sajonz B, Heimann H, Ricken R, Stoy M, Hägele C, Schlagenhauf F, Adli M, Wrase J, Ströhle A, Heinz A, Bauer M (2009). A preliminary study of increased amygdala activation to positive affective stimuli in mania. <i>Bipolar Disord</i> 11: 70-75.	03.959	
80	2009	Bauer M, Glenn T, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M, Whybrow PC (2009). Comparison of Sleep/Wake Parameters for Self-Monitoring Bipolar Disorder. <i>J Affect Disord</i> 116: 170-175.	03.271	
81	2009	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Mundt C, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Möller HJ, Riedel M (2009). Does early improvement triggered by antidepressants predict response/remission? - Analysis of data from a naturalistic study on a large sample of inpatients with major depression. <i>J Affect Disord</i> 115: 439-449.	03.271	
82	2009	Berpohl F, Walter M, Sajonz B, Lücke C, Hägele C, Sterzer P, Adli M, Heinz A, Northoff G (2009). Attentional modulation of emotional stimulus processing in patients with major depression—Alterations in prefrontal cortical regions. <i>Neuroscience Letters</i> 463: 108-113	02.200	
83	2008	Seemüller F, Riedel M, Wickelmaier F, Adli M, Mundt C, Marneros A, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Möller HJ, Henkel V (2008). Atypical symptoms in hospitalised patients with major depressive episode:	03.271	

		frequency, clinical characteristics, and internal validity. <i>J Affect Disord</i> 108 (3): 271-278		
84	2008	Stamm TJ, Adli M, Kirchheiner J, Smolka MN, Kaiser R, Tremblay P, Bauer M (2008). Serotonin transporter gene and lithium augmentation response in depression. <i>Psychiatr Genetics</i> 18: 92-97	02.696	
85	2007	Bauer M, Blumentritt H, Finke R, Schlattmann P, Adli M, Baethge C, Bschor T, Müller-Oerlinghausen B, Berghöfer A (2007). Using ultrasonographically to determine thyroid size and prevalence of goiter in lithium-treated patients with affective disorders. <i>J Affect Disord</i> 104: 45-51	03.271	
86	2007	Knubben K, Reischies FM, Adli M, Schlattmann P, Bauer M, Dimeo F (2007). A randomized, controlled study on the effects of a short-term endurance training programme in patients with major depression. <i>Br J Sports Med</i> 41(1):29-33.	02.126	
87	2007	Grunze H, Adli M, Bauer M, Berger M, Bergmann A, Bräunig P, Bschor T, Falkai P, Gastpar M, Greil W, Kasper S, Krüger S, Laux G, Müller WE, Naber D, Walden J (2007). Clinical standing of valproate treatment of bipolar disorders. <i>Fortschr Neurol Psychiatr</i> 75(4): 220-235	0.793	
88	2005	Baethge C, Baldessarini RJ, Mathiske-Schmidt K, Hennen J, Berghöfer A, Müller-Oerlinghausen B, Bschor T, Adli M, Bauer M (2005). Long-term combination versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>J Clin Psychiatry</i> 66:174-182	05.053	
89	2005	Baethge C, Blumentritt H, Berghöfer A, Bschor T, Glenn T, Adli M, Schlattmann P, Bauer M (2005). Long-term lithium treatment and thyroid antibodies – a study of 100 patients with affective disorders and 100 normal controls. <i>J Psychiatry Neurosci</i> 30: 423-427	04.123	
90	2003	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2003). Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. <i>J Psychiatr Res</i> 37:135-143	04.679	
91	2003	Bschor T, Baethge C, Adli M, Lewitzka U, Eichmann U, Bauer M (2003). Hypothalamic-pituitary-thyroid system activity during lithium augmentation therapy in patients with unipolar major depression. <i>J Psychiatry Neurosci</i> 28: 210-216	04.123	
92	2003	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Müller-Oerlinghausen B, Bauer M (2003). Lithium augmentation increases post-dexamethasone cortisol in the dexamethasone suppression test in unipolar major depression. <i>Depress Anxiety</i> 17:43-48	02.526	
93	2002	Bauer M, Berghöfer A, Bschor T, Baumgartner A, Kießlinger U, Hellweg R, Adli M, Baethge C, Müller-Oerlinghausen B (2002). Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> 27: 620-628	06.835	
94	2002	Bschor T, Adli M, Baethge C, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2002). Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> 27: 470-478	06.835	
95	2002	Bschor T, Berghöfer A, Ströhle A, Kunz D, Adli M, Müller-Oerlinghausen B, Bauer M (2002). How long should the lithium augmentation strategy be maintained? A 1-year follow up of a placebo-controlled study in unipolar refractory major depression. <i>J Clin Psychopharmacol</i> 22: 427-430	04.371	

96	2002	Bauer M, Forsthoff A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2002). Lithium augmentation therapy in refractory depression-update 2002. Eur Arch Psychiatry Clin Neurosci 253(3):132-9.	02.852	
----	------	--	--------	--

C Reviews

97	2018	Bauer M, Rush J, Ricken R, Pilhatsch M, Adli M (2018). Algorithms for treatment of major depressive disorder: efficacy and cost-effectiveness. Pharmacopsychiatry. Accepted on 7 June 2018	01.765	
98	2017	Ricken R, Ulrich S, Schlattmann P, Adli M (2017). Tranylcypromine in mind (Part II): Review of clinical pharmacology and meta-analysis of controlled studies in depression. Eur Neuropsychopharmacol. (8):714-731.	04.577	65.2
99	2017	Ulrich S, Ricken R, Adli M (2017). Tranylcypromine in mind (Part I): Review of pharmacology. Eur Neuropsychopharmacol. 27(8):697-713.	04.577	81.7
100	2017	Holzinger F, Fahrenkrog S, Roll S, Kleefeld F, Adli M, Heintze C (2017). Discharge management strategies and post-discharge care interventions for depression - Systematic review and meta-analysis. J Affect Disord. 223:82-94.	03.845	38.1
101	2017	Gruebner O, Rapp MA, Adli M, Kluge U, Galea S, Heinz A (2017). Cities and Mental Health. Dtsch Arztebl Int. 114(8):121-127.	03.738	91.5
102	2016	Köhler S, Cierpinsky K, Kronenberg G, Adli M (2016). The serotonergic system in the neurobiology of depression: Relevance for novel antidepressants. J Psychopharmacol. 2016 Jan; 30(1):13-22.	03.898	95.1
103	2016	Borgmann M, Holtkamp M, Adli M, Behr J (2016). Depression and epilepsy: Two clinical pictures with common causes? Nervenarzt. 87(7):724-30.	0.787	13
104	2014	Bauer M, Adli M, Ricken R, Severus E, Pilhatsch M (2014). Role of lithium augmentation in the management of major depressive disorder. CNS Drugs. 28(4): 331-42.	04.376	87.4
105	2014	Bschor T, Bauer M, Adli M (2014). Chronic and treatment resistant depression — diagnosis and stepwise therapy. Dtsch Arztebl Int. 111(45): 766-76	0.4	87.4
106	2013	Krings-Ernst I, Ulrich S, Adli M (2013). Antidepressant treatment with MAO-inhibitors during general and regional anesthesia: a review and case report of spinal anesthesia for lower extremity surgery without discontinuation of tranylcypromine. Int J Clin Pharmacol Ther. 51(10): 763-70.	0.1	8.5
107	2012	Köhler S, Bauer M, Adli M (2012). Behandlungsstrategien der therapieresistenten Depression. Psychiatrie und Psychotherapie up2date 6: 137-148		
108	2011	Rentsch, J, Ricken R, Adli M (2011). Akutbehandlung der Manie. Psychiatrie und Psychotherapie up2date 5: 209-224		
109	2009	Riedel M, Seemüller F, Wickelmaier F, Schennach-Wolff R, Adli M, Bauer M, Kranmüller K, Brieger P, Laux G, Bender W, Haeuser I, Zeiler J, Gaebel W, Jaeger M, Moeller H, Henkel V (2009). Häufigkeit und klinische Charakteristika von atypisch depressiven Symptomen. Nervenheilkunde 4: 193-199	0.373	
110	2009	Wiethoff K, Ricken R, Keck M, Baghai T, Bauer M, Möller H, Adli M (2009). Das Berliner Algorithmusprojekt. Nervenheilkunde 4: 179-185.	0.0	

111	2008	Bschor T, Adli M (2008). Therapie depressiver Erkrankungen. Zertifizierte medizinische Fortbildung. Deutsches Ärzteblatt 105: 782–792	01.099	
112	2006	Adli M, Bauer M, Rush AJ (2006). Algorithms and collaborative care systems for depression: are they effective and why? Biol Psychiatry 59: 1029-1038	08.672	
113	2005	Wiethoff K, Bauer M, Baghai T, Heinz A, Adli M (2005). Therapiealgorithmen in der Depressionsbehandlung - Das Berliner Algorithmusprojekt. Nervenheilkunde 24: 381-387	0.373	
114	2005	Wiethoff K, Baghai T, Heinz A, Bauer M, Adli M (2005). Algorithmusgestützte Behandlung depressiver Erkrankungen: Was bringen systematische Therapieansätze im klinischen Alltag? Med Welt 56: 332-337		
115	2004	Möller HJ, Adli M, Laux G, Müller N, Schmitt J, unter Mitwirkung einer Expertengruppe „Kognitive Störungen bei Antidepressivabehandlung“ (2004). Kognitive und psychomotorische Effekte von Antidepressiva unter besonderer Berücksichtigung von SSRIs. Psychopharmakotherapie 1: 15-21	0.202	
116	2003	Bauer M, Forsthoff A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2003). Lithium augmentation therapy in refractory depression – update 2002. Eur Arch Psychiatry Clin Neurosci 253: 132-139	02.852	
117	2003	Bauer M, Adli M, Baethge C, Berghöfer A, Sasse J, Heinz A, Bschor T (2003). Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. Can J Psychiatry 48: 440-448	02.828	
118	2003	Bauer M, Adli M, Bschor T, Heinz A, Rasgon N, Frye M, Grunze H, Kupka R, Whybrow PC (2003). Clinical applications of levothyroxine in refractory mood disorders. Clin Appr Bipol Disord 2: 49-56	02.531	
119	2003	Adli M, Rush AJ, Möller H-J, Bauer M (2003). Algorithms for optimizing the treatment of depression: making the right decision at the right time. Pharmacopsychiatry 36 [suppl 3]: 222-229	02.402	
120	2003	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U, Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. Pharmacopsychiatry 36 [suppl 3]: 230-234	02.402	
121	2003	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U & Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. Pharmacopsychiatry: 36 (Suppl 3): 230-234	02.402	
122	1998	Adli M, Bschor T, Canata B, Döpfmer S, Bauer M (1998). Lithium in der Behandlung der akuten Depression. Fortschr Neurol Psychiat 66: 435-441	0.793	

D Case Reports

123	2006	Pilhatsch MK, Burghardt R, Wandinger KP, Bauer M, Adli M (2006). Augmentation with atomoxetine in treatment-resistant depression with psychotic features. A case report. Pharmacopsychiatry 39(2): 79-80.	02.402	
124	1999	Adli M, Rossius W, Bauer M (1999). [Olanzapine in the treatment of depressive disorders with psychotic symptoms] Olanzapin in der Behandlung depressiver Störungen mit psychotischer Symptomatik. Nervenarzt 70: 68-71	0.814	

E Comments & Letters

125	2017	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Gomez-Carrillo A, Hehl R, Heinz A, H JM, Mehran N, Tolaas S, Walter H, Weiland U, Stollmann J (2017). Neurourbanism: towards a new discipline. <i>Lancet Psychiatry</i> . 4(3):183-185.	11.588	76.4
126	2015	Berger M, Adli M, Beine KH, Bschor T, Herpertz S, Lauterbach K (2015). Psychiatrische Versorgung: Das Krankenhaus-Psych-Budget – ein Alternativkonzept. <i>Dtsch Arztebl</i> . 112(13): A 574-6	03.608	
127	2015	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? <i>Con. Nervenarzt</i> . 87(5):561-2.	0.787	87.4
128	2015	Bschor T, Bauer M, Adli M (2015). Comment on: Chronic and treatment resistant depression: diagnosis and stepwise therapy. [<i>Dtsch Arztebl Int</i> . 2014] <i>Dtsch Arztebl Int</i> . 2015 Jun 12;112(24):421-2.	0.4	27.3
129	2014	Adli M, Hegerl U. (2014). Do we underestimate the benefits of antidepressant drugs? <i>Lancet</i> . 383(9926): 1361-2.	39.207	29.6
130	2014	Fakhri H, Ricken R, Adli M, Fajol A, Walter M, Föller M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. <i>J Clin Psychopharmacol</i> . 34(6): 745-7.	03.761	6.9
131	2011	Adli M, Kleinert S, Bonk M, Wesslingh S, Ganten D (2011). From science to policy: the M8 Alliance invites policy makers to step in. <i>Lancet</i> , 378: 1447-1449.	30.758	
132	1999	Bauer M, Adli M, Bschor T, Döpfmer S (1999). Stellungnahme. <i>Fortschr Neurol Psychiat</i> 67: 386	0.793	

F Editor

133	2017	Adli M. <i>Stress and the City: Warum Städte uns krank machen. Und warum sie trotzdem gut für uns sind</i> . 1. Auflage, 2017, C. Bertelsmann Verlag, München		
134	2005	Bauer M, Berghöfer A, Adli M (eds.) <i>Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen</i> . 2., vollständig neuberarbeitete Auflage 2005 (1. Auflage 1997, 1. Nachdruck 1998). Springer Verlag, Berlin, Heidelberg, New York		

G Book Chapters

135	2018	Schramm E, Bauer M, Adli M Chronische und therapieresistente Depressionen. In: <i>Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art</i> . 14. Auflage. München: Urban & Fischer S. (publication due in December 2018)		
136	2017	Schramm E, Bauer M, Adli M (2017). Chronische und therapieresistente Depressionen. In: <i>Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art</i> . 13. Auflage. München: Urban & Fischer S. 183-208.		
137	2016	Schramm E, Bauer M, Adli M (2016). Chronische und therapieresistente Depressionen. In: <i>Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art</i> . 12. Auflage. München: Urban & Fischer S. 183-208.		
138	2015	Schramm E, Bauer M, Adli M (2015). Chronische und therapieresistente Depressionen. In: <i>Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art</i> . 11. Auflage. München: Urban & Fischer S. 183-208.		

139	2014	Schramm E, Bauer M, Adli M (2014). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 10. Auflage. München: Urban & Fischer S. 183-208.
140	2013	Schramm E, Bauer M, Adli M (2013). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 9. Auflage. München: Urban & Fischer S. 183-208.
141	2012	Schramm E, Bauer M, Adli M (2012). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 8. Auflage. München: Urban & Fischer
142	2011	Schramm E, Bauer M, Adli M (2011). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 7. Auflage. München: Urban & Fischer, S. 165-188.
143	2008	Pfennig A, Adli M (2008). Antidepressiva-Hochdosisbehandlung. In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 40-47.
144	2008	Wiethoff K, Adli M (2008). Systematisierte Therapiealgorithmen (antidepressive Stufenpläne). In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 408-418
145	2006	Bschor T, Lewitzka, Adli M (2006). Lithium in non-psychiatric conditions. In: Bauer, Grof, Müller-Oerlinghausen (Hrsg.) Bauer M, Grof P, Müller-Oerlinghausen (Eds.) Lithium in Neuropsychiatry – The Comprehensive Guide. Taylor and Francis Books, Abingdon, S. 237-250
146	2005	Bauer M, Pfennig A, Mavrogiorgou P, Juckel G, Adli M, Sasse J, Heinz A (2005) Perspektiven für Quetiapin in der Behandlung der unipolaren Depression. In: Möller HJ (Hrsg.) Quetiapin. Erfahrungen und Ausblicke. Schattauer GmbH, S. 131-141
147	2005	Fähser NC, Wiethoff K, Adli M (2005) Therapiealgorithmen in der Langzeitpsychopharmakologie. In: Linden M, Müller WE (Hrsg.) Rehabilitationspsychopharmakologie - Psychopharmakotherapie chronifizierender und chronifizierter Erkrankungen. Köln: Deutscher Ärzteverlag, S. 43-58
148	2005	Adli M, Wiethoff K (2005). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie bipolarer Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 103-121
149	2005	Berghöfer A, Adli M, Bauer M (2005) Antidepressiva-Übersicht für die klinische Praxis. In: Bauer M, Berghöfer A, Adli M (Hrsg.). Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 587-600
150	2005	Adli M, Wiethoff K, Baghai T, Bauer M (2005). Algorithmusgestützte Behandlung stationärer Patienten mit depressiven Erkrankungen: das Berliner Algorithmusprojekt. In: Bauer M, Berghöfer A, Adli M (Hrsg.). Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 477-487
151	2004	Adli M, Wiethoff K (2004). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie depressiver Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 96-112
152	2004	Adli M, Bauer (2004). M Elektrokonvulsionstherapie bei therapieresistenten Depressionen. In: T. Baghai, R. Frey, S. Kasper, H.-J. Möller (Hrsg.) Elektrokonvulsionstherapie-klinische und wissenschaftliche Aspekte. Wien: Springer, S. 366-393
153	2003	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2003). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für

		Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Weißbuch Bipolare Störungen in Deutschland, BoD GmbH, Norderstedt, S. 131-200
154	2002	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2002). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Kurzfassung Weißbuch Bipolare Störungen in Deutschland, Hamburg, Conference Point, S. 67-74
155	2001	Adli M, Kießlinger U, Smolka M, Neu P, Linden M, Bauer M (2001). Does algorithm-guided stepwise treatment in depression have an influence on treatment execution? In: Fromm E, ed.: Jahrbuch 2001 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 466
156	2000	Adli M, Kießlinger U, Neu P, Smolka M, Linden M, Bauer M (2000). Efficacy of an algorithm-guided treatment regimen in depression compared to standard treatment as usual: The Berlin Algorithm Project. In: Fromm E, ed.: Jahrbuch 2000 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 439
157	1999	Kießlinger U, Adli M, Neu P, Smolka M, Linden M, Bauer M (1999). Beschreibung medikamentöser Depressionsbehandlung. In: Jahrbuch 1999, Fachbereich Humanmedizin, Universitätsklinikum Benjamin Franklin der Freien Universität Berlin: S. 494

H Other Publications (not peer-reviewed)

158	2016	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Hehl R, Heinz A, Mayer H. J, Matussek T, Mehran N, Tolaas S, Walter H, Weiland U, Sollmann J (2016). Neurourbanistik – ein methodischer Schulterschluss zwischen Stadtplanung und Neurowissenschaften. Die Psychiatrie. 13(2):70-8.
159	2012	Kiermeir J, Gassner LM, Siebörger A, Wiethoff K, Ricken R, Stamm T, Bauer M, Heinz A, Adli M (2012). Euthymic Therapy to Reduce Residual Symptoms of Depression and Strengthen Self-Care: a Randomised Controlled Trial. German J Psychiatry. 15 (1): 15-22
160	2010	Lange C, Adli M (2010). Residualsymptome nach akuter Depression. MMW Fortschr Med 152(3), 34-35.
161	2009	Heimann H, Dietz F, Lange C, Adli M (2009). Behandlung von depressiven Episoden – Relevanz der Vollremission. Neuro aktuell 2: 31-33.
162	2006	Bauer M, Pfennig A, Wiethoff K, Sasse J, Ricken R, Pilhatsch M, Adli M (2006). Warum ist die Remission ein wichtiges Ziel in der Depressionsbehandlung? PsychoNeuro 32: 67-71
163	2005	Bauer M, Köberle U, Sasse J, Gutzmann C, Neuhaus K, Adli M, Pfennig A, Heinz A (2005). Rezidivprophylaxe Bipolarer Erkrankungen - auf was es ankommt. Schweizer Zeitschrift für Psychiatrie & Neurologie 1: 37-44
164	2005	Adli M (2005). Bipolarer Alkoholiker: mit Valproinsäure zwei Fliegen mit einer Klappe schlagen? Info Neurologie Psychiatrie 7 [suppl1]: 12-13
165	2005	Bauer M, Stamm T, Sasse J, Adli M (2005). Duloxetine – a novel dual acting antidepressant [Duloxetin - ein neues Antidepressivum mit dualem Wirkmechanismus]. Die Psychiatrie 2: 244-251
166	2004	Pfennig A, Adli M, Bauer M (2004). Atypische Neuroleptika bei wahnhafter Depression. Info Neurologie Psychiatrie 6 [suppl1]: 36–37
167	2004	Adli M (2004). Die „maskierte“ bipolare Störung: Fehldiagnose unipolare Depression vermeiden. Der Neurologe & Psychiater 3: 38-42

168	2003	Sasse J, Köberle U, Bschor T, Adli M, Trendelenburg M, Bauer M. (2003). Bipolare Depression: L-Thyroxin-Augmentation als Möglichkeit einer medikamentösen Behandlung. PsychoNeuro 29: 400-402
169	2003	Adli M, Bauer M (2003). Wahnhafte Depression – eine vernachlässigte Sonderform. (Neuroleptika bei wahnhafter Depression). Info Neurologie Psychiatrie 2: 44-50