

Publikationsliste Prof. Dr. med. Mazda Adli (2. Februar, 2020)

Total Impact Factor: 674.693

Hirsch Factor 40

Inhalt

A Original Papers (First or Senior Authorships).....	1
B Co-Authorships.....	4
C Reviews.....	13
D Case Reports	14
E Comments & Letters.....	15
F Editor	15
G Book Chapters.....	15
H Other Publications (not peer-reviewed).....	17

A Original Papers (First or Senior Authorships)

Nr.	Jahr	Zitation	Impact Factor	Perzentil
1	2020	Nowak J, Dimitrov A, Oei NYL, Walter H, Adli M, Veer IM. Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> . (in press)		
2	2020	Ulrich S, Ricken R, Buspavanich P, Schlattmann P, Adli M (2019). Efficacy and adverse effects of tranlycypromine and tricyclic antidepressants in the treatment of depression: a systematic review and comprehensive meta-analysis. <i>Journal of Clinical Psychopharmacology</i> . 2020 Jan/Feb;40(1):63-74. doi: 10.1097/JCP.0000000000001153.	.5	
3	2019	Bopp SK*, Heilbronner U*, Schlattmann P, Mühleisen TW, Bschor T, Richter C, Steinacher B, Stamm TJ, Merkl A, Herms S, Köhler S, Sterzer P, Hellweg R, Heinz A, Cichon S, Lang UE, Schulze TG, Adli M*, Ricken R* (2019). Leptin gene polymorphisms are associated with weight gain during lithium augmentation in patients with major depression. <i>Eur Neuropsychopharmacol</i> , 2018. Dec .006	04.129	
4	2018	Ricken R, Busche M, Schlattmann P, Himmerich H, Bopp S, Bschor T, Richter C, Stamm TJ, Heinz A, Hellweg R, Lang UE, Adli M (2018). Cytokine serum levels remain unchanged during lithium augmentation of antidepressants in major depression. <i>J Psychiatr Res</i> . 96:203-208	04.183	
5	2018	Ricken R, Wiethoff K, Reinhold T, Stamm TJ, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Laux G, Hauth I, Möller HJ, Heinz A, Bauer M, Adli M (2018). A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients - Results from the German Algorithm Project (GAP3). <i>J Affect Disord</i> . 228:173-177.	03.432	

6	2018	Dimitrov A, Veer IM, Kleeblatt J, Seyfarth F, Roenneberg T, Ising M, Uhr M, Keck ME, Kramer A, Berger M, von Koch L, Walter H, Adli M (2018). Chronotype is associated with psychological well-being depending on the composition of the study sample. <i>J Health Psychol.</i> 2018 Jan 1:1359105317751618.	02.182	
7	2017	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Elstner S, Stamm TJ, Schulz-Ratei B, Lingesleben A, Reischies FM, Sterzer P, Borgwardt S, Bauer M, Heinz A, Hellweg R, Lang UE, Adli M (2017). Ghrelin Serum Concentrations Are Associated with Treatment Response During Lithium Augmentation of Antidepressants. <i>Int J Neuropsychopharmacol.</i> 20(9):692-697.	04.712	16.3
8	2017	Adli M, Wiethoff K, Baghai TC, Fisher R, Seemüller F, Laakmann G, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Kronmüller KT, Smolka MN, Schlattmann P, Berger M, Ricken R, Stamm TJ, Heinz A, Bauer M (2017). How Effective Is Algorithm-Guided Treatment for Depressed Inpatients? Results from the Randomized Controlled Multicenter German Algorithm Project 3 Trial. <i>Int J Neuropsychopharmacol.</i> 20(9):721-730.	04.712	24.2
9	2016	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Stamm TJ, Bauer F, Heinz A, Hellweg R, Lang UE, Adli M (2016). Leptin serum concentrations are associated with weight gain during lithium augmentation. <i>Psychoneuroendocrinology.</i> 71:31-35.	04.944	2
10	2016	Stamm TJ, Rampp C, Wiethoff K, Stingl J, Mössner R, O Malley G, Ricken R, Seemüller F, Keck M, Fisher R, Gaebel W, Maier W, Möller HJ, Bauer M, Adli M (2016). The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>J Psychopharmacol.</i> 30(1):40-7.	03.898	77.7
11	2015	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? <i>Con. Nervenarzt.</i> 87(5):561-2.	0.787	
12	2015	Köhler S, Wiethoff K, Ricken R, Stamm T, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Zeiler J, Heinz A, Bauer M, Adli M (2015). Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>J Affect Disord.</i> 173: 126-33.	0.371	55
13	2014	Fakhri H*, Ricken R*, Adli M*, Fajol A, Walter M, Föller M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. <i>J Clin Psychopharmacol.</i> 34(6): 745-7.	03.761	
14	2014	Stamm TJ, Becker D, Sondergeld LM, Wiethoff K, Hiemke C, O'Malley G, Ricken R, Bauer M, Adli M (2014). Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry.</i> 47(4-5): 174-9.	02.168	23.9
15	2013	Lange C, Zschucke E, Ising M, Uhr M, Bermpohl F, Adli M (2013). Evidence for a normal HPA axis response to psychosocial stress in patients remitted from depression. <i>Psychoneuroendocrinology,</i> 38(11): 2729-36.	05.591	59.2
16	2013	Ricken R*, Adli M*, Lange C, Krusche E, Stamm TJ, Gaus S, Koehler S, Nase S, Bschor T, Richter C, Steinacher B, Heinz A, Rapp MA, Borgwardt S, Hellweg R, Lang UE (2013). Brain-derived neurotrophic factor serum	03.761	58.4

		concentrations in acute depressive patients increase during lithium augmentation of antidepressants. <i>J Clin Psychopharmacol.</i> 33(6): 806-9.		
17	2013	Stamm TJ, Stingl J, Wiethoff K, Ricken R, Heinz A, Bauer M, O'Malley G, Adli M (2013). Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>J Affect Disord.</i> 151: 605-610.	03.383	24.1
18	2011	Sterzer P, Hilgenfeldt T, Freudenberg P, Adli M (2011). Unconscious emotional information processing in patients with major depressive disorder. <i>Psychol Med</i> 5: 1-10	05.012	60.2
19	2011	Ricken R, Wiethoff K, Reinhold T, Schietsch K, Stamm T, Kiermeir J, Neu P, Heinz A, Bauer M, Adli M (2011). Algorithm-guided treatment of depression reduces treatment costs - Results from the randomized controlled German Algorithm Project (GAPII). <i>J Affect Disord.</i> 134:249-256	03.740	25.7
20	2010	Wiethoff K, Bauer M, Baghai TC, Möller HJ, Fisher R, Hollinde D, Kiermeir J, Hauth I, Laux G, Cordes J, Marneros A, Kronmüller K, Zeiler J, Adli M (2010). Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. <i>J Clin Psychiatry</i> 71:1047-54	05.218	
21	2009	Adli M, Kleinert S, Lafont, A, Kahn A, Ganten D (2009). Shaping the future of health care: the Berlin 2009 Evolution of Medicine Summit. <i>Lancet</i> 373: 519-520	30.758	
22	2009	Adli M, Bschor T, Bauer M, Lucka C, Lewitzka U, Ising M, Uhr M, Müller-Oerlinghausen B, Baethge C (2009). Long-term outcome after lithium augmentation in unipolar depression: focus on HPA system activity. <i>Neuropsychobiology</i> 60: 23-30.	01.752	
23	2009	Bauer M, Pfennig A, Linden M, Smolka M, Neu P, Adli M (2009). Efficacy of an algorithm-guided treatment compared to treatment as usual: A randomized controlled study of inpatients with depression. <i>J Clin Psychopharmacology</i> 29: 327-333.	0.5	
24	2008	Bauer M, Glenn T, Whybrow PC, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M (2008). Changes in self-reported sleep duration predict mood changes in bipolar disorder. <i>Psychol Med.</i> 38: 1069-71.	04.718	
25	2008	Mahlberg R, Kienast T, Bschor T, Adli M (2008). Evaluation of time memory in acutely depressed patients, manic patients, and healthy controls using a time reproduction task. <i>Eur Psychiatry</i> 23: 430-433.	02.433	
26	2008	Adli M, Pilhatsch M, Bauer M, Köberle U, Ricken R, Janssen G, Ulrich S, Bschor T (2008). Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatment-resistant depression. <i>Pharmacopsychiatry</i> 41: 252-7.	02.402	
27	2008	Mahlberg R, Adli M, Bschor T, Kienast T (2008). Age effects on trail making test during acute depressive and manic episode. <i>Int J Neurosci.</i> 118: 1347-1356.	0.884	
28	2008	Adli M, Wiethoff K, Pfennig A, Stamm T, Baethge C, Bauer M (2008). Olanzapine in the treatment of depression with psychotic features – a prospective open-label study. <i>Int J Psychiatr Clin Practice</i> 12: 202-209.	0.410	
29	2007	Adli M, Hollinde D, Stamm T, Wiethoff K, Tsahuridu M, Kirchheiner J, Heinz A, Bauer M (2007). Response to lithium augmentation treatment	08.672	

		in depression is associated with the glycogen synthase kinase 3-beta (GSK3-beta) - 50T/C single nucleotide polymorphism. <i>Biol Psychiatry</i> 62: 1295-1302		
30	2005	Adli M, Baethge C, Langlitz N, Bauer M (2005). Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed? – a systematic review. <i>Eur Arch Psychiatry Clin Neurosci.</i> 255: 387-400	02.852	
31	2005	Adli M, Whybrow P, Grof P, Rasgon N, Gyulai L, Baethge C, Glenn T, Bauer M (2005). Use of polypharmacy and self-reported mood in outpatients with bipolar disorder. <i>Int J Psychiatry Clin Practice</i> 9: 251-256	0.410	
32	2002	Adli M, Berghöfer A, Linden M, Helmchen H, Müller-Oerlinghausen B, Mackert A, Stamm T, Bauer M (2002). Effectiveness and feasibility of a standardized stepwise drug treatment algorithm for inpatients with depressive disorders – results of a two-year observational study. <i>J Clin Psychiatry</i> 63: 782-79	05.053	
33				

B Co-Authorships

34	2020	Amare AT, Schubert KO, Hou L, Clark SC, Papiol S, Cearns M, Heilbronner U, Degenhardt F, Tekola-Ayele F, Hsu YH, Shekhtman T, Adli M, Akula N, Akiyama K, Arda R, Arias B, Aubry JM, Backlund L, Bhattacharjee AK, Bellivier F, Benabarre A, Bengesser S, Biernacka JM, Birner A, Brichant-Petitjean C, Cervantes P, Chen HC, Chillotti C, Cichon S, Cruceanu C, Czerski PM, Dalkner N, Dayer A, Del Zompo M, DePaulo JR, Étain B, Peter Falkai, Forstner AJ, Frisen L, Frye MA, Fullerton JM, Gard S, Garnham JS, Goes FS, Grigoriou-Serbanescu M, Grof P, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A, Jamain S, Jiménez E, Kahn JP, Kassem L, Kuo PH, Kato T, Kelsoe J, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, Tortorella A, McElroy S, Colom F, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Nöthen MM, Novák T, O'Donovan C, Ozaki N, Ösby U, Pfennig A, Potash JB, Reif A, Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium, Reininghaus E, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schweizer BW, Severino G, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Squassina A, Stamm T, Stopkova P, Maj M, Turecki G, Vieta E, Veeh J, Witt SH, Wright A, Zandi PP, Mitchell PB, Bauer M, Alda M, Rietschel M, McMahon FJ, Schulze TG, Baune BT. Association of Polygenic Score for Major Depression with Response to Lithium in Patients with Bipolar Disorder. <i>Molecular Psychiatry</i> . (in press)		
35	2019	Veer I., Nowak J., Dimitrov A., Oei N., Walter H., & Adli M. (2019) Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> [Epub ahead of print]	04.731	
36	2019	Schennach R, Obermeier M, Spellmann I, Seemüller F, Musil R, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W,	04.748	

		Kronmüller KT, Ising M, Brieger P, Maier W, Lemke MR, Rüter E, Klingberg S, Gastpar M, Möller HJ, Riedel M. Remission in schizophrenia - What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophr Res.</i> 2019 May 25. pii: S0920-9964(19)30155-0. doi: 10.1016/j.schres.2019.04.022. [Epub ahead of print]		
37	2019	Dimitrov A, Wenzel J, Kabisch N, Engel L, Hemmerling J, Bunz M, Veer IM, Walter H, Adli M. (in press). The urban brain under stress – Influence of residential green space and air pollution.		
38	2019	Schennach, R., Obermeier, M., Spellmann, I., Seemüller, F., Musil, R., Jäger, M., ... & Schmidt, L. G. (2019). Remission in schizophrenia—What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophrenia research.</i>	04.785	
39	2019	Kalman JL, Papiol S, Forstner AJ, Heilbronner U Degenhardt F, Strohmaier J, Adli M, Adorjan K Akula N, Alda M, Anderson-Schmidt H Andlauer TF, Anghelescu IG, Arda R, Arias B, Arolt V, Aubry JM, Backlund L, Bartholdi K, Bauer M, Baune BT, Becker T, Bellivier F, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Bricchant-Petitjean C, Budde M, Cervantes P, Chillotti C, Cichon S Clark SR, Colom F, Comes AL Cruceanu C Czernski PM, Dannlowski U, Dayer A, Del Zompo M, DePaulo JR, Dietrich DE, Étain B, Ethofer T, Falkai P, Fallgatter A, Figge C, Flatau L, Folkerts H, Frisen L, Frye MA, Fullerton JM Gade K Gard S, Garnham JS, Goes FS, Grigoriu-Serbanescu M, Gryaznova A, Hake M, Hauser J, Herms S Hoffmann P Hou L, Jäger M, Jamain S, Jiménez E, Juckel G, Kahn JP, Kassem L, Kelsoe J, Kittel-Schneider S, Kliwicki S, Klohn-Sagatholislam F Koller M, König B, Konrad C, Lackner N, Laje G, Landén M Lang FU, Lavebratt C, Leboyer M Leckband SG, Maj M, Manchia M Martinsson L, McCarthy MJ, McElroy SL, McMahon FJ, Mitchell PB Mitjans M, Mondimore FM, Monteleone P Nieratschker V, Nievergelt CM, Novák T Ösby U, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reimer J, Reininghaus E, Reitt M, Ripke S Rouleau GA, Rybakowski JK, Schalling M, Scherk H, Schmauß M, Schofield PR Schubert KO, Schulte EC Schulz S, Senner F Severino G, Shekhtman T, Shilling PD, Simhandl C Slaney CM, Spitzer C, Squassina A, Stamm T Stegmaier S, Stierl S, Stopkova P, Thiel A, Tighe SK, Tortorella A, Turecki G, Vieta E, Veeh J, von Hagen M, Wigand ME, Wiltfang J, Witt S, Wright A Zandi PP, Zimmermann J, Nöthen M, Rietschel M, Schulze TG (2019). Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disord.</i> 2019 Feb;21(1):68-75. doi: 10.1111/bdi.12659. Epub 2018 Jun 28. PubMed PMID:29956436		
40	2019	Buspavanich, P., Behr, J., Stamm, T., Schlattmann, P., Bschor, T., Richter, C., ... & Rentzsch, J. (2019). Treatment response of lithium augmentation in geriatric compared to non-geriatric patients with treatment-resistant depression. <i>Journal of affective disorders.</i>	03.786	
41	2018	Reinbold CS, Forstner AJ, Hecker J, Fullerton JM, Hoffmann P, Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Arda R,	03.532	

		Arias B, Backlund L, Benabarre A, Bengesser S, Kumar Bhattacharjee A, Biernacka JM, Birner A, Marie-Claire C, Cervantes P, Chen G, Chen H, Chillotti C, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dayer A, Etain B, Falkai P, Frisén L, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Jamain S, Jiménez E, Kahn J, Kassem L, KittelSchneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau AG, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt SH, Wright AJ, Young LT, Zandi P, Potash JB, DePaulo JR, Bauer M, Reininghaus E, Novák T, Aubry J, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo P, Kato T, Grigoriou-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray N, Kelsoe JR, Alda M, McMahon FJ, Schulze TG, Rietschel M, Nöthen MM, Cichon S (2018). Analysis of the influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Front. Psychiatry.</i> 9:207.		
42	2018	International Consortium on Lithium Genetics (ConLi+Gen) (2018). Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry.</i> 2018 Jan 1;75(1):65-74.	15.307	74.2
43	2018	Kalman JL, Papiol S, Forstner AJ, Heilbronner U, Degenhardt F, Strohmaier J, Adli M, Adorjan K, Akula N, Alda M, Anderson-Schmidt H, Andlauer TF, Anghelescu IG, Ardaur R, Arias B, Arolt V, Aubry JM, Backlund L, Bartholdi K, Bauer M, Baune BT, Becker T, Bellivier F, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichtant-Petitjean C, Budde M, Cervantes P, Chillotti C, Cichon S, Clark SR, Colom F, Comes AL, Cruceanu C, Czerski PM, Dannowski U, Dayer A, Del Zompo M, DePaulo JR, Dietrich DE, Étain B, Ethofer T, Falkai P, Fallgatter A, Figge C, Flatau L, Folkerts H, Frisen L, Frye MA, Fullerton JM, Gade K, Gard S, Garnham JS, Goes FS, Grigoriou-Serbanescu M, Gryaznova A, Hake M, Hauser J, Herms S, Hoffmann P, Hou L, Jäger M, Jamain S, Jiménez E, Juckel G, Kahn JP, Kassem L, Kelsoe J, Kittel-Schneider S, Kliwicki S, Klohn-Sagatholislam F, Koller M, König B, Konrad C, Lackner N, Laje G, Landén M, Lang FU, Lavebratt C, Leboyer M, Leckband SG, Maj M, Manchia M, Martinsson L, McCarthy MJ, McElroy SL, McMahon FJ, Mitchell PB, Mitjans M, Mondimore FM, Monteleone P, Nieratschker V, Nievergelt CM, Novák T, Ösby U, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reimer J, Reininghaus E, Reitt M, Ripke S, Rouleau GA, Rybakowski JK, Schalling M, Scherk H, Schmauß M, Schofield PR, Schubert KO, Schulte EC, Schulz S, Senner F, Severino G, Shekhtman T, Shilling PD, Simhandl C, Slaney CM, Spitzer C, Squassina A, Stamm T, Stegmaier S, Stierl S, Stopkova P, Thiel A, Tighe SK, Tortorella A, Turecki G, Vieta E, Veeh J, von Hagen M, Wigand ME, Wiltfang J, Witt S, Wright A, Zandi PP, Zimmermann J, Nöthen M, Rietschel M, Schulze TG (2018). Investigating polygenic burden in age at disease onset in bipolar disorder: findings from an international multicentric study. <i>Bipolar Disord.</i> In print.	04.539	

44	2018	Schennach R, Obermeier M, Spellmann I, Seemüller F, Musil R, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller T, Ising M, Brieger P, Maier W, Lemke MR, Rüter E, Klingberg S, Gastpar M, Möller H, Riedel M (2018). Remission in schizophrenia - what are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophr Res</i> . Submitted on 12 May 2018.	03.986	2
45	2018	. Dimitrov A, Schaake J, Ligdorf A, Oei NYL, Adli M, Walter H, Veer IM (2018). Natural sleep loss is associated with lower mPFC activity during negative distracter processing. <i>Soc Cogn Affect Neurosci</i> . Submitted on 10 July 2018.	03.500	
46	2018	Musil R, Seemüller F, Meyer S, Spellmann I, Adli M, Bauer M, Kronmüller KT, Brieger P, Laux G, Bender W, Heuser I, Fisher R, Gaebel W, Schennach R, Möller HJ, Riedel M (2018). Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>Int J Methods Psychiatr Res</i> . 27(1).	03.176	
47	2017	Haffner P, Quinlivan E, Fiebig J, Sondergeld LM, Strasser ES, Adli M, Moritz S, Stamm TJ (2017). Improving functional outcome in bipolar disorder: A pilot study on metacognitive training. <i>Clin Psychol Psychother</i> . [Epub ahead of print].	01.933	
48	2017	Spellmann I, Schennach R, Seemüller F, Meyer S, Musil R, Jäger M, Schmauß M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller KT, Ising M, Brieger P, Maier W, Lemke MR, Rüter E, Klingberg S, Gastpar M, Riedel M, Möller HJ (2017). Validity of remission and recovery criteria for schizophrenia and major depression: comparison of the results of two one-year follow-up naturalistic studies. <i>Eur Arch Psychiatry Clin Neurosci</i> . 267(4):303-313.	04.113	2
49	2016	Strasser ES, Haffner P, Fiebig J, Quinlivan E, Adli M, Stamm TJ (2016). Behavioral measures and self-report of impulsivity in bipolar disorder: no association between Stroop test and Barratt Impulsiveness Scale. <i>Int J Bipolar Disord</i> . 4(1):16.	4.88	43.7
50	2016	Hasselmann H, Bellmann-Strobl J, Ricken R, Oberwahrenbrock T, Rose M, Otte C, Adli M, Paul F, Brandt AU, Finke C, Gold SM (2016). Characterizing the phenotype of multiple sclerosis – associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> . <i>Mult Scler</i> . 2016 Jan 8. pii: 1352458515622826. [Epub ahead of print]	4.82	77.7
51	2016	Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Ardu R, Arias B, Backlund L, Banzato CEM, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Bui ET, Cervantes P, Chen GB, Chen HC, Chillotti C, Cichon S, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dantas CR, Dayer A, Étain B, Falkai P, Forstner AJ, Frisé L, Fullerton JM, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A, Jamain S, Jiménez E, Kahn JP, Kassem L, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, Jaramillo CAL, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM,	39.207	97.2

		Monteleone P, Nievergelt CM, Nöthen MM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau GA, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt S, Wright A, Young LT, Zandi PP, Potash JB, DePaulo JR, Bauer M, Reininghaus EZ, Novák T, Aubry JM, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo PH, Kato T, Grigoriou-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray NR, Kelsoe JR, Alda M, Rietschel M, McMahon FJ, Schulze TG (2016). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> . 387(10023):1085-1093.		
52	2016	The International Consortium on Lithium Genetics (ConLiGen). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> . 2016 Mar 12;387(10023):1085-93.	39.207	97.2
53	2016	The International Consortium on Lithium Genetics (ConLiGen). Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Hum Mol Genet</i> 2016 Jun 21. [Epub ahead of print]	05.985	92.8
54	2016	Seemüller F, Obermeier M, Schennach R, Bauer M, Adli M, Brieger P, Laux G, Riedel M, Falkai P, Möller HJ (2016). Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> . 2016 May 20;16:153.	02.210	26.7
55	2015	Bauer M, Berman S, Stamm T, Plotkin M, Adli M, Pilhatsch M, London ED, Hellemann GS, Whybrow PC, Schlagenhaut F (2015). Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebo-controlled positron emission tomography study. <i>Mol Psychiatry</i> . 2016 Feb;21(2):229-36.	05.620	83.6
56	2015	Willert A, Mohnke S, Erk S, Schnell K, Romanczuk-Seiferth N, Krusche E, Schreiter S, Spengler S, Herold D, Wackerhagen C, Pöhland L, Garbusow M, Stamm T, Adli M, Heinz A, BERPohl F, Walter H. (2015). Alterations in neural Theory of Mind processing in euthymic patients with bipolar disorder and unaffected relatives. <i>Bipolar Disorders</i> . 17(8):880-91	04.888	7.3
57	2014	Stamm TJ, Lewitzka U, Sauer C, Pilhatsch M, Smolka MN, Koeberle U, Adli M, Ricken R, Scherk H, Frye MA, Juckel G, Assion HJ, Gitlin M, Whybrow PC, Bauer M (2014). Supraphysiologic doses of levothyroxine as adjunctive therapy in bipolar depression: a randomized, double-blind, placebo-controlled study. <i>J Clin Psychiatry</i> . 75(2): 162-8.	03.761	61.9
58	2014	Rentsch J, Adli M, Wiethoff K, Gómez-Carrillo de Castro A, Gallinat J (2014). Pretreatment anterior cingulate activity predicts antidepressant treatment response in major depressive episodes. <i>Eur Arch Psychiatry Clin Neurosci</i> . 264(3): 213-23.	03.525	56.9
59	2014	Seemüller F, Meier S, Obermeier M, Musil R, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Riedel M, Falkai P, Möller HJ (2014). Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>Eur Arch Psychiatry Clin Neurosci</i> . 264(7): 567-75.	03.355	74.4

60	2013	Musil R, Zill P, Seemüller F, Bondy B, Meyer S, Spellmann I, Bender W, Adli M, Heuser I, Fisher R, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). Genetics of emergent suicidality during antidepressive treatment--data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>Eur Neuropsychopharmacol.</i> 23(7): 663-74.	04.736	42.2
61	2013	Rhein C, Naumann J, Mühle C, Zill P, Adli M, Hegerl U, Hiemke C, Mergl R, Möller HJ, Reichel M, Kornhuber J (2013). The Acid Sphingomyelinase Sequence Variant p.A487V Is Not Associated With Decreased Levels of Enzymatic Activity. <i>JIMD Rep.</i> 8:1-6	04.138	9.2
62	2013	Manchia M, Adli M, Akula N, Ardaur R, Aubry JM, Backlund L, Banzato CE, Baune BT, Bellivier F, Bengesser S, Biernacka JM, Brichtant-Petitjean C, Bui E, Calkin CV, Cheng AT, Chillotti C, Cichon S, Clark S, Czerski PM, Dantas C, Zompo MD, Depaulo JR, Detera-Wadleigh SD, Etain B, Falkai P, Frisé L, Frye MA, Fullerton J, Gard S, Garnham J, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Heilbronner U, Hoban R, Hou L, Jamain S, Kahn JP, Kassem L, Kato T, Kelsoe JR, Kittel-Schneider S, Kliwicki S, Kuo PH, Kusumi I, Laje G, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, Maj M, Malafosse A, Martinsson L, Masui T, Mitchell PB, Mondimore F, Monteleone P, Nallet A, Neuner M, Novák T, O'Donovan C, Osby U, Ozaki N, Perlis RH, Pfennig A, Potash JB, Reich-erkelenz D, Reif A, Reininghaus E, Richardson S, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schubert OK, Schweizer B, Seemüller F, Grigoriu-Serbanescu M, Severino G, Seymour LR, Slaney C, Smoller JW, Squassina A, Stamm T, Steele J, Stopkova P, Tighe SK, Tortorella A, Turecki G, Wray NR, Wright A, Zandi PP, Zilles D, Bauer M, Rietschel M, McMahon FJ, Schulze TG, Alda M (2013). Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS One.</i> 8(6):e65636	03.530	85.6
63	2013	Musil R, Zill P, Seemüller F, Bondy B, Obermeier M, Spellmann I, Bender W, Adli M, Heuser I, Zeiler J, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). No influence of brain-derived neurotrophic factor (BDNF) polymorphisms on treatment response in a naturalistic sample of patients with major depression. <i>Eur Arch Psychiatry Clin Neurosci.</i> 263(5):405-12.	03.355	44.5
64	2013	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Grof P, Müller-Oerlinghausen B, Rybakowski JK, Suwalska A, Pfennig A (2013). Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>Int J Bipolar Disord.</i> 2013 Jul 31;1:11.		49.2
65	2012	Seemüller F, Riedel M, Obermeier M, Schennach-Wolff R, Spellmann I, Meyer S, Bauer M, Adli M, Kronmüller K, Ising M, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Möller HJ (2011). The validity of self-rated psychotic symptoms in depressed inpatients. <i>Eur Psychiatry.</i> Mar 8. [Epub ahead of print]	43.680	45.6
66	2012	Lange C, Adli M, Zschucke E, Beyer R, Ising M, Uhr M, Bermpohl F (2012). Affective set-shifting deficits in patients with major depression in remission. <i>J Psychiatr Res.</i> 46(12):1623-6.	04.460	28.4
67	2012	Ricken R, Bermpohl F, Schlattmann P, Bschor T, Adli M, Mönter N, Bauer M (2012). Long-term treatment with suprphysiological doses of thyroid hormone in affective disorders - effects on bone mineral	03.740	35.7

		density. J Affect Disord. 136: 89-94.		
68	2012	Stoy M, Schlagenhaut F, Sterzer P, Bempohl F, Hägele C, Suchotzki K, Schmack K, Wrase J, Ricken R, Knutson B, Adli M, Bauer M, Heinz A, Ströhle A (2012). Hyporeactivity of ventral striatum towards incentive stimuli in unmedicated depressed patients normalizes after treatment with escitalopram. J Psychopharmacol. 26:677-688.	03.396	95
69	2011	Riedel M, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Seemüller F (2011). Clinical predictors of response and remission in inpatients with depressive syndromes. J Affect Disord. 133:137-49.	03.383	72.5
70	2010	Bempohl F, Kahnt T, Dalanay U, Hägele C, Sajonz B, Wegner T, Stoy M, Adli M, Krüger S, Wrase J, Ströhle A, Bauer M, Heinz A (2010). Altered representation of expected value in the orbitofrontal cortex in mania. Hum Brain Mapp 31: 958-69	05.395	
71	2010	Seemüller F, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Riedel M (2010). Do efficacy and effectiveness samples differ in antidepressant treatment outcome? an analysis of eligibility criteria in randomized controlled trials. J Clin Psychiatry 71:1425-33	05.218	40.4
72	2010	Riedel M, Möller HJ, Obermeier M, Schennach-Wolff R, Bauer M, Adli M, Kronmüller K, Nickel T, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Seemüller F (2010). Response and remission criteria in major depression – a validation of current practice. J Psychiatr Res 44: 1063-1068	04.679	93
73	2010	Abou Jamra R, Schulze TG, Becker T, Brockschmidt FF, Green E, Alblas MA, Wendland JR, Adli M, Grozeva D, Strohmaier J, Georgi A, Craddock N, Propping P, Rietschel M, Nöthen MM, Cichon S, Schumacher J (2010). A systematic association mapping on chromosome 6q in bipolar affective disorder-evidence for the melanin-concentrating-hormone-receptor-2 gene as a risk factor for bipolar affective disorder. Am J Med Genet B Neuropsychiatr Genet 153B: 878-84	03.932	
74	2010	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Dichgans E, Bottländer R, Musil R, Möller HJ (2010). Outcomes of 1014 naturalistically treated inpatients with major depressive episode. Eur Neuropsychopharmacol 20 :346-55.	03.661	
75	2010	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Riedel M, Möller HJ (2010). Relationship between baseline severity and antidepressant treatment outcome. Pharmacopsychiatry Oct 27 2010 [EPub ahead of print]	02.317	35.2
76	2010	Bauer M, Adli M, Bschor T, Pilhatsch M, Pfennig A, Sasse J, Lewitzka U (2010). Lithium's emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. Neuropsychobiology 62: 36-42	01.752	
77	2010	Schulze G, Alda M, Adli M, Akula N, Ardaur R, Chilotti C, Cichon S, Czerski P, Del Zompo M, Detera-Wadleigh S, Grof P, Gruber O, Hashimoto R, Hauser J, Hoban R, Iwata N, Kassem L, Kato T, Kittel-Schneider S,	01.752	

		Kliwicky S, Kelsoe J, Kusumi I, Laje G, Leckband S, Manchia M, MacQueen G, Masui T, Ozaki N, Perlis R, Pfennig A, Piccardi P, Richardson S, Rouleau G, reif A, Rybakowski J, Sasse J, Schumacher J, Severino G, Smoller J, Squassina A, Turecki G, Young L, Yoshikawa T, Bauer M, MacMahon F (2010). The international Consortium on Lithium Genetics (ConLiGen) – an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> 62: 72-78		
78	2010	Mazurek B, Olze H, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ. (2010). Molekularbiologische Aspekte der Neuroplastizität: Ansätze für die Therapie bei Tinnitus und Hörstörungen. <i>HNO</i> , 58, 973-982	01.752	
79	2010	Mazurek B, Stöver T, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ (2010). The significance of stress: ist role in the auditory system and the pathogenesis of tinnitus. <i>HNO</i> 58(2):162-72	0.570	
80	2009	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Glenn T, Grof P, Müller-Oerlinghausen B, Rybakowski J, Suwalska A, Pfennig A (2008). Long-term effectiveness of lithium in bipolar disorder – a multicenter investigation of patients with typical and atypical features. <i>J Clin Psychiatry</i> 69(12):1860-8	05.053	
81	2009	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Mundt C, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Henkel V, Möller HJ (2009). The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. <i>Int J Neuropsychopharmacol</i> 12(2):181-9.	04.378	
82	2009	Berpohl F, Dalanay U, Kahnt T, Sajonz B, Heimann H, Ricken R, Stoy M, Hägele C, Schlagenhaut F, Adli M, Wrase J, Ströhle A, Heinz A, Bauer M (2009). A preliminary study of increased amygdala activation to positive affective stimuli in mania. <i>Bipolar Disord</i> 11: 70-75.	03.959	
83	2009	Bauer M, Glenn T, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M, Whybrow PC (2009). Comparison of Sleep/Wake Parameters for Self-Monitoring Bipolar Disorder. <i>J Affect Disord</i> 116: 170-175.	03.271	
84	2009	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Mundt C, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Möller HJ, Riedel M (2009). Does early improvement triggered by antidepressants predict response/remission? - Analysis of data from a naturalistic study on a large sample of inpatients with major depression. <i>J Affect Disord</i> 115: 439-449.	03.271	
85	2009	Berpohl F, Walter M, Sajonz B, Lücke C, Hägele C, Sterzer P, Adli M, Heinz A, Northoff G (2009). Attentional modulation of emotional stimulus processing in patients with major depression—Alterations in prefrontal cortical regions. <i>Neuroscience Letters</i> 463: 108-113	02.200	
86	2008	Seemüller F, Riedel M, Wickelmaier F, Adli M, Mundt C, Marneros A, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Möller HJ, Henkel V (2008). Atypical symptoms in hospitalised patients with major depressive episode: frequency, clinical characteristics, and internal validity. <i>J Affect Disord</i> 108 (3): 271-278	03.271	
87	2008	Stamm TJ, Adli M, Kirchheiner J, Smolka MN, Kaiser R, Tremblay P, Bauer M (2008). Serotonin transporter gene and lithium augmentation	02.696	

		response in depression. <i>Psychiatr Genetics</i> 18: 92-97		
88	2007	Bauer M, Blumentritt H, Finke R, Schlattmann P, Adli M, Baethge C, Bschor T, Müller-Oerlinghausen B, Berghöfer A (2007). Using ultrasonographically to determine thyroïd size and prevalence of goiter in lithium-treated patients with affective disorders. <i>J Affect Disord</i> 104: 45-51	03.271	
89	2007	Knubben K, Reischies FM, Adli M, Schlattmann P, Bauer M, Dimeo F (2007). A randomized, controlled study on the effects of a short-term endurance training programme in patients with major depression. <i>Br J Sports Med</i> 41(1):29-33.	02.126	
90	2007	Grunze H, Adli M, Bauer M, Berger M, Bergmann A, Bräunig P, Bschor T, Falkai P, Gastpar M, Greil W, Kasper S, Krüger S, Laux G, Müller WE, Naber D, Walden J (2007). Clinical standing of valproate treatment of bipolar disorders. <i>Fortschr Neurol Psychiatr</i> 75(4): 220-235	0.793	
91	2005	Baethge C, Baldessarini RJ, Mathiske-Schmidt K, Hennen J, Berghöfer A, Müller-Oerlinghausen B, Bschor T, Adli M, Bauer M (2005). Long-term combination versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>J Clin Psychiatry</i> 66:174-182	05.053	
92	2005	Baethge C, Blumentritt H, Berghöfer A, Bschor T, Glenn T, Adli M, Schlattmann P, Bauer M (2005). Long-term lithium treatment and thyroid antibodies – a study of 100 patients with affective disorders and 100 normal controls. <i>J Psychiatry Neurosci</i> 30: 423-427	04.123	
93	2003	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2003). Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. <i>J Psychiatr Res</i> 37:135-143	04.679	
94	2003	Bschor T, Baethge C, Adli M, Lewitzka U, Eichmann U, Bauer M (2003). Hypothalamic-pituitary-thyroid system activity during lithium augmentation therapy in patients with unipolar major depression. <i>J Psychiatry Neurosci</i> 28: 210-216	04.123	
95	2003	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Müller-Oerlinghausen B, Bauer M (2003). Lithium augmentation increases post-dexamethasone cortisol in the dexamethasone suppression test in unipolar major depression. <i>Depress Anxiety</i> 17:43-48	02.526	
96	2002	Bauer M, Berghöfer A, Bschor T, Baumgartner A, Kießlinger U, Hellweg R, Adli M, Baethge C, Müller-Oerlinghausen B (2002). Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> 27: 620-628	06.835	
97	2002	Bschor T, Adli M, Baethge C, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2002). Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> 27: 470-478	06.835	
98	2002	Bschor T, Berghöfer A, Ströhle A, Kunz D, Adli M, Müller-Oerlinghausen B, Bauer M (2002). How long should the lithium augmentation strategy be maintained? A 1-year follow up of a placebo-controlled study in unipolar refractory major depression. <i>J Clin Psychopharmacol</i> 22: 427-430	04.371	

99	2002	Bauer M, Forsthoff A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2002). Lithium augmentation therapy in refractory depression-update 2002. Eur Arch Psychiatry Clin Neurosci 253(3):132-9.	02.852	
----	------	--	--------	--

C Reviews

100	2018	Bauer M, Rush J, Ricken R, Pilhatsch M, Adli M (2018). Algorithms for treatment of major depressive disorder: efficacy and cost-effectiveness. Pharmacopsychiatry. Accepted on 7 June 2018	01.765	
101	2017	Ricken R, Ulrich S, Schlattmann P, Adli M (2017). Tranylcypromine in mind (Part II): Review of clinical pharmacology and meta-analysis of controlled studies in depression. Eur Neuropsychopharmacol. (8):714-731.	04.577	65.2
102	2017	Ulrich S, Ricken R, Adli M (2017). Tranylcypromine in mind (Part I): Review of pharmacology. Eur Neuropsychopharmacol. 27(8):697-713.	04.577	81.7
103	2017	Holzinger F, Fahrenkrog S, Roll S, Kleefeld F, Adli M, Heintze C (2017). Discharge management strategies and post-discharge care interventions for depression - Systematic review and meta-analysis. J Affect Disord. 223:82- 94.	03.845	38.1
104	2017	Gruebner O, Rapp MA, Adli M, Kluge U, Galea S, Heinz A (2017). Cities and Mental Health. Dtsch Arztebl Int. 114(8):121-127.	03.738	91.5
105	2016	Köhler S, Cierpinsky K, Kronenberg G, Adli M (2016). The serotonergic system in the neurobiology of depression: Relevance for novel antidepressants. J Psychopharmacol. 2016 Jan; 30(1):13-22.	03.898	95.1
106	2016	Borgmann M, Holtkamp M, Adli M, Behr J (2016). Depression and epilepsy: Two clinical pictures with common causes? Nervenarzt. 87(7):724-30.	0.787	13
107	2014	Bauer M, Adli M, Ricken R, Severus E, Pilhatsch M (2014). Role of lithium augmentation in the management of major depressive disorder. CNS Drugs. 28(4): 331-42.	04.376	87.4
108	2014	Bschor T, Bauer M, Adli M (2014). Chronic and treatment resistant depression — diagnosis and stepwise therapy. Dtsch Arztebl Int. 111(45): 766-76	0.4	87.4
109	2013	Krings-Ernst I, Ulrich S, Adli M (2013). Antidepressant treatment with MAO-inhibitors during general and regional anesthesia: a review and case report of spinal anesthesia for lower extremity surgery without discontinuation of tranylcypromine. Int J Clin Pharmacol Ther. 51(10): 763-70.	0.1	8.5
110	2012	Köhler S, Bauer M, Adli M (2012). Behandlungsstrategien der therapieresistenten Depression. Psychiatrie und Psychotherapie up2date 6: 137-148		
111	2011	Rentsch, J, Ricken R, Adli M (2011). Akutbehandlung der Manie. Psychiatrie und Psychotherapie up2date 5: 209-224		
112	2009	Riedel M, Seemüller F, Wickelmaier F, Schennach-Wolff R, Adli M, Bauer M, Kranmüller K, Brieger P, Laux G, Bender W, Haeuser I, Zeiler J, Gaebel W, Jaeger M, Moeller H, Henkel V (2009). Häufigkeit und klinische Charakteristika von atypisch depressiven Symptomen. Nervenheilkunde 4: 193-199	0.373	

113	2009	Wiethoff K, Ricken R, Keck M, Baghai T, Bauer M, Möller H, Adli M (2009). Das Berliner Algorithmusprojekt. <i>Nervenheilkunde</i> 4: 179-185.	0.0	
114	2008	Bschor T, Adli M (2008). Therapie depressiver Erkrankungen. Zertifizierte medizinische Fortbildung. <i>Deutsches Ärzteblatt</i> 105: 782–792	01.099	
115	2006	Adli M, Bauer M, Rush AJ (2006). Algorithms and collaborative care systems for depression: are they effective and why? <i>Biol Psychiatry</i> 59: 1029-1038	08.672	
116	2005	Wiethoff K, Bauer M, Baghai T, Heinz A, Adli M (2005). Therapiealgorithmen in der Depressionsbehandlung - Das Berliner Algorithmusprojekt. <i>Nervenheilkunde</i> 24: 381-387	0.373	
117	2005	Wiethoff K, Baghai T, Heinz A, Bauer M, Adli M (2005). Algorithmusgestützte Behandlung depressiver Erkrankungen: Was bringen systematische Therapieansätze im klinischen Alltag? <i>Med Welt</i> 56: 332-337		
118	2004	Möller HJ, Adli M, Laux G, Müller N, Schmitt J, unter Mitwirkung einer Expertengruppe „Kognitive Störungen bei Antidepressivabehandlung“ (2004). Kognitive und psychomotorische Effekte von Antidepressiva unter besonderer Berücksichtigung von SSRIs. <i>Psychopharmakotherapie</i> 1: 15-21	0.202	
119	2003	Bauer M, Forsthoff A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2003). Lithium augmentation therapy in refractory depression – update 2002. <i>Eur Arch Psychiatry Clin Neurosci</i> 253: 132-139	02.852	
120	2003	Bauer M, Adli M, Baethge C, Berghöfer A, Sasse J, Heinz A, Bschor T (2003). Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. <i>Can J Psychiatry</i> 48: 440-448	02.828	
121	2003	Bauer M, Adli M, Bschor T, Heinz A, Rasgon N, Frye M, Grunze H, Kupka R, Whybrow PC (2003). Clinical applications of levothyroxine in refractory mood disorders. <i>Clin Appr Bipol Disord</i> 2: 49-56	02.531	
122	2003	Adli M, Rush AJ, Möller H-J, Bauer M (2003). Algorithms for optimizing the treatment of depression: making the right decision at the right time. <i>Pharmacopsychiatry</i> 36 [suppl 3]: 222-229	02.402	
123	2003	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U, Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. <i>Pharmacopsychiatry</i> 36 [suppl 3]: 230-234	02.402	
124	2003	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U & Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. <i>Pharmacopsychiatry</i> : 36 (Suppl 3): 230-234	02.402	
125	1998	Adli M, Bschor T, Canata B, Döpfmer S, Bauer M (1998). Lithium in der Behandlung der akuten Depression. <i>Fortschr Neurol Psychiat</i> 66: 435-441	0.793	

D Case Reports

126	2006	Pilhatsch MK, Burghardt R, Wandinger KP, Bauer M, Adli M (2006). Augmentation with atomoxetine in treatment-resistant depression	02.402	
-----	------	--	--------	--

		with psychotic features. A case report. <i>Pharmacopsychiatry</i> 39(2): 79-80.		
127	1999	Adli M, Rossius W, Bauer M (1999). [Olanzapine in the treatment of depressive disorders with psychotic symptoms] Olanzapin in der Behandlung depressiver Störungen mit psychotischer Symptomatik. <i>Nervenarzt</i> 70: 68-71	0.814	

E Comments & Letters

128	2017	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Gomez-Carrillo A, Hehl R, Heinz A, H JM, Mehran N, Tolaas S, Walter H, Weiland U, Stollmann J (2017). <i>Neurourbanism: towards a new discipline. Lancet Psychiatry.</i> 4(3):183-185.	11.588	76.4
129	2015	Berger M, Adli M, Beine KH, Bschor T, Herpertz S, Lauterbach K (2015). Psychiatrische Versorgung: Das Krankenhaus-Psych-Budget – ein Alternativkonzept. <i>Dtsch Arztebl.</i> 112(13): A 574-6	03.608	
130	2015	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? <i>Con. Nervenarzt.</i> 87(5):561-2.	0.787	87.4
131	2015	Bschor T, Bauer M, Adli M (2015). Comment on: Chronic and treatment resistant depression: diagnosis and stepwise therapy. [Dtsch Arztebl Int. 2014] <i>Dtsch Arztebl Int.</i> 2015 Jun 12;112(24):421-2.	0.4	27.3
132	2014	Adli M, Hegerl U. (2014). Do we underestimate the benefits of antidepressant drugs? <i>Lancet.</i> 383(9926): 1361-2.	39.207	29.6
133	2014	Fakhri H, Ricken R, Adli M, Fajol A, Walter M, Föller M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. <i>J Clin Psychopharmacol.</i> 34(6): 745-7.	03.761	6.9
134	2011	Adli M, Kleinert S, Bonk M, Wesslingh S, Ganten D (2011). From science to policy: the M8 Alliance invites policy makers to step in. <i>Lancet,</i> 378: 1447-1449.	30.758	
135	1999	Bauer M, Adli M, Bschor T, Döpfmer S (1999). Stellungnahme. <i>Fortschr Neurol Psychiat</i> 67: 386	0.793	

F Editor

136	2017	Adli M. <i>Stress and the City: Warum Städte uns krank machen. Und warum sie trotzdem gut für uns sind.</i> 1. Auflage, 2017, C. Bertelsmann Verlag, München		
137	2005	Bauer M, Berghöfer A, Adli M (eds.) <i>Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen.</i> 2., vollständig neuberarbeitete Auflage 2005 (1. Auflage 1997, 1. Nachdruck 1998). Springer Verlag, Berlin, Heidelberg, New York		

G Book Chapters

138	2018	Schramm E, Bauer M, Adli M Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). <i>Therapie psychischer Erkrankungen: State of the Art.</i> 14. Auflage. München: Urban & Fischer S. (publication due in December 2018)		
139	2017	Schramm E, Bauer M, Adli M (2017). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). <i>Therapie psychischer Erkrankungen: State of the Art.</i> 13. Auflage. München: Urban & Fischer S. 183-208.		

140	2016	Schramm E, Bauer M, Adli M (2016). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 12. Auflage. München: Urban & Fischer S. 183-208.
141	2015	Schramm E, Bauer M, Adli M (2015). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 11. Auflage. München: Urban & Fischer S. 183-208.
142	2014	Schramm E, Bauer M, Adli M (2014). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 10. Auflage. München: Urban & Fischer S. 183-208.
143	2013	Schramm E, Bauer M, Adli M (2013). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 9. Auflage. München: Urban & Fischer S. 183-208.
144	2012	Schramm E, Bauer M, Adli M (2012). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 8. Auflage. München: Urban & Fischer
145	2011	Schramm E, Bauer M, Adli M (2011). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 7. Auflage. München: Urban & Fischer, S. 165-188.
146	2008	Pfennig A, Adli M (2008). Antidepressiva-Hochdosisbehandlung. In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 40-47.
147	2008	Wiethoff K, Adli M (2008). Systematisierte Therapiealgorithmen (antidepressive Stufenpläne). In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 408-418
148	2006	Bschor T, Lewitzka, Adli M (2006). Lithium in non-psychiatric conditions. In: Bauer, Grof, Müller-Oerlinghausen (Hrsg.) Bauer M, Grof P, Müller-Oerlinghausen (Eds.) Lithium in Neuropsychiatry – The Comprehensive Guide. Taylor and Francis Books, Abingdon, S. 237-250
149	2005	Bauer M, Pfennig A, Mavrogiorgou P, Juckel G, Adli M, Sasse J, Heinz A (2005) Perspektiven für Quetiapin in der Behandlung der unipolaren Depression. In: Möller HJ (Hrsg.) Quetiapin. Erfahrungen und Ausblicke. Schattauer GmbH, S. 131-141
150	2005	Fähser NC, Wiethoff K, Adli M (2005) Therapiealgorithmen in der Langzeitpsychopharmakologie. In: Linden M, Müller WE (Hrsg.) Rehabilitationspsychopharmakologie - Psychopharmakotherapie chronifizierender und chronifizierter Erkrankungen. Köln: Deutscher Ärzteverlag, S. 43-58
151	2005	Adli M, Wiethoff K (2005). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie bipolarer Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 103-121
152	2005	Berghöfer A, Adli M, Bauer M (2005) Antidepressiva-Übersicht für die klinische Praxis. In: Bauer M, Berghöfer A, Adli M (Hrsg.) Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 587-600
153	2005	Adli M, Wiethoff K, Baghai T, Bauer M (2005). Algorithmusgestützte Behandlung stationärer Patienten mit depressiven Erkrankungen: das Berliner Algorithmusprojekt. In: Bauer M, Berghöfer A, Adli M (Hrsg.) Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 477-487
154	2004	Adli M, Wiethoff K (2004). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie depressiver Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 96-112

155	2004	Adli M, Bauer (2004). M Elektrokonvulsionstherapie bei therapieresistenten Depressionen. In: T. Baghai, R. Frey, S. Kasper, H.-J. Möller (Hrsg.) Elektrokonvulsionstherapie-klinische und wissenschaftliche Aspekte. Wien: Springer, S. 366-393
156	2003	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2003). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Weißbuch Bipolare Störungen in Deutschland, BoD GmbH, Norderstedt, S. 131-200
157	2002	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2002). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Kurzfassung Weißbuch Bipolare Störungen in Deutschland, Hamburg, Conference Point, S. 67-74
158	2001	Adli M, Kießlinger U, Smolka M, Neu P, Linden M, Bauer M (2001). Does algorithm-guided stepwise treatment in depression have an influence on treatment execution? In: Fromm E, ed.: Jahrbuch 2001 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 466
159	2000	Adli M, Kießlinger U, Neu P, Smolka M, Linden M, Bauer M (2000). Efficacy of an algorithm-guided treatment regimen in depression compared to standard treatment as usual: The Berlin Algorithm Project. In: Fromm E, ed.: Jahrbuch 2000 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 439
160	1999	Kießlinger U, Adli M, Neu P, Smolka M, Linden M, Bauer M (1999). Beschreibung medikamentöser Depressionsbehandlung. In: Jahrbuch 1999, Fachbereich Humanmedizin, Universitätsklinikum Benjamin Franklin der Freien Universität Berlin: S. 494

H Other Publications (not peer-reviewed)

159	2016	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Hehl R, Heinz A, Mayer H. J, Matussek T, Mehran N, Tolaas S, Walter H, Weiland U, Sollmann J (2016). Neurourbanistik – ein methodischer Schlußschluss zwischen Stadtplanung und Neurowissenschaften. Die Psychiatrie. 13(2):70-8.
160	2012	Kiermeir J, Gassner LM, Siebörger A, Wiethoff K, Ricken R, Stamm T, Bauer M, Heinz A, Adli M (2012). Euthymic Therapy to Reduce Residual Symptoms of Depression and Strengthen Self-Care: a Randomised Controlled Trial. German J Psychiatry. 15 (1): 15-22
161	2010	Lange C, Adli M (2010). Residualsymptome nach akuter Depression. MMW Fortschr Med 152(3), 34-35.
162	2009	Heimann H, Dietz F, Lange C, Adli M (2009). Behandlung von depressiven Episoden – Relevanz der Vollremission. Neuro aktuell 2: 31-33.
163	2006	Bauer M, Pfennig A, Wiethoff K, Sasse J, Ricken R, Pilhatsch M, Adli M (2006). Warum ist die Remission ein wichtiges Ziel in der Depressionsbehandlung? PsychoNeuro 32: 67-71
164	2005	Bauer M, Köberle U, Sasse J, Gutzmann C, Neuhaus K, Adli M, Pfennig A, Heinz A (2005). Rezidivprophylaxe Bipolarer Erkrankungen - auf was es ankommt. Schweizer Zeitschrift für Psychiatrie & Neurologie 1: 37-44
165	2005	Adli M (2005). Bipolarer Alkoholiker: mit Valproinsäure zwei Fliegen mit einer Klappe schlagen? Info Neurologie Psychiatrie 7 [suppl1]: 12-13
166	2005	Bauer M, Stamm T, Sasse J, Adli M (2005). Duloxetine – a novel dual acting antidepressant [Duloxetin - ein neues Antidepressivum mit dualem Wirkmechanismus]. Die Psychiatrie 2: 244-251
167	2004	Pfennig A, Adli M, Bauer M (2004). Atypische Neuroleptika bei wahnhafter Depression. Info Neurologie Psychiatrie 6 [suppl1]: 36–37
168	2004	Adli M (2004). Die „maskierte“ bipolare Störung: Fehldiagnose unipolare Depression

		vermeiden. Der Neurologe & Psychiater 3: 38-42
169	2003	Sasse J, Köberle U, Bschor T, Adli M, Trendelenburg M, Bauer M. (2003). Bipolare Depression: L-Thyroxin-Augmentation als Möglichkeit einer medikamentösen Behandlung. PsychoNeuro 29: 400-402
170	2003	Adli M, Bauer M (2003). Wahnhafte Depression – eine vernachlässigte Sonderform. (Neuroleptika bei wahnhafter Depression). Info Neurologie Psychiatrie 2: 44-50