

Publikationsliste Prof. Dr. med. Mazda Adli (11. Juni 2020)

Total Impact Factor: 712.6829

Hirsch Faktor: 40

Inhalt

A Originalarbeiten (Erst- und Letzt Autorenschaften)	1
B Co-Autorenschaften	4
C Reviews	12
D Fallberichte	13
E Comments & Letters	13
F Editor	14
G Buchkapitel	14
H Weitere Publikationen (nicht peer-reviewed)	16

A Originalarbeiten (Erst- und Letztautorenschaften)

Nr.	Jahr	Zitation	Impact Factor	Perzentil
1		Adli, M., & Schöndorf, J. (2020). Macht uns die Stadt krank? Wirkung von Stadtstress auf Emotionen, Verhalten und psychische Gesundheit [Does the city make us ill? The effect of urban stress on emotions, behavior, and mental health]. <i>Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz</i> , 63(8), 979–986. https://doi.org/10.1007/s00103-020-03185-w	1.059	
2	2020	Ulrich, S., Ricken, R., Buspavanich, P., Schlattmann, P., & Adli, M. (2020). Efficacy and Adverse Effects of Tranylcypromine and Tricyclic Antidepressants in the Treatment of Depression: A Systematic Review and Comprehensive Meta-analysis. <i>Journal of clinical psychopharmacology</i> , 40(1), 63–74. https://doi.org/10.1097/JCP.0000000000001153	1.85	
3	2019	Bopp SK*, Heilbronner U*, Schlattmann P, Mühleisen TW, Bschor T, Richter C, Steinacher B, Stamm TJ, Merkl A, Herms S, Köhler S, Sterzer P, Hellweg R, Heinz A, Cichon S, Lang UE, Schulze TG, Adli M*, Ricken R* (2019). Leptin gene polymorphisms are associated with weight gain during lithium augmentation in patients with major depression, 2019 Dec;29:211-221.	04.129	
4	2018	Ricken R, Busche M, Schlattmann P, Himmerich H, Bopp S, Bschor T, Richter C, Stamm TJ, Heinz A, Hellweg R, Lang UE, Adli M (2018). Cytokine serum levels remain unchanged during lithium augmentation of antidepressants in major depression. <i>J Psychiatr Res</i> , 96:203-208.	04.183	
5	2018	Ricken R, Wiethoff K, Reinhold T, Stamm TJ, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Laux G, Hauth I, Möller HJ, Heinz A, Bauer M, Adli M (2018). A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients - Results from the German Algorithm Project (GAP3). <i>J Affect Disord</i> , 228:173-177.	03.432	

6	2018	Dimitrov A, Veer IM, Kleeblatt J, Seyfarth F, Roenneberg T, Ising M, Uhr M, Keck ME, Kramer A, Berger M, von Koch L, Walter H, Adli M (2018). Chronotype is associated with psychological well-being depending on the composition of the study sample. <i>J Health Psycho</i> , /1:1359105317751618.	02.182	76,3
7	2017	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Elstner S, Stamm TJ, Schulz-Ratei B, Lingesleben A, Reischies FM, Sterzer P, Borgwardt S, Bauer M, Heinz A, Hellweg R, Lang UE, Adli M (2017). Ghrelin Serum Concentrations Are Associated with Treatment Response During Lithium Augmentation of Antidepressants. , 2017 Sep 1;20:692-697.	04.712	16
8	2017	Adli M, Wiethoff K, Baghai TC, Fisher R, Seemüller F, Laakmann G, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Kronmüller KT, Smolka MN, Schlattmann P, Berger M, Ricken R, Stamm TJ, Heinz A, Bauer M (2017). How Effective Is Algorithm-Guided Treatment for Depressed Inpatients? Results from the Randomized Controlled Multicenter German Algorithm Project 3 Trial. <i>Int J Neuropsychopharmacol</i> , 20:721-730.	04.712	39,1
9	2016	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Stamm TJ, Bauer F, Heinz A, Hellweg R, Lang UE, Adli M (2016). Leptin serum concentrations are associated with weight gain during lithium augmentation. <i>Psychoneuroendocrinology</i> , 71:31-35.	04.944	8,5
10	2016	Stamm TJ, Rampp C, Wiethoff K, Stingl J, Mössner R, O Malley G, Ricken R, Seemüller F, Keck M, Fisher R, Gaebel W, Maier W, Möller HJ, Bauer M, Adli M (2016). The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>J Psychopharmacol</i> , 30:40-7.	03.898	71
11	2015	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? <i>Nervenarzt</i> , 87:561-2	0.787	
12	2015	Köhler S, Wiethoff K, Ricken R, Stamm T, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Zeiler J, Heinz A, Bauer M, Adli M (2015). Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>J Affect Disord</i> , 173: 126-33.	0.371	43,2
13	2014	Fakhri H*, Ricken R*, Adli M*, Fajol A, Walter M, Föllner M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. <i>J Clin Psychopharmacol</i> , 34: 745-7.	03.761	27,9
14	2014	Stamm TJ, Becker D, Sondergeld LM, Wiethoff K, Hiemke C, O'Malley G, Ricken R, Bauer M, Adli M (2014). Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry</i> , 47: 174-9.	02.168	23,6
15	2013	Lange C, Zschucke E, Ising M, Uhr M, Bermpohl F, Adli M (2013). Evidence for a normal HPA axis response to psychosocial stress in patients remitted from depression. <i>Psychoneuroendocrinology</i> , 38: 2729-36.	05.591	55,6
16	2013	Ricken R*, Adli M*, Lange C, Krusche E, Stamm TJ, Gaus S, Koehler S, Nase S, Bschor T, Richter C, Steinacher B, Heinz A, Rapp MA, Borgwardt S, Hellweg R, Lang UE (2013). Brain-derived neurotrophic factor serum	03.761	55,1

		concentrations in acute depressive patients increase during lithium augmentation of antidepressants. <i>J Clin Psychopharmacol</i> , 33: 806-9.		
17	2013	Stamm TJ, Stingl J, Wiethoff K, Ricken R, Heinz A, Bauer M, O'Malley G, Adli M (2013). Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>J Affect Disord</i> , 151: 605-610.	03.383	19,7
18	2011	Sterzer P, Hilgenfeldt T, Freudenberg P, Adli M (2011). Unconscious emotional information processing in patients with major depressive disorder. <i>Psychol Med</i> , 5: 1-10.	05.012	60.2
19	2011	Ricken R, Wiethoff K, Reinhold T, Schietsch K, Stamm T, Kiermeir J, Neu P, Heinz A, Bauer M, Adli M (2011). Algorithm-guided treatment of depression reduces treatment costs - Results from the randomized controlled German Algorithm Project (GAPII). <i>J Affect Disord</i> , 134:249-256.	03.740	26,8
20	2010	Wiethoff K, Bauer M, Baghai TC, Möller HJ, Fisher R, Hollinde D, Kiermeir J, Hauth I, Laux G, Cordes J, Marneros A, Kronmüller K, Zeiler J, Adli M (2010). Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. <i>J Clin Psychiatry</i> , 71:1047-54.	05.218	75,9
21	2009	Adli M, Kleinert S, Lafont, A, Kahn A, Ganten D (2009). Shaping the future of health care: the Berlin 2009 Evolution of Medicine Summit. <i>Lancet</i> , 373: 519-520.	30.758	3,5
22	2009	Adli M, Bschor T, Bauer M, Lucka C, Lewitzka U, Ising M, Uhr M, Müller-Oerlinghausen B, Baethge C (2009). Long-term outcome after lithium augmentation in unipolar depression: focus on HPA system activity. <i>Neuropsychobiology</i> , 60: 23-30.	01.752	11
23	2009	Bauer M, Pfennig A, Linden M, Smolka M, Neu P, Adli M (2009). Efficacy of an algorithm-guided treatment compared to treatment as usual: A randomized controlled study of inpatients with depression. <i>J Clin Psychopharmacology</i> , 29: 327-333.	0.5	75,6
24	2008	Bauer M, Glenn T, Whybrow PC, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M (2008). Changes in self-reported sleep duration predict mood changes in bipolar disorder. <i>Psychol Med</i> , 38: 1069-71.	04.718	37,2
25	2008	Mahlberg R, Kienast T, Bschor T, Adli M (2008). Evaluation of time memory in acutely depressed patients, manic patients, and healthy controls using a time reproduction task. <i>Eur Psychiatry</i> , 23: 430-433.	02.433	39,3
26	2008	Adli M, Pilhatsch M, Bauer M, Köberle U, Ricken R, Janssen G, Ulrich S, Bschor T (2008). Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatment-resistant depression. <i>Pharmacopsychiatry</i> , 41: 252-7.	02.402	47,8
27	2008	Mahlberg R, Adli M, Bschor T, Kienast T (2008). Age effects on trail making test during acute depressive and manic episode. <i>Int J Neurosci</i> , 118: 1347-1356.	0.884	13,8
28	2008	Adli M, Wiethoff K, Pfennig A, Stamm T, Baethge C, Bauer M (2008). Olanzapine in the treatment of depression with psychotic features – a prospective open-label study. <i>Int J Psychiatr Clin Practice</i> , 12: 202-209.	0.410	7,3
29	2007	Adli M, Hollinde D, Stamm T, Wiethoff K, Tsahuridu M, Kirchheiner J, Heinz A, Bauer M (2007). Response to lithium augmentation treatment	08.672	68

		in depression is associated with the glycogen synthase kinase 3-beta (GSK3-beta) - 50T/C single nucleotide polymorphism. <i>Biol Psychiatry</i> , 62: 1295-1302.		
30	2005	Adli M, Baethge C, Langlitz N, Bauer M (2005). Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed? – a systematic review. <i>Eur Arch Psychiatry Clin Neurosci</i> , 255: 387-400.	02.852	85,4
31	2005	Adli M, Whybrow P, Grof P, Rasgon N, Gyulai L, Baethge C, Glenn T, Bauer M (2005). Use of polypharmacy and self-reported mood in outpatients with bipolar disorder. <i>Int J Psychiatry Clin Practice</i> , 9: 251-256.	0.410	11,9
32	2002	Adli M, Berghöfer A, Linden M, Helmchen H, Müller-Oerlinghausen B, Mackert A, Stamm T, Bauer M (2002). Effectiveness and feasibility of a standardized stepwise drug treatment algorithm for inpatients with depressive disorders – results of a two-year observational study. <i>J Clin Psychiatry</i> , 63: 782-79.	05.053	63,8

B Co-Autorenschaften

33	2020	Nowak J, Dimitrov A, Oei NYL, Walter H, Adli M, Veer IM (2020) Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> , 114, 104585.	4.013	
34	2020	Amare AT, Schubert KO, Hou L, Clark SC, Papiol S, Cearns M, Heilbronner U, Degenhardt F, Tekola-Ayele F, Hsu YH, Shekhtman T, Adli M, Akula N, Akiyama K, Arda R, Arias B, Aubry JM, Backlund L, Bhattacharjee AK, Bellivier F, Benabarre A, Bengesser S, Biernacka JM, Birner A, Brichant-Petitjean C, Cervantes P, Chen HC, Chillotti C, Cichon S, Cruceanu C, Czerski PM, Dalkner N, Dayer A, Del Zompo M, DePaulo JR, Étain B, Peter Falkai, Forstner AJ, Frisen L, Frye MA, Fullerton JM, Gard S, Garnham JS, Goes FS, Grigoriu-Serbanescu M, Grof P, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A, Jamain S, Jiménez E, Kahn JP, Kassem L, Kuo PH, Kato T, Kelsoe J, Kittel-Schneider S, Kliwicky S, König B, Kusumi I, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, Tortorella A, McElroy S, Colom F, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Nöthen MM, Novák T, O'Donovan C, Ozaki N, Ösby U, Pfennig A, Potash JB, Reif A, Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium, Reininghaus E, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schweizer BW, Severino G, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Squassina A, Stamm T, Stopkova P, Maj M, Turecki G, Vieta E, Veeh J, Witt SH, Wright A, Zandi PP, Mitchell PB, Bauer M, Alda M, Rietschel M, McMahon FJ, Schulze TG, Baune BT (2020). Association of Polygenic Score for Major Depression with Response to Lithium in Patients with Bipolar Disorder. <i>Molecular Psychiatry</i> , (Epub ahead of print).	5.36	
35	2019	Schennach R, Obermeier M, Spellmann I, Seemüller F, Musil R, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller KT, Ising M, Brieger P, Maier W, Lemke MR, Rütger E,	04.748	2.12

		Klingberg S, Gastpar M, Möller HJ, Riedel M. Remission in schizophrenia - What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. , 209:185-192.		
36	2019	Kalman JL, Papiol S, Forstner AJ, Heilbronner U Degenhardt F, Strohmaier J, Adli M, Adorjan K Akula N, Alda M, Anderson-Schmidt H Andlauer TF, Anghelescu IG, Arda R, Arias B, Arolt V, Aubry JM, Backlund L, Bartholdi K, Bauer M, Baune BT, Becker T, Bellivier F, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichtant-Petitjean C, Budde M, Cervantes P, Chillotti C, Cichon S Clark SR, Colom F, Comes AL Cruceanu C Czerski PM, Dannlowski U, Dayer A, Del Zompo M, DePaulo JR, Dietrich DE, Étain B, Ethofer T, Falkai P, Fallgatter A, Figge C, Flatau L, Folkerts H, Frisen L, Frye MA, Fullerton JM Gade K Gard S, Garnham JS, Goes FS, Grigoriou-Serbanescu M, Gryaznova A, Hake M, Hauser J, Herms S Hoffmann P Hou L, Jäger M, Jamain S, Jiménez E, Juckel G, Kahn JP, Kassem L, Kelsoe J, Kittel-Schneider S, Kliwicki S, Klohn-Sagatholislam F Koller M, König B, Konrad C, Lackner N, Laje G, Landén M Lang FU, Lavebratt C, Leboyer M Leckband SG, Maj M, Manchia M Martinsson L, McCarthy MJ, McElroy SL, McMahon FJ, Mitchell PB Mitjans M, Mondimore FM, Monteleone P Nieratschker V, Nievergelt CM, Novák T Ösby U, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reimer J, Reininghaus E, Reitt M, Ripke S Rouleau GA, Rybakowski JK, Schalling M, Scherk H, Schmauß M, Schofield PR Schubert KO, Schulte EC Schulz S, Senner F Severino G, Shekhtman T, Shilling PD, Simhandl C Slaney CM, Spitzer C, Squassina A, Stamm T Stegmaier S, Stierl S, Stopkova P, Thiel A, Tighe SK, Tortorella A, Turecki G, Vieta E, Veeh J, von Hagen M, Wigand ME, Wiltfang J, Witt S, Wright A Zandi PP, Zimmermann J, Nöthen M, Rietschel M, Schulze TG (2019). Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disord</i> , 21:68-75.	04.539	
37	2019	Buspavanich, P., Behr, J., Stamm, T., Schlattmann, P., Bschor, T., Richter, C., ... & Rentzsch, J. (2019). Treatment response of lithium augmentation in geriatric compared to non-geriatric patients with treatment-resistant depression. <i>Journal of Affect Disord</i> , 51:136-140.	03.786	
38	2018	Reinbold CS, Forstner AJ, Hecker J, Fullerton JM, Hoffmann P, Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Arda R, Arias B, Backlund L, Benabarre A, Bengesser S, Kumar Bhattacharjee A, Biernacka JM, Birner A, Marie-Claire C, Cervantes P, Chen G, Chen H, Chillotti C, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dayer A, Etain B, Falkai P, Frisén L, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Jamain S, Jiménez E, Kahn J, Kassem L, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau AG, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt SH, Wright AJ, Young LT, Zandi P, Potash JB, DePaulo JR, Bauer M, Reininghaus E, Novák T, Aubry J, Maj M, Baune	03.532	56,5

		BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo P, Kato T, Grigoriu-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray N, Kelsoe JR, Alda M, McMahon FJ, Schulze TG, Rietschel M, Nöthen MM, Cichon S (2018). Analysis of the influence of microRNAs in Lithium Response. <i>Bipolar Disorder</i> , 9:207.		
39	2018	International Consortium on Lithium Genetics (ConLi+Gen) (2018). Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 75:65-74.	15.307	98,2
40	2018	Dimitrov A, Schaake J, Ligdorf A, Oei NYL, Adli M, Walter H, Veer IM (2018). Natural sleep loss is associated with lower mPFC activity during negative distracter processing. <i>Soc Cogn Affect Neurosci</i> , Submitted on 10 July 2018.	03.500	
41	2018	Musil R, Seemüller F, Meyer S, Spellmann I, Adli M, Bauer M, Kronmüller KT, Brieger P, Laux G, Bender W, Heuser I, Fisher R, Gaebel W, Schennach R, Möller HJ, Riedel M (2018). Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>Int J Methods Psychiatr Res</i> , 27. Epub 2017 Jun 14.	03.176	28,5
42	2017	Haffner P, Quinlivan E, Fiebig J, Sondergeld LM, Strasser ES, Adli M, Moritz S, Stamm TJ (2017). Improving functional outcome in bipolar disorder: A pilot study on metacognitive training. <i>Clin Psychol Psychother</i> , 25:50-58. Epub 2017 Aug 30.	01.933	66,4
43	2017	Spellmann I, Schennach R, Seemüller F, Meyer S, Musil R, Jäger M, Schmauß M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller KT, Ising M, Brieger P, Maier W, Lemke MR, Rütger E, Klingberg S, Gastpar M, Riedel M, Möller HJ (2017). Validity of remission and recovery criteria for schizophrenia and major depression: comparison of the results of two one-year follow-up naturalistic studies. <i>Eur Arch Psychiatry Clin Neurosci</i> , 267:303-313.	04.113	
44	2016	Strasser ES, Haffner P, Fiebig J, Quinlivan E, Adli M, Stamm TJ (2016). Behavioral measures and self-report of impulsivity in bipolar disorder: no association between Stroop test and Barratt Impulsiveness Scale. <i>Int J Bipolar Disord</i> , 4:16.	4.88	37,9
45	2016	Hasselmann H, Bellmann-Strobl J, Ricken R, Oberwahrenbrock T, Rose M, Otte C, Adli M, Paul F, Brandt AU, Finke C, Gold SM (2016). Characterizing the phenotype of multiple sclerosis – associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> . <i>Mult Scler</i> , 22:1476-1484.	4.82	79
46	2016	Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Ardau R, Arias B, Backlund L, Banzato CEM, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Bui ET, Cervantes P, Chen GB, Chen HC, Chillotti C, Cichon S, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dantas CR, Dayer A, Étain B, Falkai P, Forstner AJ, Frisé L, Fullerton JM, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A,	39.207	97,7

		Jamain S, Jiménez E, Kahn JP, Kassem L, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, Jaramillo CAL, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Nöthen MM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau GA, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt S, Wright A, Young LT, Zandi PP, Potash JB, DePaulo JR, Bauer M, Reininghaus EZ, Novák T, Aubry JM, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo PH, Kato T, Grigoriu-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray NR, Kelsoe JR, Alda M, Rietschel M, McMahon FJ, Schulze TG (2016). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> , 387:1085-1093.		
47	2016	The International Consortium on Lithium Genetics (ConLiGen). Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Hum Mol Genet</i> , 25: 3383–3394.	05.985	92,8
48	2016	Seemüller F, Obermeier M, Schennach R, Bauer M, Adli M, Brieger P, Laux G, Riedel M, Falkai P, Möller HJ (2016). Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> , 16:153.	02.210	16,6
49	2015	Bauer M, Berman S, Stamm T, Plotkin M, Adli M, Pilhatsch M, London ED, Hellemann GS, Whybrow PC, Schlagenhaut F (2015). Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebo-controlled positron emission tomography study. <i>Mol Psychiatry</i> . <i>Mol Psychiatry</i> , 21:229-36.	05.620	80,4
50	2015	Willert A, Mohnke S, Erk S, Schnell K, Romanczuk-Seiferth N, Krusche E, Schreiter S, Spengler S, Herold D, Wackerhagen C, Pöhland L, Garbusow M, Stamm T, Adli M, Heinz A, BERPohl F, Walter H. (2015). Alterations in neural Theory of Mind processing in euthymic patients with bipolar disorder and unaffected relatives. <i>Bipolar Disorders</i> , 17:880-91.	04.888	14,3
51	2014	Stamm TJ, Lewitzka U, Sauer C, Pilhatsch M, Smolka MN, Koeberle U, Adli M, Ricken R, Scherk H, Frye MA, Juckel G, Assion HJ, Gitlin M, Whybrow PC, Bauer M (2014). Supraphysiologic doses of levothyroxine as adjunctive therapy in bipolar depression: a randomized, double-blind, placebo-controlled study. <i>J Clin Psychiatry</i> , 75: 162-8.	03.761	59,1
52	2014	Rentsch J, Adli M, Wiethoff K, Gómez-Carrillo de Castro A, Gallinat J (2014). Pretreatment anterior cingulate activity predicts antidepressant treatment response in major depressive episodes. <i>Eur Arch Psychiatry Clin Neurosci</i> , 264: 213-23.	03.525	55,1
53	2014	Seemüller F, Meier S, Obermeier M, Musil R, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Riedel M, Falkai P, Möller HJ (2014). Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>Eur Arch</i>	03.355	72,1

		<i>Psychiatry Clin Neurosci</i> , 264: 567-75.		
54	2013	Musil R, Zill P, Seemüller F, Bondy B, Meyer S, Spellmann I, Bender W, Adli M, Heuser I, Fisher R, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). Genetics of emergent suicidality during antidepressive treatment--data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>Eur Neuropsychopharmacol</i> , 23: 663-74.	04.736	40
55	2013	Rhein C, Naumann J, Mühle C, Zill P, Adli M, Hegerl U, Hiemke C, Mergl R, Möller HJ, Reichel M, Kornhuber J (2013). The Acid Sphingomyelinase Sequence Variant p.A487V Is Not Associated With Decreased Levels of Enzymatic Activity. <i>JIMD Rep</i> , 8:1-6.	04.138	12
56	2013	Manchia M, Adli M, Akula N, Ardu R, Aubry JM, Backlund L, Banzato CE, Baune BT, Bellivier F, Bengesser S, Biernacka JM, Brichant-Petitjean C, Bui E, Calkin CV, Cheng AT, Chillotti C, Cichon S, Clark S, Czerski PM, Dantas C, Zompo MD, Depaulo JR, Detera-Wadleigh SD, Etain B, Falkai P, Frisé L, Frye MA, Fullerton J, Gard S, Garnham J, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Heilbronner U, Hoban R, Hou L, Jamain S, Kahn JP, Kassem L, Kato T, Kelsoe JR, Kittel-Schneider S, Kliwicki S, Kuo PH, Kusumi I, Laje G, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, Maj M, Malafosse A, Martinsson L, Masui T, Mitchell PB, Mondimore F, Monteleone P, Nallet A, Neuner M, Novák T, O'Donovan C, Osby U, Ozaki N, Perlis RH, Pfennig A, Potash JB, Reich-erkelenz D, Reif A, Reininghaus E, Richardson S, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schubert OK, Schweizer B, Seemüller F, Grigoriu-Serbanescu M, Severino G, Seymour LR, Slaney C, Smoller JW, Squassina A, Stamm T, Steele J, Stopkova P, Tighe SK, Tortorella A, Turecki G, Wray NR, Wright A, Zandi PP, Zilles D, Bauer M, Rietschel M, McMahon FJ, Schulze TG, Alda M (2013). Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS One</i> , 8:e65636.	03.530	86,3
57	2013	Musil R, Zill P, Seemüller F, Bondy B, Obermeier M, Spellmann I, Bender W, Adli M, Heuser I, Zeiler J, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). No influence of brain-derived neurotrophic factor (BDNF) polymorphisms on treatment response in a naturalistic sample of patients with major depression. <i>Eur Arch Psychiatry Clin Neurosci</i> , 263:405-12.	03.355	38,8
58	2013	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Grof P, Müller-Oerlinghausen B, Rybakowski JK, Suwalska A, Pfennig A (2013). Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>Int J Bipolar Disord</i> , 1:11.		43
59	2012	Seemüller F, Riedel M, Obermeier M, Schennach-Wolff R, Spellmann I, Meyer S, Bauer M, Adli M, Kronmüller K, Ising M, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Möller HJ (2011). The validity of self-rated psychotic symptoms in depressed inpatients. <i>Eur Psychiatry</i> , 27:547-52.	43.680	40,3
60	2012	Lange C, Adli M, Zschucke E, Beyer R, Ising M, Uhr M, Birmphohl F (2012). Affective set-shifting deficits in patients with major depression in remission. <i>J Psychiatr Res</i> , 46:1623-6.	04.460	28,6
61	2012	Ricken R, Birmphohl F, Schlattmann P, Bschor T, Adli M, Mönter N,	03.740	40,5

		Bauer M (2012). Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders - effects on bone mineral density. <i>J Affect Disord</i> , 136: 89-94.		
62	2012	Stoy M, Schlagenhauf F, Sterzer P, Bempohl F, Hägele C, Suchotzki K, Schmack K, Wrase J, Ricken R, Knutson B, Adli M, Bauer M, Heinz A, Ströhle A (2012). Hyporeactivity of ventral striatum towards incentive stimuli in unmedicated depressed patients normalizes after treatment with escitalopram. <i>J Psychopharmacol</i> , 26:677-688.	03.396	95,6
63	2011	Riedel M, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Seemüller F (2011). Clinical predictors of response and remission in inpatients with depressive syndromes. <i>J Affect Disord</i> , 133:137-49.	03.383	72,5
64	2010	Bempohl F, Kahnt T, Dalanay U, Hägele C, Sajonz B, Wegner T, Stoy M, Adli M, Krüger S, Wrase J, Ströhle A, Bauer M, Heinz A (2010). Altered representation of expected value in the orbitofrontal cortex in mania. <i>Hum Brain Mapp</i> , 31: 958-69.	05.395	84,5
65	2010	Seemüller F, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Riedel M (2010). Do efficacy and effectiveness samples differ in antidepressant treatment outcome? an analysis of eligibility criteria in randomized controlled trials. <i>J Clin Psychiatry</i> , 71:1425-33.	05.218	36,5
66	2010	Riedel M, Möller HJ, Obermeier M, Schennach-Wolff R, Bauer M, Adli M, Kronmüller K, Nickel T, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Seemüller F (2010). Response and remission criteria in major depression – a validation of current practice. <i>J Psychiatr Res</i> , 44: 1063-1068.	04.679	94,2
67	2010	Abou Jamra R, Schulze TG, Becker T, Brockschmidt FF, Green E, Alblas MA, Wendland JR, Adli M, Grozeva D, Strohmeier J, Georgi A, Craddock N, Propping P, Rietschel M, Nöthen MM, Cichon S, Schumacher J (2010). A systematic association mapping on chromosome 6q in bipolar affective disorder-evidence for the melanin-concentrating-hormone-receptor-2 gene as a risk factor for bipolar affective disorder. <i>Am J Med Genet B Neuropsychiatr Genet</i> , 153B: 878-84.	03.932	5,1
68	2010	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Dichgans E, Bottländer R, Musil R, Möller HJ (2010). Outcomes of 1014 naturalistically treated inpatients with major depressive episode. <i>Eur Neuropsychopharmacol</i> , 20 :346-55.	03.661	71,8
69	2010	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Riedel M, Möller HJ (2010). Relationship between baseline severity and antidepressant treatment outcome. <i>Pharmacopsychiatry</i> , 44:27-32.	02.317	22,4
70	2010	Bauer M, Adli M, Bschor T, Pilhatsch M, Pfennig A, Sasse J, Lewitzka U (2010). Lithium's emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. <i>Neuropsychobiology</i> , 62: 36-42.	01.752	77,9
71	2010	Schulze G, Alda M, Adli M, Akula N, Ardaur R, Chilotti C, Cichon S, Czernski	01.752	80

		P, Del Zompo M, Detera-Wadleigh S, Grof P, Gruber O, Hashimoto R, Hauser J, Hoban R, Iwata N, Kassem L, Kato T, Kittel-Schneider S, Kliwicki S, Kelsoe J, Kusumi I, Laje G, Leckband S, Manchia M, MacQueen G, Masui T, Ozaki N, Perlis R, Pfennig A, Piccardi P, Richardson S, Rouleau G, reif A, Rybakowski J, Sasse J, Schumacher J, Severino G, Smoller J, Squassina A, Turecki G, Young L, Yoshikawa T, Bauer M, MacMahon F (2010). The international Consortium on Lithium Genetics (ConLiGen) – an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> , 62: 72-78.		
72	2010	Mazurek B, Olze H, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ. (2010). Molekularbiologische Aspekte der Neuroplastizität: Ansätze für die Therapie bei Tinnitus und Hörstörungen. <i>HNO</i> , 58:973-982.	01.752	10,4
73	2010	Mazurek B, Stöver T, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ (2010). The significance of stress: its role in the auditory system and the pathogenesis of tinnitus. <i>HNO</i> , 58:162-72.	0.570	35,7
74	2009	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Glenn T, Grof P, Müller-Oerlinghausen B, Rybakowski J, Suwalska A, Pfennig A (2008). Long-term effectiveness of lithium in bipolar disorder – a multicenter investigation of patients with typical and atypical features. <i>J Clin Psychiatry</i> , 69:1860-8.	05.053	58,4
75	2009	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Mundt C, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Henkel V, Möller HJ (2009). The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. <i>Int J Neuropsychopharmacol</i> , 12:181-9.	04.378	63,6
76	2009	Bermpohl F, Dalanay U, Kahnt T, Sajonz B, Heimann H, Ricken R, Stoy M, Hägele C, Schlagenhaut F, Adli M, Wrase J, Ströhle A, Heinz A, Bauer M (2009). A preliminary study of increased amygdala activation to positive affective stimuli in mania. <i>Bipolar Disord</i> , 11: 70-75.	03.959	71,4
77	2009	Bauer M, Glenn T, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M, Whybrow PC (2009). Comparison of Sleep/Wake Parameters for Self-Monitoring Bipolar Disorder. <i>J Affect Disord</i> , 116: 170-175.	03.271	35,4
78	2009	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Mundt C, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Möller HJ, Riedel M (2009). Does early improvement triggered by antidepressants predict response/remission? - Analysis of data from a naturalistic study on a large sample of inpatients with major depression. <i>J Affect Disord</i> , 115: 439-449.	03.271	93,1
79	2009	Bermpohl F, Walter M, Sajonz B, Lücke C, Hägele C, Sterzer P, Adli M, Heinz A, Northoff G (2009). Attentional modulation of emotional stimulus processing in patients with major depression—Alterations in prefrontal cortical regions. <i>Neuroscience Letters</i> , 463: 108-113.	02.200	55,4
80	2008	Seemüller F, Riedel M, Wickelmaier F, Adli M, Mundt C, Marneros A, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Möller HJ, Henkel V (2008). Atypical symptoms in hospitalised patients with major depressive episode: frequency, clinical characteristics, and internal validity. <i>J Affect Disord</i> , 108:271-278.	03.271	45,6

81	2008	Stamm TJ, Adli M, Kirchheiner J, Smolka MN, Kaiser R, Tremblay P, Bauer M (2008). Serotonin transporter gene and lithium augmentation response in depression. <i>Psychiatr Genetics</i> , 18: 92-97.	02.696	41,5
82	2007	Bauer M, Blumentritt H, Finke R, Schlattmann P, Adli M, Baethge C, Bschor T, Müller-Oerlinghausen B, Berghöfer A (2007). Using ultrasonographically to determine thyroid size and prevalence of goiter in lithium-treated patients with affective disorders. <i>J Affect Disord</i> , 104: 45-51.	03.271	38
83	2007	Knubben K, Reischies FM, Adli M, Schlattmann P, Bauer M, Dimeo F (2007). A randomized, controlled study on the effects of a short-term endurance training programme in patients with major depression. <i>Br J Sports Med</i> , 41:29-33.	02.126	90,5
84	2007	Grunze H, Adli M, Bauer M, Berger M, Bergmann A, Bräunig P, Bschor T, Falkai P, Gastpar M, Greil W, Kasper S, Krüger S, Laux G, Müller WE, Naber D, Walden J (2007). Clinical standing of valproate treatment of bipolar disorders. <i>Fortschr Neurol Psychiatr</i> , 75:220-235.	0.793	
85	2005	Baethge C, Baldessarini RJ, Mathiske-Schmidt K, Hennen J, Berghöfer A, Müller-Oerlinghausen B, Bschor T, Adli M, Bauer M (2005). Long-term combination versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>J Clin Psychiatry</i> , 66:174-182.	05.053	45,2
86	2005	Baethge C, Blumentritt H, Berghöfer A, Bschor T, Glenn T, Adli M, Schlattmann P, Bauer M (2005). Long-term lithium treatment and thyroid antibodies – a study of 100 patients with affective disorders and 100 normal controls. <i>J Psychiatry Neurosci</i> , 30: 423-427.	04.123	43,6
87	2003	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2003). Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. <i>J Psychiatr Res</i> , 37:135-143.	04.679	28
88	2003	Bschor T, Baethge C, Adli M, Lewitzka U, Eichmann U, Bauer M (2003). Hypothalamic-pituitary-thyroid system activity during lithium augmentation therapy in patients with unipolar major depression. <i>J Psychiatry Neurosci</i> , 28: 210-216.	04.123	16,2
89	2003	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Müller-Oerlinghausen B, Bauer M (2003). Lithium augmentation increases post-dexamethasone cortisol in the dexamethasone suppression test in unipolar major depression. <i>Depress Anxiety</i> , 17:43-48.	02.526	32,7
90	2002	Bauer M, Berghöfer A, Bschor T, Baumgartner A, Kießlinger U, Hellweg R, Adli M, Baethge C, Müller-Oerlinghausen B (2002). Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> , 27: 620-628.	06.835	60,3
91	2002	Bschor T, Adli M, Baethge C, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2002). Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> , 27: 470-478.	06.835	71,6
92	2002	Bschor T, Berghöfer A, Ströhle A, Kunz D, Adli M, Müller-Oerlinghausen B, Bauer M (2002). How long should the lithium augmentation strategy be maintained? A 1-year follow up of a placebo-controlled study in	04.371	34,9

		unipolar refractory major depression. <i>J Clin Psychopharmacol</i> , 22: 427-430.		
93	2002	Bauer M, Forsthoff A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2002). Lithium augmentation therapy in refractory depression-update 2002. <i>Eur Arch Psychiatry Clin Neurosci</i> , 253:132-9.	02.852	72,4

C Reviews

94	2019	Bauer M, Rush J, Ricken R, Pilhatsch M, Adli M (2018). Algorithms for treatment of major depressive disorder: efficacy and cost-effectiveness. <i>Pharmacopsychiatry</i> . <i>Pharmacopsychiatry</i> , 36: 222-229.	01.765	
95	2017	Ricken R, Ulrich S, Schlattmann P, Adli M (2017). Tranylcypromine in mind (Part II): Review of clinical pharmacology and meta-analysis of controlled studies in depression. <i>Eur Neuropsychopharmacol</i> , 27:714-731.	04.577	49,9
96	2017	Ulrich S, Ricken R, Adli M (2017). Tranylcypromine in mind (Part I): Review of pharmacology. <i>Eur Neuropsychopharmacol</i> , 27:697-713.	04.577	73,2
97	2017	Holzinger F, Fahrenkrog S, Roll S, Kleefeld F, Adli M, Heintze C (2017). Discharge management strategies and post-discharge care interventions for depression - Systematic review and meta-analysis. <i>J Affect Disord</i> , 223:82-94.	03.845	32,3
98	2017	Gruebner O, Rapp MA, Adli M, Kluge U, Galea S, Heinz A (2017). Cities and Mental Health. <i>Dtsch Arztebl Int</i> , 114:121-127.	03.738	95
99	2016	Köhler S, Cierpinsky K, Kronenberg G, Adli M (2016). The serotonergic system in the neurobiology of depression: Relevance for novel antidepressants. <i>J Psychopharmacol</i> , 2016 Jan; 30:13-22.	03.898	94,6
100	2016	Borgmann M, Holtkamp M, Adli M, Behr J (2016). Depression and epilepsy: Two clinical pictures with common causes? <i>Nervenarzt</i> , 87:724-30.	0.787	16,8
101	2014	Bauer M, Adli M, Ricken R, Severus E, Pilhatsch M (2014). Role of lithium augmentation in the management of major depressive disorder. <i>CNS Drugs</i> . 28: 331-42.	04.376	85,6
102	2014	Bschor T, Bauer M, Adli M (2014). Chronic and treatment resistant depression — diagnosis and stepwise therapy. <i>Dtsch Arztebl Int</i> , 111: 766-76.	0.4	83,7
103	2013	Krings-Ernst I, Ulrich S, Adli M (2013). Antidepressant treatment with MAO-inhibitors during general and regional anesthesia: a review and case report of spinal anesthesia for lower extremity surgery without discontinuation of tranylcypromine. <i>Int J Clin Pharmacol Ther</i> , 51: 763-70.	0.1	7,2
104	2012	Köhler S, Bauer M, Adli M (2012). Behandlungsstrategien der therapieresistenten Depression. <i>Psychiatrie und Psychotherapie up2date</i> , 6: 137-148.		
105	2011	Rentzsch, J, Ricken R, Adli M (2011). Akutbehandlung der Manie. <i>Psychiatrie und Psychotherapie up2date</i> 5: 209-224		
106	2009	Riedel M, Seemüller F, Wickelmaier F, Schennach-Wolff R, Adli M, Bauer M, Kranmüller K, Brieger P, Laux G, Bender W, Haeuser I, Zeiler J, Gaebel W, Jaeger M, Moeller H, Henkel V (2009). Häufigkeit und klinische Charakteristika von atypisch depressiven Symptomen.	0.373	

		<i>Nervenheilkunde</i> , 4: 193-199-		
107	2009	Wiethoff K, Ricken R, Keck M, Baghai T, Bauer M, Möller H, Adli M (2009). Das Berliner Algorithmusprojekt. <i>Nervenheilkunde</i> , 4: 179-185.	0.0	
108	2008	Bschor T, Adli M (2008). Therapie depressiver Erkrankungen. Zertifizierte medizinische Fortbildung. <i>Deutsches Ärzteblatt</i> , 105: 782–792.	01.099	37,3
109	2006	Adli M, Bauer M, Rush AJ (2006). Algorithms and collaborative care systems for depression: are they effective and why? <i>Biol Psychiatry</i> , 59: 1029-1038.	08.672	84,7
110	2005	Wiethoff K, Bauer M, Baghai T, Heinz A, Adli M (2005). Therapiealgorithmen in der Depressionsbehandlung - Das Berliner Algorithmusprojekt. <i>Nervenheilkunde</i> , 24: 381-387.	0.373	
111	2005	Wiethoff K, Baghai T, Heinz A, Bauer M, Adli M (2005). Algorithmusgestützte Behandlung depressiver Erkrankungen: Was bringen systematische Therapieansätze im klinischen Alltag? <i>Med Welt</i> , 56: 332-337.		
112	2004	Möller HJ, Adli M, Laux G, Müller N, Schmitt J, unter Mitwirkung einer Expertengruppe „Kognitive Störungen bei Antidepressivabehandlung“ (2004). Kognitive und psychomotorische Effekte von Antidepressiva unter besonderer Berücksichtigung von SSRIs. <i>Psychopharmakotherapie</i> , 1: 15-21.	0.202	
113	2003	Bauer M, Adli M, Baethge C, Berghöfer A, Sasse J, Heinz A, Bschor T (2003). Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. <i>Can J Psychiatry</i> , 48: 440-448.	02.828	61,3
114	2003	Bauer M, Adli M, Bschor T, Heinz A, Rasgon N, Frye M, Grunze H, Kupka R, Whybrow PC (2003). Clinical applications of levothyroxine in refractory mood disorders. <i>Clin Appr Bipol Disord</i> , 2: 49-56	02.531	
115	2003	Adli M, Rush AJ, Möller H-J, Bauer M (2003). Algorithms for optimizing the treatment of depression: making the right decision at the right time. <i>Pharmacopsychiatry</i> , 36: 222-229.	02.402	49
116	2003	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U, Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. <i>Pharmacopsychiatry</i> , 36:230-234.	02.402	44,5
117	1998	Adli M, Bschor T, Canata B, Döpfmer S, Bauer M (1998). Lithium in der Behandlung der akuten Depression. <i>Fortschr Neurol Psychiat</i> , 66: 435-441.	0.793	26,4

D Fallberichte

118	2006	Pilhatsch MK, Burghardt R, Wandinger KP, Bauer M, Adli M (2006). Augmentation with atomoxetine in treatment-resistant depression with psychotic features. A case report. <i>Pharmacopsychiatry</i> , 39: 79-80.	02.402	
119	1999	Adli M, Rossius W, Bauer M (1999). [Olanzapine in the treatment of depressive disorders with psychotic symptoms] Olanzapin in der Behandlung depressiver Störungen mit psychotischer Symptomatik. <i>Nervenarzt</i> , 70: 68-71.	0.814	39,6

E Comments & Letters

120	2017	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Gomez-Carrillo A, Hehl R, Heinz A, H JM, Mehran N, Tolaas S, Walter H, Weiland U, Stollmann J (2017). Neurourbanism: towards a new discipline. <i>Lancet Psychiatry</i> , 4:183-185.	11.588	72,5
121	2015	Berger M, Adli M, Beine KH, Bschor T, Herpertz S, Lauterbach K (2015). Psychiatrische Versorgung: Das Krankenhaus-Psych-Budget – ein Alternativkonzept. <i>Dtsch Arztebl</i> , 112: A 574-6.	03.608	
122	2015	Bschor T, Bauer M, Adli M (2015). Comment on: Chronic and treatment resistant depression: diagnosis and stepwise therapy. <i>Dtsch Arztebl Int</i> , 112:421-2.	0.4	27.3
123	2014	Adli M, Hegerl U. (2014). Do we underestimate the benefits of antidepressant drugs? <i>Lancet</i> , 383: 1361-2.	39.207	21,5
124	2014	Fakhri H, Ricken R, Adli M, Fajol A, Walter M, Föller M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. <i>J Clin Psychopharmacol</i> , 34: 745-7.	03.761	6.9
125	2011	Adli M, Kleinert S, Bonk M, Wesslingh S, Ganten D (2011). From science to policy: the M8 Alliance invites policy makers to step in. <i>Lancet</i> , 378: 1447-1449.	30.758	6,2
126	1999	Bauer M, Adli M, Bschor T, Döpfmer S (1999). Stellungnahme. <i>Fortschr Neurol Psychiat</i> , 67: 386.	0.793	

F Editor

126	2017	Adli M. Stress and the City: Warum Städte uns krank machen. Und warum sie trotzdem gut für uns sind. 1. Auflage, 2017, C. Bertelsmann Verlag, München		
127	2005	Bauer M, Berghöfer A, Adli M (eds.) Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. 2., vollständig neuberarbeitete Auflage 2005 (1. Auflage 1997, 1. Nachdruck 1998). Springer Verlag, Berlin, Heidelberg, New York		

G Buchkapitel

129	2018	Schramm E, Bauer M, Adli M Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 14. Auflage. München: Urban & Fischer S. (publication due in December 2018)		
130	2017	Schramm E, Bauer M, Adli M (2017). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 13. Auflage. München: Urban & Fischer S. 183-208.		
131	2016	Schramm E, Bauer M, Adli M (2016). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 12. Auflage. München: Urban & Fischer S. 183-208.		
132	2015	Schramm E, Bauer M, Adli M (2015). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 11. Auflage. München: Urban & Fischer S. 183-208.		
133	2014	Schramm E, Bauer M, Adli M (2014). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 10. Auflage. München: Urban & Fischer S. 183-208.		

134	2013	Schramm E, Bauer M, Adli M (2013). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 9. Auflage. München: Urban & Fischer S. 183-208.
135	2012	Schramm E, Bauer M, Adli M (2012). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 8. Auflage. München: Urban & Fischer
136	2011	Schramm E, Bauer M, Adli M (2011). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 7. Auflage. München: Urban & Fischer, S. 165-188.
137	2008	Pfennig A, Adli M (2008). Antidepressiva-Hochdosisbehandlung. In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 40-47.
138	2008	Wiethoff K, Adli M (2008). Systematisierte Therapiealgorithmen (antidepressive Stufenpläne). In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 408-418
139	2006	Bschor T, Lewitzka, Adli M (2006). Lithium in non-psychiatric conditions. In: Bauer, Grof, Müller-Oerlinghausen (Hrsg.) Bauer M, Grof P, Müller-Oerlinghausen (Eds.) Lithium in Neuropsychiatry – The Comprehensive Guide. Taylor and Francis Books, Abingdon, S. 237-250
140	2005	Bauer M, Pfennig A, Mavrogiorgou P, Juckel G, Adli M, Sasse J, Heinz A (2005) Perspektiven für Quetiapin in der Behandlung der unipolaren Depression. In: Möller HJ (Hrsg.) Quetiapin. Erfahrungen und Ausblicke. Schattauer GmbH, S. 131-141
141	2005	Fähser NC, Wiethoff K, Adli M (2005) Therapiealgorithmen in der Langzeitpsychopharmakologie. In: Linden M, Müller WE (Hrsg.) Rehabilitationspsychopharmakologie - Psychopharmakotherapie chronifizierender und chronifizierter Erkrankungen. Köln: Deutscher Ärzteverlag, S. 43-58
142	2005	Adli M, Wiethoff K (2005). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie bipolarer Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 103-121
143	2005	Berghöfer A, Adli M, Bauer M (2005) Antidepressiva-Übersicht für die klinische Praxis. In: Bauer M, Berghöfer A, Adli M (Hrsg.). Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 587-600
144	2005	Adli M, Wiethoff K, Baghai T, Bauer M (2005). Algorithmusgestützte Behandlung stationärer Patienten mit depressiven Erkrankungen: das Berliner Algorithmusprojekt. In: Bauer M, Berghöfer A, Adli M (Hrsg.). Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 477-487
145	2004	Adli M, Wiethoff K (2004). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie depressiver Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 96-112
146	2004	Adli M, Bauer (2004). M Elektrokonvulsionstherapie bei therapieresistenten Depressionen. In: T. Baghai, R. Frey, S. Kasper, H.-J. Möller (Hrsg.) Elektrokonvulsionstherapie-klinische und wissenschaftliche Aspekte. Wien: Springer, S. 366-393
147	2003	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2003). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Weißbuch Bipolare Störungen in Deutschland, BoD GmbH, Norderstedt, S. 131-200
148	2002	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2002). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für

		Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Kurzfassung Weißbuch Bipolare Störungen in Deutschland, Hamburg, Conference Point, S. 67-74
149	2001	Adli M, Kießlinger U, Smolka M, Neu P, Linden M, Bauer M (2001). Does algorithm-guided stepwise treatment in depression have an influence on treatment execution? In: Fromm E, ed.: Jahrbuch 2001 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 466
150	2000	Adli M, Kießlinger U, Neu P, Smolka M, Linden M, Bauer M (2000). Efficacy of an algorithm-guided treatment regimen in depression compared to standard treatment as usual: The Berlin Algorithm Project. In: Fromm E, ed.: Jahrbuch 2000 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 439
151	1999	Kießlinger U, Adli M, Neu P, Smolka M, Linden M, Bauer M (1999). Beschreibung medikamentöser Depressionsbehandlung. In: Jahrbuch 1999, Fachbereich Humanmedizin, Universitätsklinikum Benjamin Franklin der Freien Universität Berlin: S. 494

H Weitere Publikationen (nicht peer-reviewed)

152	2016	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Hehl R, Heinz A, Mayer H. J, Matussek T, Mehran N, Tolaas S, Walter H, Weiland U, Sollmann J (2016). Neurourbanistik – ein methodischer Schlußschluss zwischen Stadtplanung und Neurowissenschaften. <i>Die Psychiatrie</i> , 13:70-8.
153	2012	Kiermeir J, Gassner LM, Siebörger A, Wiethoff K, Ricken R, Stamm T, Bauer M, Heinz A, Adli M (2012). Euthymic Therapy to Reduce Residual Symptoms of Depression and Strengthen Self-Care: a Randomised Controlled Trial. <i>German J Psychiatry</i> , 15: 15-22.
154	2010	Lange C, Adli M (2010). Residualsymptome nach akuter Depression. <i>MMW Fortschr Med</i> , 152(3), 34-35.
155	2009	Heimann H, Dietz F, Lange C, Adli M (2009). Behandlung von depressiven Episoden – Relevanz der Vollremission. <i>Neuro aktuell</i> . 2: 31-33.
156	2006	Bauer M, Pfennig A, Wiethoff K, Sasse J, Ricken R, Pilhatsch M, Adli M (2006). Warum ist die Remission ein wichtiges Ziel in der Depressionsbehandlung? <i>PsychoNeuro</i> . 32: 67-71
157	2005	Bauer M, Köberle U, Sasse J, Gutzmann C, Neuhaus K, Adli M, Pfennig A, Heinz A (2005). Rezidivprophylaxe Bipolarer Erkrankungen - auf was es ankommt. <i>Schweizer Zeitschrift für Psychiatrie & Neurologie</i> . 1: 37-44.
158	2005	Adli M (2005). Bipolarer Alkoholiker: mit Valproinsäure zwei Fliegen mit einer Klappe schlagen? <i>Info Neurologie Psychiatrie</i> . 7: 12-13
159	2005	Bauer M, Stamm T, Sasse J, Adli M (2005). Duloxetine – a novel dual acting antidepressant [Duloxetin - ein neues Antidepressivum mit dualem Wirkmechanismus]. <i>Die Psychiatrie</i> . 2: 244-251.
160	2004	Pfennig A, Adli M, Bauer M (2004). Atypische Neuroleptika bei wahnhafter Depression. <i>Info Neurologie Psychiatrie</i> . 6: 36–37.
161	2004	Adli M (2004). Die „maskierte“ bipolare Störung: Fehldiagnose unipolare Depression vermeiden. <i>Der Neurologe & Psychiater</i> . 3: 38-42.
162	2003	Sasse J, Köberle U, Bschor T, Adli M, Trendelenburg M, Bauer M. (2003). Bipolare Depression: L-Thyroxin-Augmentation als Möglichkeit einer medikamentösen Behandlung. <i>PsychoNeuro</i> . 29: 400-402.
163	2003	Adli M, Bauer M (2003). Wahnhafte Depression – eine vernachlässigte Sonderform. (Neuroleptika bei wahnhafter Depression). <i>Info Neurologie Psychiatrie</i> . 2: 44-50.