

Publikationsliste Prof. Dr. med. Mazda Adli (14. Mai 2021)

Total Impact Factor: 683.687

Hirsch Faktor: 42

Inhalt

A Originalarbeiten (Erst- und Letztautorenschaften)	1
B Co-Autorenschaften	4
C Reviews	4
D Fallberichte	12
E Comments & Letters	13
F Editor	13
G Buchkapitel	13
H Weitere Publikationen (nicht peer-reviewed)	15

A Originalarbeiten (Erst- und Letztautorenschaften)

1	2021	Tonne, C., Adair, L., Adlakha, D., Anguelovski, I., Belesova, K., Berger, M., Brelsford, C., Dadvand, P., Dimitrova, A., Giles-Corti, B., Heinz, A., Mehran, N., Nieuwenhuijsen, M., Pelletier, F., Ranzani, O., Rodenstein, M., Rybski, D., Samavati, S., Satterthwaite, D., Schöndorf, J., ... Adli, M. (2021). Defining pathways to healthy sustainable urban development. <i>Environment international</i> , 146, 106236. https://doi.org/10.1016/j.envint.2020.106236	7.577
2	2020	Adli, M., & Schöndorf, J. (2020). Macht uns die Stadt krank? Wirkung von Stadtstress auf Emotionen, Verhalten und psychische Gesundheit [Does the city make us ill? The effect of urban stress on emotions, behavior, and mental health]. <i>Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz</i> , 63(8), 979–986.	1.059
3	2020	Ulrich, S., Ricken, R., Buspavanich, P., Schlattmann, P., & Adli, M. (2020). Efficacy and Adverse Effects of Tranylcypromine and Tricyclic Antidepressants in the Treatment of Depression: A Systematic Review and Comprehensive Meta-analysis. <i>Journal of clinical psychopharmacology</i> , 40(1), 63–74.	01.85
4	2020	Nowak, J., Dimitrov, A., Oei, N., Walter, H., Adli, M., & Veer, I. M. (2020). Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> , 114, 104585. https://doi.org/10.1016/j.psyneuen.2020.10458	4.732
5	2019	Bopp SK*, Heilbronner U*, Schlattmann P, Mühleisen TW, Bschor T, Richter C, Steinacher B, Stamm TJ, Merkl A, Herms S, Köhler S, Sterzer P, Hellweg R, Heinz A, Cichon S, Lang UE, Schulze TG, Adli M*, Ricken R* (2019). Leptin gene polymorphisms are associated with weight gain during lithium augmentation in patients with major depression. <i>Eur Neuropsychopharmacol</i> , 2018. Dec .006	4.129
6	2018	Ricken R, Busche M, Schlattmann P, Himmerich H, Bopp S, Bschor T, Richter C, Stamm TJ, Heinz A, Hellweg R, Lang UE, Adli M (2018). Cytokine serum levels remain unchanged during lithium augmentation of antidepressants in major depression. <i>J Psychiatr Res.</i> 96:203-208	4.183

7	2018	Ricken R, Wiethoff K, Reinhold T, Stamm TJ, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Laux G, Hauth I, Möller HJ, Heinz A, Bauer M, Adli M (2018). A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients - Results from the German Algorithm Project (GAP3). <i>J Affect Disord.</i> 228:173-177.	3.432
8	2018	Dimitrov A, Veer IM, Kleeblatt J, Seyfarth F, Roenneberg T, Ising M, Uhr M, Keck ME, Kramer A, Berger M, von Koch L, Walter H, Adli M (2018). Chronotype is associated with psychological well-being depending on the composition of the study sample. <i>J Health Psychol.</i> 2018 Jan 1:1359105317751618.	2.182
9	2017	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Elstner S, Stamm TJ, Schulz-Ratei B, Lingesleben A, Reischies FM, Sterzer P, Borgwardt S, Bauer M, Heinz A, Hellweg R, Lang UE, Adli M (2017). Ghrelin Serum Concentrations Are Associated with Treatment Response During Lithium Augmentation of Antidepressants. <i>Int J Neuropsychopharmacol.</i> 20(9):692-697.	4.712
10	2017	Adli M, Wiethoff K, Baghai TC, Fisher R, Seemüller F, Laakmann G, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Kronmüller KT, Smolka MN, Schlattmann P, Berger M, Ricken R, Stamm TJ, Heinz A, Bauer M (2017). How Effective Is Algorithm-Guided Treatment for Depressed Inpatients? Results from the Randomized Controlled Multicenter German Algorithm Project 3 Trial. <i>Int J Neuropsychopharmacol.</i> 20(9):721-730.	4.712
11	2016	Ricken R, Bopp S, Schlattmann P, Himmerich H, Bschor T, Richter C, Stamm TJ, Bauer F, Heinz A, Hellweg R, Lang UE, Adli M (2016). Leptin serum concentrations are associated with weight gain during lithium augmentation. <i>Psychoneuroendocrinology.</i> 71:31-35.	4.944
12	2016	Stamm TJ, Rampp C, Wiethoff K, Stingl J, Mössner R, O Malley G, Ricken R, Seemüller F, Keck M, Fisher R, Gaebel W, Maier W, Möller HJ, Bauer M, Adli M (2016). The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>J Psychopharmacol.</i> 30(1):40-7.	3.898
13	2015	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? <i>Con. Nervenarzt.</i> 87(5):561-2.	787
14	2015	Köhler S, Wiethoff K, Ricken R, Stamm T, Baghai TC, Fisher R, Seemüller F, Brieger P, Cordes J, Malevani J, Laux G, Hauth I, Möller HJ, Zeiler J, Heinz A, Bauer M, Adli M (2015). Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>J Affect Disord.</i> 173: 126-33.	371
15	2014	Fakhri H*, Ricken R*, Adli M*, Fajol A, Walter M, Föllner M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. <i>J Clin Psychopharmacol.</i> 34(6): 745-7.	3.761
16	2014	Stamm TJ, Becker D, Sondergeld LM, Wiethoff K, Hiemke C, O'Malley G, Ricken R, Bauer M, Adli M (2014). Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry.</i> 47(4-5): 174-9.	2.168
17	2013	Lange C, Zschucke E, Ising M, Uhr M, Birmphohl F, Adli M (2013). Evidence for a normal HPA axis response to psychosocial stress in patients remitted from depression. <i>Psychoneuroendocrinology,</i> 38(11): 2729-36.	5.591
18	2013	Ricken R*, Adli M*, Lange C, Krusche E, Stamm TJ, Gaus S, Koehler S, Nase S, Bschor T, Richter C, Steinacher B, Heinz A, Rapp MA, Borgwardt S, Hellweg R, Lang UE (2013). Brain-derived neurotrophic factor serum concentrations in acute	3.761

		depressive patients increase during lithium augmentation of antidepressants. J Clin Psychopharmacol. 33(6): 806-9.	
19	2013	Stamm TJ, Stingl J, Wiethoff K, Ricken R, Heinz A, Bauer M, O'Malley G, Adli M (2013). Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. J Affect Disord. 151: 605-610.	3.383
20	2011	Sterzer P, Hilgenfeldt T, Freudenberg P, Adli M (2011). Unconscious emotional information processing in patients with major depressive disorder. Psychol Med 5: 1-10	5.012
21	2011	Ricken R, Wiethoff K, Reinhold T, Schietsch K, Stamm T, Kiermeir J, Neu P, Heinz A, Bauer M, Adli M (2011). Algorithm-guided treatment of depression reduces treatment costs - Results from the randomized controlled German Algorithm Project (GAPII). J Affect Disord. 134:249-256	3.740
22	2010	Wiethoff K, Bauer M, Baghai TC, Möller HJ, Fisher R, Hollinde D, Kiermeir J, Hauth I, Laux G, Cordes J, Marneros A, Kronmüller K, Zeiler J, Adli M (2010). Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. J Clin Psychiatry 71:1047-54	5.218
23	2009	Adli M, Kleinert S, Lafont, A, Kahn A, Ganten D (2009). Shaping the future of health care: the Berlin 2009 Evolution of Medicine Summit. Lancet 373: 519-520	30.758
24	2009	Adli M, Bschor T, Bauer M, Lucka C, Lewitzka U, Ising M, Uhr M, Müller-Oerlinghausen B, Baethge C (2009). Long-term outcome after lithium augmentation in unipolar depression: focus on HPA system activity. Neuropsychobiology 60: 23-30.	1.752
25	2009	Bauer M, Pfennig A, Linden M, Smolka M, Neu P, Adli M (2009). Efficacy of an algorithm-guided treatment compared to treatment as usual: A randomized controlled study of inpatients with depression. J Clin Psychopharmacology 29: 327-333.	0.5
26	2008	Bauer M, Glenn T, Whybrow PC, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M (2008). Changes in self-reported sleep duration predict mood changes in bipolar disorder. Psychol Med. 38: 1069-71.	4.718
27	2008	Mahlberg R, Kienast T, Bschor T, Adli M (2008). Evaluation of time memory in acutely depressed patients, manic patients, and healthy controls using a time reproduction task. Eur Psychiatry 23: 430-433.	2.433
28	2008	Adli M, Pilhatsch M, Bauer M, Köberle U, Ricken R, Janssen G, Ulrich S, Bschor T (2008). Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatment-resistant depression. Pharmacopsychiatry 41: 252-7.	2.402
29	2008	Mahlberg R, Adli M, Bschor T, Kienast T (2008). Age effects on trail making test during acute depressive and manic episode. Int J Neurosci. 118: 1347-1356.	884
30	2008	Adli M, Wiethoff K, Pfennig A, Stamm T, Baethge C, Bauer M (2008). Olanzapine in the treatment of depression with psychotic features – a prospective open-label study. Int J Psychiatr Clin Practice 12: 202-209.	410
31	2007	Adli M, Hollinde D, Stamm T, Wiethoff K, Tsahuridu M, Kirchheiner J, Heinz A, Bauer M (2007). Response to lithium augmentation treatment in depression is associated with the glycogen synthase kinase 3-beta (GSK3-beta) - 50T/C single nucleotide polymorphism. Biol Psychiatry 62: 1295-1302	8.672
32	2005	Adli M, Baethge C, Langlitz N, Bauer M (2005). Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed ? – a systematic review. Eur Arch Psychiatry Clin Neurosci. 255: 387-400	2.852

33	2005	Adli M, Whybrow P, Grof P, Rasgon N, Gyulai L, Baethge C, Glenn T, Bauer M (2005). Use of polypharmacy and self-reported mood in outpatients with bipolar disorder. <i>Int J Psychiatry Clin Practice</i> 9: 251-256	410
34	2002	Adli M, Berghöfer A, Linden M, Helmchen H, Müller-Oerlinghausen B, Mackert A, Stamm T, Bauer M (2002). Effectiveness and feasibility of a standardized stepwise drug treatment algorithm for inpatients with depressive disorders – results of a two-year observational study. <i>J Clin Psychiatry</i> 63: 782-79	5.053

B Co-Autorenschaften

35	2021	Dimitrov, A., Nowak, J., Ligdorf, A. et al. Natural sleep loss is associated with lower mPFC activity during negative distracter processing. <i>Cogn Affect Behav Neurosci</i> (2021). https://doi.org/10.3758/s13415-020-00862-w	3.209
36	2020	Amare, A. T., Schubert, K. O., Hou, L., Clark, S. R., Papiol, S., Cearns, M., Heilbronner, U., Degenhardt, F., Tekola-Ayele, F., Hsu, Y. H., Shekhtman, T., Adli, M., Akula, N., Akiyama, K., Arda, R., Arias, B., Aubry, J. M., Backlund, L., Bhattacharjee, A. K., Bellivier, F., ... Baune, B. T. (2020). Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular psychiatry</i> , 10.1038/s41380-020-0689-5. Advance online publication. https://doi.org/10.1038/s41380-020-0689-5	12.384
37	2020	Nowak J, Dimitrov A, Oei NYL, Walter H, Adli M, Veer IM. Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> . 2020 Apr;114:104585. doi: 10.1016/j.psyneuen.2020.104585. Epub 2020 Jan 24. PMID: 32018119.	4.731
38	2019	Bauer M, Rush AJ, Ricken R, Pilhatsch M, Adli M. Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> . 2019 Mar;52(3):117-125. doi: 10.1055/a-0643-4830. Epub 2018 Jul 9. PMID: 29986372.	4.340
39	2019	Schennach, R., Obermeier, M., Spellmann, I., Seemüller, F., Musil, R., Jäger, M., Schmauss, M., Laux, G., Pfeiffer, H., Naber, D., Schmidt, L. G., Gaebel, W., Klosterkötter, J., Heuser, I., Bauer, M., Adli, M., Zeiler, J., Bender, W., Kronmüller, K. T., Ising, M., ... Riedel, M. (2019). Remission in schizophrenia - What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophrenia research</i> , 209, 185–192	4.748
40	2019	Dimitrov A, Wenzel J, Kabisch N, Engel L, Hemmerling J, Bunz M, Veer IM, Walter H, Adli M. (in press). The urban brain under stress – Influence of residential green space and air pollution.	
41	2019	Kalman, J. L., Papiol, S., Forstner, A. J., Heilbronner, U., Degenhardt, F., Strohmaier, J., Adli, M., Adorjan, K., Akula, N., Alda, M., Anderson-Schmidt, H., Andlauer, T. F., Angheliescu, I. G., Arda, R., Arias, B., Arolt, V., Aubry, J. M., Backlund, L., Bartholdi, K., Bauer, M., ... Schulze, T. G. (2019). Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar disorders</i> , 21(1), 68–75. https://doi.org/10.1111/bdi.12659	05.41
42	2019	Buspavanich, P., Behr, J., Stamm, T., Schlattmann, P., Bschor, T., Richter, C., ... & Rentzsch, J. (2019). Treatment response of lithium augmentation in geriatric compared to non-geriatric patients with treatment-resistant depression. <i>Journal of Affect Disord</i> , 51:136-140.	3.786

43	2018	Reinbold CS, Forstner AJ, Hecker J, Fullerton JM, Hoffmann P, Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Ardaur R, Arias B, Backlund L, Benabarre A, Bengesser S, Kumar Bhattacharjee A, Biernacka JM, Birner A, Marie-Claire C, Cervantes P, Chen G, Chen H, Chillotti C, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dayer A, Etain B, Falkai P, Frisé L, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Jamain S, Jiménez E, Kahn J, Kassem L, KittelSchneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau AG, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt SH, Wright AJ, Young LT, Zandi P, Potash JB, DePaulo JR, Bauer M, Reininghaus E, Novák T, Aubry J, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo P, Kato T, Grigoriu-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray N, Kelsoe JR, Alda M, McMahon FJ, Schulze TG, Rietschel M, Nöthen MM, Cichon S (2018). Analysis of the influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Front. Psychiatry</i> . 9:207.	3.532
44	2018	International Consortium on Lithium Genetics (ConLi+Gen) (2018). Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> . 2018 Jan 1;75(1):65-74.	15.307
45	2018	Kalman JL, Papiol S, Forstner AJ, Heilbronner U, Degenhardt F, Strohmaier J, Adli M, Adorjan K, Akula N, Alda M, Anderson-Schmidt H, Andlauer TF, Angheliescu IG, Ardaur R, Arias B, Arolt V, Aubry JM, Backlund L, Bartholdi K, Bauer M, Baune BT, Becker T, Bellivier F, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichtant-Petitjean C, Budde M, Cervantes P, Chillotti C, Cichon S, Clark SR, Colom F, Comes AL, Cruceanu C, Czerski PM, Dannlowski U, Dayer A, Del Zompo M, DePaulo JR, Dietrich DE, Étain B, Ethofer T, Falkai P, Fallgatter A, Figge C, Flatau L, Folkerts H, Frisen L, Frye MA, Fullerton JM, Gade K, Gard S, Garnham JS, Goes FS, Grigoriu-Serbanescu M, Gryaznova A, Hake M, Hauser J, Herms S, Hoffmann P, Hou L, Jäger M, Jamain S, Jiménez E, Juckel G, Kahn JP, Kassem L, Kelsoe J, Kittel-Schneider S, Kliwicki S, Klohn-Sagatholislam F, Koller M, König B, Konrad C, Lackner N, Laje G, Landén M, Lang FU, Lavebratt C, Leboyer M, Leckband SG, Maj M, Manchia M, Martinsson L, McCarthy MJ, McElroy SL, McMahon FJ, Mitchell PB, Mitjans M, Mondimore FM, Monteleone P, Nieratschker V, Nievergelt CM, Novák T, Ösby U, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reimer J, Reininghaus E, Reitt M, Ripke S, Rouleau GA, Rybakowski JK, Schalling M, Scherk H, Schmauß M, Schofield PR, Schubert KO, Schulte EC, Schulz S, Senner F, Severino G, Shekhtman T, Shilling PD, Simhandl C, Slaney CM, Spitzer C, Squassina A, Stamm T, Stegmaier S, Stierl S, Stopkova P, Thiel A, Tighe SK, Tortorella A, Turecki G, Vieta E, Veeh J, von Hagen M, Wigand ME, Wiltfang J, Witt S, Wright A, Zandi PP, Zimmermann J, Nöthen M, Rietschel M, Schulze TG (2018). Investigating polygenic burden in age at disease onset in bipolar disorder: findings from an international multicentric study. <i>Bipolar Disord</i> . In print.	4.539
46	2018	Schennach R, Obermeier M, Spellmann I, Seemüller F, Musil R, Jäger M, Schmauss M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller T, Ising M, Brieger P,	3.986

		Maier W, Lemke MR, Rütther E, Klingberg S, Gastpar M, Möller H, Riedel M (2018). Remission in schizophrenia - what are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophr Res</i> . Submitted on 12 May 2018.	
47	2018	Musil R, Seemüller F, Meyer S, Spellmann I, Adli M, Bauer M, Kronmüller KT, Brieger P, Laux G, Bender W, Heuser I, Fisher R, Gaebel W, Schennach R, Möller HJ, Riedel M (2018). Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>Int J Methods Psychiatr Res</i> . 27(1).	3.176
48	2017	Haffner P, Quinlivan E, Fiebig J, Sondergeld LM, Strasser ES, Adli M, Moritz S, Stamm TJ (2017). Improving functional outcome in bipolar disorder: A pilot study on metacognitive training. <i>Clin Psychol Psychother</i> . [Epub ahead of print].	1.933
49	2017	Spellmann I, Schennach R, Seemüller F, Meyer S, Musil R, Jäger M, Schmauß M, Laux G, Pfeiffer H, Naber D, Schmidt LG, Gaebel W, Klosterkötter J, Heuser I, Bauer M, Adli M, Zeiler J, Bender W, Kronmüller KT, Ising M, Brieger P, Maier W, Lemke MR, Rütther E, Klingberg S, Gastpar M, Riedel M, Möller HJ (2017). Validity of remission and recovery criteria for schizophrenia and major depression: comparison of the results of two one-year follow-up naturalistic studies. <i>Eur Arch Psychiatry Clin Neurosci</i> . 267(4):303-313.	4.113
50	2016	Strasser ES, Haffner P, Fiebig J, Quinlivan E, Adli M, Stamm TJ (2016). Behavioral measures and self-report of impulsivity in bipolar disorder: no association between Stroop test and Barratt Impulsiveness Scale. <i>Int J Bipolar Disord</i> . 4(1):16.	04.88
51	2016	Hasselmann H, Bellmann-Strobl J, Ricken R, Oberwahrenbrock T, Rose M, Otte C, Adli M, Paul F, Brandt AU, Finke C, Gold SM (2016). Characterizing the phenotype of multiple sclerosis – associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> . <i>Mult Scler</i> . 2016 Jan 8. pii: 1352458515622826. [Epub ahead of print]	04.82
52	2016	Hou L, Heilbronner U, Degenhardt F, Adli M, Akiyama K, Akula N, Ardaou R, Arias B, Backlund L, Banzato CEM, Benabarre A, Bengesser S, Bhattacharjee AK, Biernacka JM, Birner A, Brichant-Petitjean C, Bui ET, Cervantes P, Chen GB, Chen HC, Chillotti C, Cichon S, Clark SR, Colom F, Cousins DA, Cruceanu C, Czerski PM, Dantas CR, Dayer A, Étain B, Falkai P, Forstner AJ, Frisé L, Fullerton JM, Gard S, Garnham JS, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Herms S, Hoffmann P, Hofmann A, Jamain S, Jiménez E, Kahn JP, Kassem L, Kittel-Schneider S, Kliwicki S, König B, Kusumi I, Lackner N, Laje G, Landén M, Lavebratt C, Leboyer M, Leckband SG, Jaramillo CAL, MacQueen G, Manchia M, Martinsson L, Mattheisen M, McCarthy MJ, McElroy SL, Mitjans M, Mondimore FM, Monteleone P, Nievergelt CM, Nöthen MM, Ösby U, Ozaki N, Perlis RH, Pfennig A, Reich-Erkelenz D, Rouleau GA, Schofield PR, Schubert KO, Schweizer BW, Seemüller F, Severino G, Shekhtman T, Shilling PD, Shimoda K, Simhandl C, Slaney CM, Smoller JW, Squassina A, Stamm T, Stopkova P, Tighe SK, Tortorella A, Turecki G, Volkert J, Witt S, Wright A, Young LT, Zandi PP, Potash JB, DePaulo JR, Bauer M, Reininghaus EZ, Novák T, Aubry JM, Maj M, Baune BT, Mitchell PB, Vieta E, Frye MA, Rybakowski JK, Kuo PH, Kato T, Grigoriu-Serbanescu M, Reif A, Del Zompo M, Bellivier F, Schalling M, Wray NR, Kelsoe JR, Alda M, Rietschel M, McMahon FJ, Schulze TG (2016). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> . 387(10023):1085-1093.	39.207
53	2016	The International Consortium on Lithium Genetics (ConLiGen). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet</i> . 2016 Mar 12;387(10023):1085-93.	39.207

54	2016	The International Consortium on Lithium Genetics (ConLiGen). Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Hum Mol Genet</i> 2016 Jun 21. [Epub ahead of print]	5.985
55	2016	Seemüller F, Obermeier M, Schennach R, Bauer M, Adli M, Brieger P, Laux G, Riedel M, Falkai P, Möller HJ (2016). Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC Psychiatry</i> . 2016 May 20;16:153.	2.210
56	2015	Bauer M, Berman S, Stamm T, Plotkin M, Adli M, Pilhatsch M, London ED, Hellemann GS, Whybrow PC, Schlagenhaut F (2015). Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebo-controlled positron emission tomography study. <i>Mol Psychiatry</i> . 2016 Feb;21(2):229-36.	5.620
57	2015	Willert A, Mohnke S, Erk S, Schnell K, Romanczuk-Seiferth N, Krusche E, Schreiter S, Spengler S, Herold D, Wackerhagen C, Pöhland L, Garbusow M, Stamm T, Adli M, Heinz A, Bempohl F, Walter H. (2015). Alterations in neural Theory of Mind processing in euthymic patients with bipolar disorder and unaffected relatives. <i>Bipolar Disorders</i> . 17(8):880-91	4.888
58	2014	Stamm TJ, Lewitzka U, Sauer C, Pilhatsch M, Smolka MN, Koeberle U, Adli M, Ricken R, Scherk H, Frye MA, Juckel G, Assion HJ, Gitlin M, Whybrow PC, Bauer M (2014). Supraphysiologic doses of levothyroxine as adjunctive therapy in bipolar depression: a randomized, double-blind, placebo-controlled study. <i>J Clin Psychiatry</i> . 75(2): 162-8.	3.761
59	2014	Rentsch J, Adli M, Wiethoff K, Gómez-Carrillo de Castro A, Gallinat J (2014). Pretreatment anterior cingulate activity predicts antidepressant treatment response in major depressive episodes. <i>Eur Arch Psychiatry Clin Neurosci</i> . 264(3): 213-23.	3.525
60	2014	Seemüller F, Meier S, Obermeier M, Musil R, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Riedel M, Falkai P, Möller HJ (2014). Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>Eur Arch Psychiatry Clin Neurosci</i> . 264(7): 567-75.	3.355
61	2013	Musil R, Zill P, Seemüller F, Bondy B, Meyer S, Spellmann I, Bender W, Adli M, Heuser I, Fisher R, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). Genetics of emergent suicidality during antidepressive treatment--data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>Eur Neuropsychopharmacol</i> . 23(7): 663-74.	4.736
62	2013	Rhein C, Naumann J, Mühle C, Zill P, Adli M, Hegerl U, Hiemke C, Mergl R, Möller HJ, Reichel M, Kornhuber J (2013). The Acid Sphingomyelinase Sequence Variant p.A487V Is Not Associated With Decreased Levels of Enzymatic Activity. <i>JIMD Rep</i> . 8:1-6	4.138
63	2013	Manchia M, Adli M, Akula N, Ardaur R, Aubry JM, Backlund L, Banzato CE, Baune BT, Bellivier F, Bengesser S, Biernacka JM, Brichant-Petitjean C, Bui E, Calkin CV, Cheng AT, Chillotti C, Cichon S, Clark S, Czerski PM, Dantas C, Zompo MD, Depaulo JR, Detera-Wadleigh SD, Etain B, Falkai P, Frisé L, Frye MA, Fullerton J, Gard S, Garnham J, Goes FS, Grof P, Gruber O, Hashimoto R, Hauser J, Heilbronner U, Hoban R, Hou L, Jamain S, Kahn JP, Kassem L, Kato T, Kelsoe JR, Kittel-Schneider S, Kliwicki S, Kuo PH, Kusumi I, Laje G, Lavebratt C, Leboyer M, Leckband SG, López Jaramillo CA, Maj M, Malafosse A, Martinsson L, Masui T,	3.530

		Mitchell PB, Mondimore F, Monteleone P, Nallet A, Neuner M, Novák T, O'Donovan C, Osby U, Ozaki N, Perlis RH, Pfennig A, Potash JB, Reich-Erkelenz D, Reif A, Reininghaus E, Richardson S, Rouleau GA, Rybakowski JK, Schalling M, Schofield PR, Schubert OK, Schweizer B, Seemüller F, Grigoriu-Serbanescu M, Severino G, Seymour LR, Slaney C, Smoller JW, Squassina A, Stamm T, Steele J, Stopkova P, Tighe SK, Tortorella A, Turecki G, Wray NR, Wright A, Zandi PP, Zilles D, Bauer M, Rietschel M, McMahon FJ, Schulze TG, Alda M (2013). Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. PLoS One. 8(6):e65636	
64	2013	Musil R, Zill P, Seemüller F, Bondy B, Obermeier M, Spellmann I, Bender W, Adli M, Heuser I, Zeiler J, Gaebel W, Maier W, Rietschel M, Rujescu D, Schennach R, Möller HJ, Riedel M (2013). No influence of brain-derived neurotrophic factor (BDNF) polymorphisms on treatment response in a naturalistic sample of patients with major depression. Eur Arch Psychiatry Clin Neurosci. 263(5):405-12.	3.355
65	2013	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Grof P, Müller-Oerlinghausen B, Rybakowski JK, Suwalska A, Pfennig A (2013). Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. Int J Bipolar Disord. 2013 Jul 31;1:11.	
66	2012	Seemüller F, Riedel M, Obermeier M, Schennach-Wolff R, Spellmann I, Meyer S, Bauer M, Adli M, Kronmüller K, Ising M, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Möller HJ (2011). The validity of self-rated psychotic symptoms in depressed inpatients. Eur Psychiatry. Mar 8. [Epub ahead of print]	43.680
67	2012	Lange C, Adli M, Zschucke E, Beyer R, Ising M, Uhr M, BERPohl F (2012). Affective set-shifting deficits in patients with major depression in remission. J Psychiatr Res. 46(12):1623-6.	4.460
68	2012	Ricken R, BERPohl F, Schlattmann P, Bschor T, Adli M, Mönter N, Bauer M (2012). Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders - effects on bone mineral density. J Affect Disord. 136: 89-94.	3.740
69	2012	Stoy M, Schlagenhaut F, Sterzer P, BERPohl F, Hägele C, Suchotzki K, Schmack K, Wrase J, Ricken R, Knutson B, Adli M, Bauer M, Heinz A, Ströhle A (2012). Hyporeactivity of ventral striatum towards incentive stimuli in unmedicated depressed patients normalizes after treatment with escitalopram. J Psychopharmacol. 26:677-688.	3.396
70	2011	Riedel M, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Seemüller F (2011). Clinical predictors of response and remission in inpatients with depressive syndromes. J Affect Disord. 133:137-49.	3.383
71	2010	BERPohl F, Kahnt T, Dalanay U, Hägele C, Sajonz B, Wegner T, Stoy M, Adli M, Krüger S, Wrase J, Ströhle A, Bauer M, Heinz A (2010). Altered representation of expected value in the orbitofrontal cortex in mania. Hum Brain Mapp 31: 958-69	5.395
72	2010	Seemüller F, Möller HJ, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Schennach-Wolff R, Henkel V, Riedel M (2010). Do efficacy and effectiveness samples differ in antidepressant treatment outcome? an analysis of eligibility criteria in randomized controlled trials. J Clin Psychiatry 71:1425-33	5.218
73	2010	Riedel M, Möller HJ, Obermeier M, Schennach-Wolff R, Bauer M, Adli M, Kronmüller K, Nickel T, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W,	4.679

		Seemüller F (2010). Response and remission criteria in major depression – a validation of current practice. <i>J Psychiatr Res</i> 44: 1063-1068	
74	2010	Abou Jamra R, Schulze TG, Becker T, Brockschmidt FF, Green E, Alblas MA, Wendland JR, Adli M, Grozeva D, Strohmeier J, Georgi A, Craddock N, Propping P, Rietschel M, Nöthen MM, Cichon S, Schumacher J (2010). A systematic association mapping on chromosome 6q in bipolar affective disorder-evidence for the melanin-concentrating-hormone-receptor-2 gene as a risk factor for bipolar affective disorder. <i>Am J Med Genet B Neuropsychiatr Genet</i> 153B: 878-84.	3.932
75	2010	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Dichgans E, Bottländer R, Musil R, Möller HJ (2010). Outcomes of 1014 naturalistically treated inpatients with major depressive episode. <i>Eur Neuropsychopharmacol</i> 20 :346-55.	3.661
76	2010	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Kronmüller K, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Riedel M, Möller HJ. Relationship between baseline severity of depression and antidepressant treatment outcome. <i>Pharmacopsychiatry</i> . 2011 Jan;44(1):27-32.	2.317
77	2010	Bauer M, Adli M, Bschor T, Pilhatsch M, Pfennig A, Sasse J, Lewitzka U (2010). Lithium's emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. <i>Neuropsychobiology</i> 62: 36-42.	1.752
78	2010	Schulze G, Alda M, Adli M, Akula N, Arda R, Chilotti C, Cichon S, Czerski P, Del Zompo M, Detera-Wadleigh S, Grof P, Gruber O, Hashimoto R, Hauser J, Hoban R, Iwata N, Kassem L, Kato T, Kittel-Schneider S, Kliwicki S, Kelsoe J, Kusumi I, Laje G, Leckband S, Manchia M, MacQueen G, Masui T, Ozaki N, Perlis R, Pfennig A, Piccardi P, Richardson S, Rouleau G, reif A, Rybakowski J, Sasse J, Schumacher J, Severino G, Smoller J, Squassina A, Turecki G, Young L, Yoshikawa T, Bauer M, MacMahon F (2010). The international Consortium on Lithium Genetics (ConLiGen) – an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> 62: 72-78.	1.752
79	2010	Mazurek B, Olze H, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ. (2010). Molekularbiologische Aspekte der Neuroplastizität: Ansätze für die Therapie bei Tinnitus und Hörstörungen. <i>HNO</i> , 58, 973-982.	1.752
80	2010	Mazurek B, Stöver T, Haupt H, Klapp BF, Adli M, Gross J, Szczepek AJ (2010). The significance of stress: its role in the auditory system and the pathogenesis of tinnitus. <i>HNO</i> 58(2):162-72.	570
81	2009	Berghöfer A, Alda M, Adli M, Baethge C, Bauer M, Bschor T, Glenn T, Grof P, Müller-Oerlinghausen B, Rybakowski J, Suwalska A, Pfennig A (2008). Long-term effectiveness of lithium in bipolar disorder – a multicenter investigation of patients with typical and atypical features. <i>J Clin Psychiatry</i> 69(12):1860-8.	5.053
82	2009	Seemüller F, Riedel M, Obermeier M, Bauer M, Adli M, Mundt C, Holsboer F, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Henkel V, Möller HJ (2009). The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. <i>Int J Neuropsychopharmacol</i> 12(2):181-9.	4.378
83	2009	Berpohl F, Dalanay U, Kahnt T, Sajonz B, Heimann H, Ricken R, Stoy M, Hägele C, Schlagenhaut F, Adli M, Wrase J, Ströhle A, Heinz A, Bauer M (2009). A preliminary study of increased amygdala activation to positive affective stimuli in mania. <i>Bipolar Disord</i> 11: 70-75.	3.959

84	2009	Bauer M, Glenn T, Grof P, Rasgon N, Alda M, Marsh W, Sagduyu K, Schmid R, Adli M, Whybrow PC (2009). Comparison of Sleep/Wake Parameters for Self-Monitoring Bipolar Disorder. <i>J Affect Disord</i> 116: 170-175.	3.271
85	2009	Henkel V, Seemüller F, Obermeier M, Adli M, Bauer M, Mundt C, Brieger P, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Mayr A, Möller HJ, Riedel M (2009). Does early improvement triggered by antidepressants predict response/remission? - Analysis of data from a naturalistic study on a large sample of inpatients with major depression. <i>J Affect Disord</i> 115: 439-449.	3.271
86	2009	Berpohl F, Walter M, Sajonz B, Lücke C, Hägele C, Sterzer P, Adli M, Heinz A, Northoff G (2009). Attentional modulation of emotional stimulus processing in patients with major depression—Alterations in prefrontal cortical regions. <i>Neuroscience Letters</i> 463: 108-113.	2.200
87	2008	Seemüller F, Riedel M, Wickelmaier F, Adli M, Mundt C, Marneros A, Laux G, Bender W, Heuser I, Zeiler J, Gaebel W, Jäger M, Möller HJ, Henkel V (2008). Atypical symptoms in hospitalised patients with major depressive episode: frequency, clinical characteristics, and internal validity. <i>J Affect Disord</i> 108 (3): 271-278	3.271
88	2008	Stamm TJ, Adli M, Kirchheiner J, Smolka MN, Kaiser R, Tremblay P, Bauer M (2008). Serotonin transporter gene and lithium augmentation response in depression. <i>Psychiatr Genetics</i> 18: 92-97.	2.696
89	2007	Bauer M, Blumentritt H, Finke R, Schlattmann P, Adli M, Baethge C, Bschor T, Müller-Oerlinghausen B, Berghöfer A (2007). Using ultrasonographically to determine thyroid size and prevalence of goiter in lithium-treated patients with affective disorders. <i>J Affect Disord</i> 104: 45-51.	3.271
90	2007	Knubben K, Reischies FM, Adli M, Schlattmann P, Bauer M, Dimeo F (2007). A randomized, controlled study on the effects of a short-term endurance training programme in patients with major depression. <i>Br J Sports Med</i> 41(1):29-33.	2.126
91	2007	Grunze H, Adli M, Bauer M, Berger M, Bergmann A, Bräunig P, Bschor T, Falkai P, Gastpar M, Greil W, Kasper S, Krüger S, Laux G, Müller WE, Naber D, Walden J (2007). Clinical standing of valproate treatment of bipolar disorders. <i>Fortschr Neurol Psychiatr</i> 75(4): 220-235.	793
92	2005	Baethge C, Baldessarini RJ, Mathiske-Schmidt K, Hennen J, Berghöfer A, Müller-Oerlinghausen B, Bschor T, Adli M, Bauer M (2005). Long-term combination versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>J Clin Psychiatry</i> 66:174-182.	5.053
93	2005	Baethge C, Blumentritt H, Berghöfer A, Bschor T, Glenn T, Adli M, Schlattmann P, Bauer M (2005). Long-term lithium treatment and thyroid antibodies – a study of 100 patients with affective disorders and 100 normal controls. <i>J Psychiatry Neurosci</i> 30: 423-427.	4.123
94	2003	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2003). Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. <i>J Psychiatr Res</i> 37:135-143.	4.679
95	2003	Bschor T, Baethge C, Adli M, Lewitzka U, Eichmann U, Bauer M (2003). Hypothalamic-pituitary-thyroid system activity during lithium augmentation therapy in patients with unipolar major depression. <i>J Psychiatry Neurosci</i> 28: 210-216.	4.123
96	2003	Bschor T, Baethge C, Adli M, Eichmann U, Ising M, Uhr M, Müller-Oerlinghausen B, Bauer M (2003). Lithium augmentation increases post-dexamethasone cortisol	2.526

		in the dexamethasone suppression test in unipolar major depression. <i>Depress Anxiety</i> 17:43-48.	
97	2002	Bauer M, Berghöfer A, Bschor T, Baumgartner A, Kießlinger U, Hellweg R, Adli M, Baethge C, Müller-Oerlinghausen B (2002). Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> 27: 620-628.	6.835
98	2002	Bschor T, Adli M, Baethge C, Eichmann U, Ising M, Uhr M, Modell S, Künzel H, Müller-Oerlinghausen B, Bauer M (2002). Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> 27: 470-478	6.835
99	2002	Bschor T, Berghöfer A, Ströhle A, Kunz D, Adli M, Müller-Oerlinghausen B, Bauer M (2002). How long should the lithium augmentation strategy be maintained? A 1-year follow up of a placebo-controlled study in unipolar refractory major depression. <i>J Clin Psychopharmacol</i> 22: 427-430	4.371
100	2002	Bauer M, Forsthoef A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2002). Lithium augmentation therapy in refractory depression-update 2002. <i>Eur Arch Psychiatry Clin Neurosci</i> 253(3):132-9.	2.852

C Reviews

101	2018	Bauer, M., Rush, A. J., Ricken, R., Pilhatsch, M., & Adli, M. (2019). Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 52(3), 117–125.	1.765
102	2017	Ricken R, Ulrich S, Schlattmann P, Adli M (2017). Tranylcypromine in mind (Part II): Review of clinical pharmacology and meta-analysis of controlled studies in depression. <i>Eur Neuropsychopharmacol.</i> (8):714-731.	4.577
103	2017	Ulrich S, Ricken R, Adli M (2017). Tranylcypromine in mind (Part I): Review of pharmacology. <i>Eur Neuropsychopharmacol.</i> 27(8):697-713.	4.577
104	2017	Holzinger F, Fahrenkrog S, Roll S, Kleefeld F, Adli M, Heintze C (2017). Discharge management strategies and post-discharge care interventions for depression - Systematic review and meta-analysis. <i>J Affect Disord.</i> 223:82- 94.	3.845
105	2017	Gruebner O, Rapp MA, Adli M, Kluge U, Galea S, Heinz A (2017). Cities and Mental Health. <i>Dtsch Arztebl Int.</i> 114(8):121-127.	3.738
106	2016	Köhler S, Cierpinsky K, Kronenberg G, Adli M (2016). The serotonergic system in the neurobiology of depression: Relevance for novel antidepressants. <i>J Psychopharmacol.</i> 2016 Jan; 30(1):13-22.	3.898
107	2016	Borgmann M, Holtkamp M, Adli M, Behr J (2016). Depression and epilepsy: Two clinical pictures with common causes? <i>Nervenarzt.</i> 87(7):724-30.	787
108	2014	Bauer M, Adli M, Ricken R, Severus E, Pilhatsch M (2014). Role of lithium augmentation in the management of major depressive disorder. <i>CNS Drugs.</i> 28(4): 331-42.	4.376
109	2014	Bschor T, Bauer M, Adli M (2014). Chronic and treatment resistant depression — diagnosis and stepwise therapy. <i>Dtsch Arztebl Int.</i> 111(45): 766-76.	0.4
110	2013	Krings-Ernst I, Ulrich S, Adli M (2013). Antidepressant treatment with MAO-inhibitors during general and regional anesthesia: a review and case report of spinal anesthesia for lower extremity surgery without discontinuation of tranylcypromine. <i>Int J Clin Pharmacol Ther.</i> 51(10): 763-70.	0.1
111	2012	Köhler S, Bauer M, Adli M (2012). Behandlungsstrategien der therapieresistenten Depression. <i>Psychiatrie und Psychotherapie up2date</i> 6: 137-148.	

112	2011	Rentzsch, J, Ricken R, Adli M (2011). Akutbehandlung der Manie. Psychiatrie und Psychotherapie up2date 5: 209-224.	
113	2009	Riedel M, Seemüller F, Wickelmaier F, Schennach-Wolff R, Adli M, Bauer M, Kranmüller K, Brieger P, Laux G, Bender W, Haeuser I, Zeiler J, Gaebel W, Jaeger M, Moeller H, Henkel V (2009). Häufigkeit und klinische Charakteristika von atypisch depressiven Symptomen. Nervenheilkunde 4: 193-199.	373
114	2009	Wiethoff K, Ricken R, Keck M, Baghai T, Bauer M, Möller H, Adli M (2009). Das Berliner Algorithmusprojekt. Nervenheilkunde 4: 179-185.	0.0
115	2008	Bschor T, Adli M (2008). Therapie depressiver Erkrankungen. Zertifizierte medizinische Fortbildung. Deutsches Ärzteblatt 105: 782–792.	1.099
116	2006	Adli M, Bauer M, Rush AJ (2006). Algorithms and collaborative care systems for depression: are they effective and why? Biol Psychiatry 59: 1029-1038.	8.672
117	2005	Wiethoff K, Bauer M, Baghai T, Heinz A, Adli M (2005). Therapiealgorithmen in der Depressionsbehandlung - Das Berliner Algorithmusprojekt. Nervenheilkunde 24: 381-387.	0
118	2005	Wiethoff K, Baghai T, Heinz A, Bauer M, Adli M (2005). Algorithmusgestützte Behandlung depressiver Erkrankungen: Was bringen systematische Therapieansätze im klinischen Alltag? Med Welt 56: 332-337.	
119	2004	Möller HJ, Adli M, Laux G, Müller N, Schmitt J, unter Mitwirkung einer Expertengruppe „Kognitive Störungen bei Antidepressivabehandlung“ (2004). Kognitive und psychomotorische Effekte von Antidepressiva unter besonderer Berücksichtigung von SSRIs. Psychopharmakotherapie 1: 15-21.	02.02
120	2003	Bauer M, Forsthoff A, Baethge C, Adli M, Berghöfer A, Döpfmer S, Bschor T (2003). Lithium augmentation therapy in refractory depression – update 2002. Eur Arch Psychiatry Clin Neurosci 253: 132-139.	2.852
121	2003	Bauer M, Adli M, Baethge C, Berghöfer A, Sasse J, Heinz A, Bschor T (2003). Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. Can J Psychiatry 48: 440-448	2.828
122	2003	Bauer M, Adli M, Bschor T, Heinz A, Rasgon N, Frye M, Grunze H, Kupka R, Whybrow PC (2003). Clinical applications of levothyroxine in refractory mood disorders. Clin Appr Bipol Disord 2: 49-56.	2.531
123	2003	Adli M, Rush AJ, Möller H-J, Bauer M (2003). Algorithms for optimizing the treatment of depression: making the right decision at the right time. Pharmacopsychiatry 36 [suppl 3]: 222-229	2.402
124	2003	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U, Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. Pharmacopsychiatry 36 [suppl 3]: 230-234	2.402
125	2003	Bschor T, Lewitzka U, Sasse J, Adli M, Koberle U & Bauer M (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. Pharmacopsychiatry: 36 (Suppl 3): 230-234.	2.402
126	1998	Adli M, Bschor T, Canata B, Döpfmer S, Bauer M (1998). Lithium in der Behandlung der akuten Depression. Fortschr Neurol Psychiat 66: 435-441.	7.93

D Fallberichte

127	2006	Pilhatsch MK, Burghardt R, Wandinger KP, Bauer M, Adli M (2006). Augmentation with atomoxetine in treatment-resistant depression with psychotic features. A case report. Pharmacopsychiatry 39(2): 79-80.	2.402
-----	------	---	-------

128	1999	Adli M, Rossius W, Bauer M (1999). [Olanzapine in the treatment of depressive disorders with psychotic symptoms] Olanzapin in der Behandlung depressiver Störungen mit psychotischer Symptomatik. Nervenarzt 70: 68-71.	8.14
-----	------	---	------

E Comments & Letters

129	2017	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Gomez-Carrillo A, Hehl R, Heinz A, H JM, Mehran N, Tolaas S, Walter H, Weiland U, Stollmann J (2017). Neurourbanism: towards a new discipline. Lancet Psychiatry. 4(3):183-185.	11.588
130	2015	Berger M, Adli M, Beine KH, Bschor T, Herpertz S, Lauterbach K (2015). Psychiatrische Versorgung: Das Krankenhaus-Psych-Budget – ein Alternativkonzept. Dtsch Arztebl. 112(13): A 574-6	3.608
131	2015	Adli M, Berger M (2015). Tricyclic antidepressants for initial treatment of depressive episodes? Con. Nervenarzt. 87(5):561-2.	7.87
132	2015	Bschor T, Bauer M, Adli M (2015). Comment on: Chronic and treatment resistant depression: diagnosis and stepwise therapy. [Dtsch Arztebl Int. 2014] Dtsch Arztebl Int. 2015 Jun 12;112(24):421-2.	0.4
133	2014	Adli M, Hegerl U. (2014). Do we underestimate the benefits of antidepressant drugs? Lancet. 383(9926): 1361-2.	39.207
134	2014	Fakhri H, Ricken R, Adli M, Fajol A, Walter M, Föllner M, Lang F, Lang UE, Lange C (2014). Impact of Lithium Treatment on FGF-23 Serum Concentrations in Depressive Patients. J Clin Psychopharmacol. 34(6): 745-7.	3.761
135	2011	Adli M, Kleinert S, Bonk M, Wesslingh S, Ganten D (2011). From science to policy: the M8 Alliance invites policy makers to step in. Lancet, 378: 1447-1449.	30.758
136	1999	Bauer M, Adli M, Bschor T, Döpfner S (1999). Stellungnahme. Fortschr Neurol Psychiat 67: 386	7.93

F Editor

137	2017	Adli M. Stress and the City: Warum Städte uns krank machen. Und warum sie trotzdem gut für uns sind. 1. Auflage, 2017, C. Bertelsmann Verlag, München
138	2005	Bauer M, Berghöfer A, Adli M (eds.) Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. 2., vollständig neuberarbeitete Auflage 2005 (1. Auflage 1997, 1. Nachdruck 1998). Springer Verlag, Berlin, Heidelberg, New York

G Buchkapitel

139	2018	Schramm E, Bauer M, Adli M Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 14. Auflage. München: Urban & Fischer S. (publication due in December 2018)
140	2017	Schramm E, Bauer M, Adli M (2017). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 13. Auflage. München: Urban & Fischer S. 183-208.
141	2016	Schramm E, Bauer M, Adli M (2016). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 12. Auflage. München: Urban & Fischer S. 183-208.

142	2015	Schramm E, Bauer M, Adli M (2015). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 11. Auflage. München: Urban & Fischer S. 183-208.
143	2014	Schramm E, Bauer M, Adli M (2014). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 10. Auflage. München: Urban & Fischer S. 183-208.
144	2013	Schramm E, Bauer M, Adli M (2013). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 9. Auflage. München: Urban & Fischer S. 183-208.
145	2012	Schramm E, Bauer M, Adli M (2012). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 8. Auflage. München: Urban & Fischer
146	2011	Schramm E, Bauer M, Adli M (2011). Chronische und therapieresistente Depressionen. In: Voderholzer U, Hohagen F (Hrsg.). Therapie psychischer Erkrankungen: State of the Art. 7. Auflage. München: Urban & Fischer, S. 165-188.
147	2008	Pfennig A, Adli M (2008). Antidepressiva-Hochdosisbehandlung. In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 40-47.
148	2008	Wiethoff K, Adli M (2008). Systematisierte Therapiealgorithmen (antidepressive Stufenpläne). In: Bschor T (Hrsg.) Behandlungsmanual therapieresistente Depression. Stuttgart: Kohlhammer, S. 408-418
149	2006	Bschor T, Lewitzka, Adli M (2006). Lithium in non-psychiatric conditions. In: Bauer, Grof, Müller-Oerlinghausen (Hrsg.) Bauer M, Grof P, Müller-Oerlinghausen (Eds.) Lithium in Neuropsychiatry – The Comprehensive Guide. Taylor and Francis Books, Abingdon, S. 237-250
150	2005	Bauer M, Pfennig A, Mavrogiorgou P, Juckel G, Adli M, Sasse J, Heinz A (2005) Perspektiven für Quetiapin in der Behandlung der unipolaren Depression. In: Möller HJ (Hrsg.) Quetiapin. Erfahrungen und Ausblicke. Schattauer GmbH, S. 131-141
151	2005	Fähser NC, Wiethoff K, Adli M (2005) Therapiealgorithmen in der Langzeitpsychopharmakologie. In: Linden M, Müller WE (Hrsg.) Rehabilitationspsychopharmakologie - Psychopharmakotherapie chronifizierender und chronifizierter Erkrankungen. Köln: Deutscher Ärzteverlag, S. 43-58
152	2005	Adli M, Wiethoff K (2005). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie bipolarer Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 103-121
153	2005	Berghöfer A, Adli M, Bauer M (2005) Antidepressiva-Übersicht für die klinische Praxis. In: Bauer M, Berghöfer A, Adli M (Hrsg.). Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 587-600
154	2005	Adli M, Wiethoff K, Baghai T, Bauer M (2005). Algorithmusgestützte Behandlung stationärer Patienten mit depressiven Erkrankungen: das Berliner Algorithmusprojekt. In: Bauer M, Berghöfer A, Adli M (Hrsg.). Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen. Heidelberg, Berlin, New York: Springer 2005, S. 477-487
155	2004	Adli M, Wiethoff K (2004). Nicht-pharmakologische Behandlungsstrategien der Depression. In: Bauer M (Hrsg.) Neurobiologie und Therapie depressiver Erkrankungen. Reihe „Uni-Med Science“. Bremen: Uni-Med, S. 96-112
156	2004	Adli M, Bauer (2004). M Elektrokonvulsionstherapie bei therapieresistenten Depressionen. In: T. Baghai, R. Frey, S. Kasper, H.-J. Möller (Hrsg.)

		Elektrokonvulsionstherapie-klinische und wissenschaftliche Aspekte. Wien: Springer, S. 366-393
157	2003	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2003). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Weißbuch Bipolare Störungen in Deutschland, BoD GmbH, Norderstedt, S. 131-200
158	2002	Berghöfer A, Adli M, Baethge C, Bauer M, Bschor T, Müller-Oerlinghausen B, Schäfer M, Willich SN (2002). Phasenprophylaxe bipolarer Störungen. In: Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), Erfurth A (Red.): Kurzfassung Weißbuch Bipolare Störungen in Deutschland, Hamburg, Conference Point, S. 67-74
159	2001	Adli M, Kießlinger U, Smolka M, Neu P, Linden M, Bauer M (2001). Does algorithm-guided stepwise treatment in depression have an influence on treatment execution? In: Fromm E, ed.: Jahrbuch 2001 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 466
160	2000	Adli M, Kießlinger U, Neu P, Smolka M, Linden M, Bauer M (2000). Efficacy of an algorithm-guided treatment regimen in depression compared to standard treatment as usual: The Berlin Algorithm Project. In: Fromm E, ed.: Jahrbuch 2000 des Fachbereichs Humanmedizin der Freien Universität Berlin: S. 439
161	1999	Kießlinger U, Adli M, Neu P, Smolka M, Linden M, Bauer M (1999). Beschreibung medikamentöser Depressionsbehandlung. In: Jahrbuch 1999, Fachbereich Humanmedizin, Universitätsklinikum Benjamin Franklin der Freien Universität Berlin: S. 494

H Weitere Publikationen (nicht peer-reviewed)

162	2016	Adli M, Berger M, Brakemeier EL, Engel L, Fingerhut J, Hehl R, Heinz A, Mayer H. J, Matussek T, Mehran N, Tolaas S, Walter H, Weiland U, Sollmann J (2016). Neurourbanistik – ein methodischer Schulterschluss zwischen Stadtplanung und Neurowissenschaften. Die Psychiatrie. 13(2):70-8.
163	2012	Kiermeir J, Gassner LM, Siebörger A, Wiethoff K, Ricken R, Stamm T, Bauer M, Heinz A, Adli M (2012). Euthymic Therapy to Reduce Residual Symptoms of Depression and Strengthen Self-Care: a Randomised Controlled Trial. German J Psychiatry. 15 (1): 15-22
164	2010	Lange C, Adli M (2010). Residualsymptome nach akuter Depression. MMW Fortschr Med 152(3), 34-35.
165	2009	Heimann H, Dietz F, Lange C, Adli M (2009). Behandlung von depressiven Episoden – Relevanz der Vollremission. Neuro aktuell 2: 31-33.
166	2006	Bauer M, Pfennig A, Wiethoff K, Sasse J, Ricken R, Pilhatsch M, Adli M (2006). Warum ist die Remission ein wichtiges Ziel in der Depressionsbehandlung? PsychoNeuro 32: 67-71
167	2005	Bauer M, Köberle U, Sasse J, Gutzmann C, Neuhaus K, Adli M, Pfennig A, Heinz A (2005). Rezidivprophylaxe Bipolarer Erkrankungen - auf was es ankommt. Schweizer Zeitschrift für Psychiatrie & Neurologie 1: 37-44
168	2005	Adli M (2005). Bipolarer Alkoholiker: mit Valproinsäure zwei Fliegen mit einer Klappe schlagen? Info Neurologie Psychiatrie 7 [suppl1]: 12-13
169	2005	Bauer M, Stamm T, Sasse J, Adli M (2005). Duloxetine – a novel dual acting antidepressant [Duloxetin - ein neues Antidepressivum mit dualem Wirkmechanismus]. Die Psychiatrie 2: 244-251
170	2004	Pfennig A, Adli M, Bauer M (2004). Atypische Neuroleptika bei wahnhafter Depression. Info Neurologie Psychiatrie 6 [suppl1]: 36–37

171	2004	Adli M (2004). Die „maskierte“ bipolare Störung: Fehldiagnose unipolare Depression vermeiden. Der Neurologe & Psychiater 3: 38-42
172	2003	Sasse J, Köberle U, Bschor T, Adli M, Trendelenburg M, Bauer M. (2003). Bipolare Depression: L-Thyroxin-Augmentation als Möglichkeit einer medikamentösen Behandlung. PsychoNeuro 29: 400-402
173	2003	Adli M, Bauer M (2003). Wahnhafte Depression – eine vernachlässigte Sonderform. (Neuroleptika bei wahnhafter Depression). Info Neurologie Psychiatrie 2: 44-50