

## Publikationsliste Prof. Dr. med. Mazda Adli (25. November 2021)

Zitate: 6.404

Hirsch-Index: 43

### Inhalt

A Originalarbeiten (Erst- und Letztautorenschaften)	1
B Co-Autorenschaften	4
C Reviews	11
D Fallberichte	12
E Comments & Letters	13
F Editor	13
G Buchkapitel	13
H Weitere Publikationen (nicht peer-reviewed)	15

### A Originalarbeiten (Erst- und Letztautorenschaften)

1	2021	Tonne, C., Adair, L., Adlakh, D., Anguelovski, I., Belesova, K., Berger, M., Brelsford, C., Dadvand, P., Dimitrova, A., Giles-Corti, B., Heinz, A., Mehran, N., Nieuwenhuijsen, M., Pelletier, F., Ranzani, O., Rodenstein, M., Rybski, D., Samavati, S., Satterthwaite, D., Schöndorf, J., ... Adli, M. (2021). Defining pathways to healthy sustainable urban development. <i>Environment international</i> , 146, 106236.	7.577
2	2020	Adli, M., & Schöndorf, J. (2020). Macht uns die Stadt krank? Wirkung von Stadtstress auf Emotionen, Verhalten und psychische Gesundheit [Does the city make us ill? The effect of urban stress on emotions, behavior, and mental health]. <i>Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz</i> , 63(8), 979–986.	1.059
3	2020	Nowak, J., Dimitrov, A., Oei, N., Walter, H., Adli, M., & Veer, I. M. (2020). Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> , 114, 104585.	4.732
4	2020	Ulrich, S., Ricken, R., Buspavanich, P., Schlattmann, P., & Adli, M. (2020). Efficacy and Adverse Effects of Tranylcypromine and Tricyclic Antidepressants in the Treatment of Depression: A Systematic Review and Comprehensive Meta-analysis. <i>Journal of clinical psychopharmacology</i> , 40(1), 63–74.	01.85
5	2019	Bopp, S. K., Heilbronner, U., Schlattmann, P., Mühleisen, T. W., Bschor, T., Richter, C., ... & Ricken, R. (2019). Leptin gene polymorphisms are associated with weight gain during lithium augmentation in patients with major depression. <i>European Neuropsychopharmacology</i> , 29(2), 211-221.	4.129
6	2018	Dimitrov, A., Veer, I. M., Kleeblatt, J., Seyfarth, F., Roenneberg, T., Ising, M., ... & Adli, M. (2020). Chronotype is associated with psychological well-being depending on the composition of the study sample. <i>Journal of health psychology</i> , 25(9), 1236-1247.	2.182

7	2018	Ricken, R., Busche, M., Schlattmann, P., Himmerich, H., Bopp, S., Bschor, T., ... & Adli, M. (2018). Cytokine serum levels remain unchanged during lithium augmentation of antidepressants in major depression. <i>Journal of psychiatric research</i> , 96, 203-208.	4.183
8	2018	Ricken, R., Wiethoff, K., Reinhold, T., Stamm, T. J., Baghai, T. C., Fisher, R., ... & Adli, M. (2018). A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients-Results from the German Algorithm Project (GAP3). <i>Journal of affective disorders</i> , 228, 173-177.	3.432
9	2017	Adli, M., Wiethoff, K., Baghai, T. C., Fisher, R., Seemüller, F., Laakmann, G., ... & Bauer, M. (2017). How effective is algorithm-guided treatment for depressed inpatients? Results from the randomized controlled multicenter German algorithm project 3 trial. <i>International Journal of Neuropsychopharmacology</i> , 20(9), 721-730.	4.712
10	2017	Ricken, R., Bopp, S., Schlattmann, P., Himmerich, H., Bschor, T., Richter, C., ... & Adli, M. (2017). Ghrelin serum concentrations are associated with treatment response during lithium augmentation of antidepressants. <i>International Journal of Neuropsychopharmacology</i> , 20(9), 692-697.	4.712
11	2016	Ricken, R., Bopp, S., Schlattmann, P., Himmerich, H., Bschor, T., Richter, C., ... & Adli, M. (2016). Leptin serum concentrations are associated with weight gain during lithium augmentation. <i>Psychoneuroendocrinology</i> , 71, 31-35.	4.944
12	2016	Stamm, T. J., Rampp, C., Wiethoff, K., Stingl, J., Mössner, R., O' Malley, G., ... & Adli, M. (2016). The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>Journal of Psychopharmacology</i> , 30(1), 40-47.	3.898
13	2015	Adli, M., & Berger, M. (2016). Trizyklische Antidepressiva zur Initialbehandlung einer depressiven Episode? Kontra [Tricyclic antidepressants for initial treatment of depressive episodes? Con]. <i>Der Nervenarzt</i> , 87(5), 561-562.	787
14	2015	Köhler, S., Wiethoff, K., Ricken, R., Stamm, T., Baghai, T. C., Fisher, R., Seemüller, F., Brieger, P., Cordes, J., Malevani, J., Laux, G., Hauth, I., Möller, H. J., Zeiler, J., Heinz, A., Bauer, M., & Adli, M. (2015). Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>Journal of affective disorders</i> , 173, 126-133.	371
15	2014	Fakhri, H., Ricken, R., Adli, M., Fajol, A., Walter, M., Föller, M., ... & Berlin Research Network of Depression. (2014). Impact of lithium treatment on FGF-23 serum concentrations in depressive patients. <i>Journal of clinical psychopharmacology</i> , 34(6), 745.	3.761
16	2014	Stamm, T. J., Becker, D., Sondergeld, L. M., Wiethoff, K., Hiemke, C., O'Malley, G., ... & Adli, M. (2014). Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry</i> , 47(04/05), 174-179.	2.168
17	2013	Lange, C., Zschucke, E., Ising, M., Uhr, M., Birmaher, B., & Adli, M. (2013). Evidence for a normal HPA axis response to psychosocial stress in patients remitted from depression. <i>Psychoneuroendocrinology</i> , 38(11), 2729-2736.	5.591
18	2013	Ricken, R., Adli, M., Lange, C., Krusche, E., Stamm, T. J., Gaus, S., ... & Lang, U. E.	3.761

		(2013). Brain-derived neurotrophic factor serum concentrations in acute depressive patients increase during lithium augmentation of antidepressants. <i>Journal of clinical psychopharmacology</i> , 33(6), 806-809.	
19	2013	Stamm, T. J., Stingl, J., Wiethoff, K., Ricken, R., Heinz, A., Bauer, M., ... & Adli, M. (2013). Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>Journal of affective disorders</i> , 151(2), 605-610.	3.383
20	2011	Ricken, R., Wiethoff, K., Reinhold, T., Schietsch, K., Stamm, T., Kiermeir, J., ... & Adli, M. (2011). Algorithm-guided treatment of depression reduces treatment costs—results from the randomized controlled German Algorithm Project (GAPII). <i>Journal of affective disorders</i> , 134(1-3), 249-256.	3.740
21	2011	Sterzer, P., Hilgenfeldt, T., Freudenberg, P., Bermpohl, F., & Adli, M. (2011). Access of emotional information to visual awareness in patients with major depressive disorder. <i>Psychological medicine</i> , 41(8), 1615–1624.	5.012
22	2010	Wiethoff, K., Bauer, M., Baghai, T. C., Möller, H. J., Fisher, R., Hollinde, D., ... & Cordes, J. (2010). Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. <i>The Journal of clinical psychiatry</i> , 71(8), 0-0.	5.218
23	2009	Adli, M., Bschor, T., Bauer, M., Lucka, C., Lewitzka, U., Ising, M., ... & Baethge, C. (2009). Long-term outcome after lithium augmentation in unipolar depression: focus on HPA system activity. <i>Neuropsychobiology</i> , 60(1), 23-30.	1.752
24	2009	Adli, M., Kleinert, S., Lafont, A., Kahn, A., & Ganten, D. (2009). Shaping future health: Berlin Evolution of Medicine Summit. <i>Lancet (London, England)</i> , 373(9663), 519-520.	30.758
25	2009	Bauer, M., Pfennig, A., Linden, M., Smolka, M. N., Neu, P., & Adli, M. (2009). Efficacy of an algorithm-guided treatment compared with treatment as usual: a randomized, controlled study of inpatients with depression. <i>Journal of clinical psychopharmacology</i> , 29(4), 327-333.	0.5
26	2008	Adli, M., Pilhatsch, M., Bauer, M., Köberle, U., Ricken, R., Janssen, G., ... & Bschor, T. (2008). Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatment-resistant depression. <i>Pharmacopsychiatry</i> , 41(06), 252-257.	2.402
27	2008	Adli, M., Wiethoff, K., Baethge, C., Pfennig, A., Stamm, T., & Bauer, M. (2008). Olanzapine in the treatment of depression with psychotic features: A prospective open-label study. <i>International journal of psychiatry in clinical practice</i> , 12(3), 202-209.	410
28	2008	Bauer, M., Glenn, T., Whybrow, P. C., Grof, P., Rasgon, N. L., Alda, M., ... & Adli, M. (2008). Changes in self-reported sleep duration predict mood changes in bipolar disorder.	4.718
29	2008	Mahlberg, R., Adli, M., Bschor, T., & Kienast, T. (2008). Age effects on trail making test during acute depressive and manic episode. <i>International Journal of Neuroscience</i> , 118(9), 1347-1356.	884
30	2008	Mahlberg, R., Kienast, T., Bschor, T., & Adli, M. (2008). Evaluation of time memory	2.433

		in acutely depressed patients, manic patients, and healthy controls using a time reproduction task. <i>European Psychiatry</i> , 23(6), 430-433.	
31	2007	Adli, M., Hollinde, D. L., Stamm, T., Wiethoff, K., Tsahuridu, M., Kirchheiner, J., ... & Bauer, M. (2007). Response to lithium augmentation in depression is associated with the glycogen synthase kinase 3-beta- 50T/C single nucleotide polymorphism. <i>Biological psychiatry</i> , 62(11), 1295-1302.	8.672
32	2005	Adli, M., Baethge, C., Heinz, A., Langlitz, N., & Bauer, M. (2005). Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed?. <i>European archives of psychiatry and clinical neuroscience</i> , 255(6), 387-400.	2.852
33	2005	Adli, M., Whybrow, P. C., Grof, P., Rasgon, N., Gyulai, L., Baethge, C., ... & Bauer, M. (2005). Use of polypharmacy and self-reported mood in outpatients with bipolar disorder. <i>International journal of psychiatry in clinical practice</i> , 9(4), 251-256.	410
34	2002	Adli, M., Berghofer, A., Linden, M., Helmchen, H., Muller-Oerlinghausen, B., Mackert, A., & Bauer, M. (2002). Effectiveness and feasibility of a standardized stepwise drug treatment regimen algorithm for inpatients with depressive disorders: results of a 2-year observational algorithm study. <i>The Journal of Clinical Psychiatry</i> , 63(9), 0-0.	5.053

## B Co-Autorenschaften

35	2021	Amare, A. T., Schubert, K. O., Hou, L., Clark, S. R., Papiol, S., Cearns, M., Heilbronner, U., Degenhardt, F., Tekola-Ayele, F., Hsu, Y. H., Shekhtman, T., Adli, M., Akula, N., Akiyama, K., Arda, R., Arias, B., Aubry, J. M., Backlund, L., Bhattacharjee, A. K., Bellivier, F., ... Baune, B. T. (2021). Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular psychiatry</i> , 26(6), 2457–2470	12.384
36	2021	Bopp, S. K., Heilbronner, U., Schlattmann, P., Buspavanich, P. J., Lang, U. E., Heinz, A., Schulze, T. G., Adli, M., Mühleisen, T. W., & Ricken, R. (2021). A GWAS top hit for circulating leptin is associated with weight gain but not with leptin protein levels in lithium-augmented patients with major depression. <i>European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology</i> , 53, 114–119. Advance online publication.	4.600
37	2021	Buspavanich, P., Adli, M., Himmerich, H., Berger, M., Busche, M., Schlattmann, P., ... & Ricken, R. (2021). Faster speed of onset of the depressive episode is associated with lower cytokine serum levels (IL-2,-4,-6,-10, TNF- $\alpha$ and IFN- $\gamma$ ) in patients with major depression. <i>Journal of psychiatric research</i> , 141, 287-292.	4.465
38	2021	Dimitrov, A., Nowak, J., Ligdorf, A., Oei, N. Y., Adli, M., Walter, H., & Veer, I. M. (2021). Natural sleep loss is associated with lower mPFC activity during negative distracter processing. <i>Cognitive, Affective, &amp; Behavioral Neuroscience</i> , 21(1), 242-253.	3.209

39	2021	Le Clerc, S., Lombardi, L., Baune, B. T., Amare, A. T., Schubert, K. O., Hou, L., Clark, S. R., Papiol, S., Cearns, M., Heilbronner, U., Degenhardt, F., Tekola-Ayele, F., Hsu, Y. H., Shekhtman, T., Adli, M., Akula, N., Akiyama, K., Arda, R., Arias, B., Aubry, J. M., ... Tamouza, R. (2021). HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific reports</i> , 11(1), 17823.	4.379
40	2021	Seemüller, F., Kolter, M., Musil, R., Schennach, R., Adli, M., Bauer, M., Brieger, P., Laux, G., Riedel, M., Falkai, P., Möller, H. J., & Padberg, F. (2021). Chronic vs non-chronic depression in psychiatric inpatient care - Data from a large naturalistic multicenter trial. <i>Journal of affective disorders</i> , S0165-0327(21)01261-1. Advance online publication.	4.839
41	2020	Bauer, M., Rush, A. J., Ricken, R., Pilhatsch, M., & Adli, M. (2019). Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 52(3), 117–125.	4.340
42	2020	Nowak, J., Dimitrov, A., Oei, N., Walter, H., Adli, M., & Veer, I. M. (2020). Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> , 114, 104585.	4.731
43	2019	Schennach, R., Obermeier, M., Spellmann, I., Seemüller, F., Musil, R., Jäger, M., Schmauss, M., Laux, G., Pfeiffer, H., Naber, D., Schmidt, L. G., Gaebel, W., Klosterkötter, J., Heuser, I., Bauer, M., Adli, M., Zeiler, J., Bender, W., Kronmüller, K. T., Ising, M., ... Riedel, M. (2019). Remission in schizophrenia - What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophrenia research</i> , 209, 185–192.	4.748
44	2019	Kalman, J. L., Papiol, S., Forstner, A. J., Heilbronner, U., Degenhardt, F., Strohmaier, J., Adli, M., Adorjan, K., Akula, N., Alda, M., Anderson-Schmidt, H., Andlauer, T. F., Anghelescu, I. G., Arda, R., Arias, B., Arolt, V., Aubry, J. M., Backlund, L., Bartholdi, K., Bauer, M., ... Schulze, T. G. (2019). Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar disorders</i> , 21(1), 68–75.	4.965
45	2019	Buspavanich, P., Behr, J., Stamm, T., Schlattmann, P., Bschor, T., Richter, C., ..., Adli, M., ... & Ricken, R. (2019). Treatment response of lithium augmentation in geriatric compared to non-geriatric patients with treatment-resistant depression. <i>Journal of affective disorders</i> , 251, 136-140.	3.786
46	2018	Jacobs, A., Hagin, M., Shugol, M., Shomron, N., Pillar, N., Fañanás, L., ..., Adli, M., ... & Popovic, D. (2020). The black sheep of the family-whole-exome sequencing in family of lithium response discordant bipolar monozygotic twins. <i>European Neuropsychopharmacology</i> , 34, 19-27.	3.532
47	2018	Amare, A. T., Schubert, K. O., Hou, L., Clark, S. R., Papiol, S., Heilbronner, U., ..., Adli, M., ... & Baune, B. T. (2018). Association of polygenic score for schizophrenia and HLA antigen and inflammation genes with response to lithium in bipolar affective disorder: a genome-wide association study. <i>JAMA psychiatry</i> , 75(1), 65-74.	15.307

48	2018	Schennach, R., Obermeier, M., Spellmann, I., Seemüller, F., Musil, R., Jäger, M., ..., Adli, M., ... & Riedel, M. (2019). Remission in schizophrenia—What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophrenia research</i> , 209, 185-192.	3.986
49	2018	Musil, R., Seemüller, F., Meyer, S., Spellmann, I., Adli, M., Bauer, M., ..., Adli, M., ... & Riedel, M. (2018). Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>International journal of methods in psychiatric research</i> , 27(1), e1569.	3.176
50	2017	Haffner, P., Quinlivan, E., Fiebig, J., Sondergeld, L. M., Strasser, E. S., Adli, M., ... & Stamm, T. J. (2018). Improving functional outcome in bipolar disorder: a pilot study on metacognitive training. <i>Clinical psychology &amp; psychotherapy</i> , 25(1), 50-58.	1.933
51	2017	Spellmann, I., Schennach, R., Seemüller, F., Meyer, S., Musil, R., Jäger, M., ..., Adli, M., ... & Möller, H. J. (2017). Validity of remission and recovery criteria for schizophrenia and major depression: comparison of the results of two one-year follow-up naturalistic studies. <i>European archives of psychiatry and clinical neuroscience</i> , 267(4), 303-313.	4.113
52	2016	Strasser, E. S., Haffner, P., Fiebig, J., Quinlivan, E., Adli, M., & Stamm, T. J. (2016). Behavioral measures and self-report of impulsivity in bipolar disorder: no association between Stroop test and Barratt Impulsiveness Scale. <i>International Journal of Bipolar Disorders</i> , 4(1), 1-10.	4.340
53	2016	Hasselmann, H., Bellmann-Strobl, J., Ricken, R., Oberwahrenbrock, T., Rose, M., Otte, C., ..., Adli, M., ... & Gold, S. M. (2016). Characterizing the phenotype of multiple sclerosis-associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> , 22(11), 1476-1484.	5.280
54	2016	Hou, L., Heilbronner, U., Degenhardt, F., Adli, M., Akiyama, K., Akula, N., ..., Adli, M., ... & Schulze, T. G. (2016). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>The Lancet</i> , 387(10023), 1085-1093.	39.207
55	2016	Hou, L., Bergen, S. E., Akula, N., Song, J., Hultman, C. M., Landén, M., ..., Adli, M., ... & McMahon, F. J. (2016). Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human molecular genetics</i> , 25(15), 3383-3394.	5.985
56	2016	Seemüller, F., Obermeier, M., Schennach, R., Bauer, M., Adli, M., Brieger, P., ... & Möller, H. J. (2016). Stability of remission rates in a 3-year follow-up of naturalistic treated depressed inpatients. <i>BMC psychiatry</i> , 16(1), 1-10.	2.210
57	2015	Bauer, M., Berman, S., Stamm, T., Plotkin, M., Adli, M., Pilhatsch, M., ... & Schlagenhauf, F. (2016). Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebo-controlled positron emission tomography study. <i>Molecular psychiatry</i> , 21(2), 229-236.	5.620
58	2015	Willert, A., Mohnke, S., Erk, S., Schnell, K., Romanczuk-Seiferth, N., Quinlivan, E., ..., Adli, M., ... & Walter, H. (2015). Alterations in neural Theory of Mind	4.888

		processing in euthymic patients with bipolar disorder and unaffected relatives. <i>Bipolar disorders</i> , 17(8), 880-891.	
59	2014	Stamm, T. J., Lewitzka, U., Sauer, C., Pilhatsch, M., Smolka, M. N., Koeberle, U., ... & Frye, M. A. (2013). Supraphysiologic doses of levothyroxine as adjunctive therapy in bipolar depression: a randomized, double-blind, placebo-controlled study. <i>The Journal of clinical psychiatry</i> , 74(2), 0-0.	3.761
60	2014	Rentzsch, J., Adli, M., Wiethoff, K., de Castro, A. G. C., & Gallinat, J. (2014). Pretreatment anterior cingulate activity predicts antidepressant treatment response in major depressive episodes. <i>European archives of psychiatry and clinical neuroscience</i> , 264(3), 213-223.	3.525
61	2014	Seemüller, F., Meier, S., Obermeier, M., Musil, R., Bauer, M., Adli, M., ... & Möller, H. J. (2014). Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>European archives of psychiatry and clinical neuroscience</i> , 264(7), 567-575.	3.355
62	2013	Musil, R., Zill, P., Seemüller, F., Bondy, B., Meyer, S., Spellmann, I., ..., Adli, M., ... & Riedel, M. (2013). Genetics of emergent suicidality during antidepressive treatment—data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>European Neuropsychopharmacology</i> , 23(7), 663-674.	4.736
63	2013	Rhein, C., Naumann, J., Mühle, C., Zill, P., Adli, M., Hegerl, U., ... & Kornhuber, J. (2012). The acid sphingomyelinase sequence variant p. A487V is not associated with decreased levels of enzymatic activity. In <i>JIMD Reports-Case and Research Reports</i> , 2012/5 (pp. 1-6). Springer, Berlin, Heidelberg.	4.138
64	2013	Manchia, M., Adli, M., Akula, N., Ardu, R., Aubry, J. M., Backlund, L., Banzato, C. E., Baune, B. T., Bellivier, F., Bengesser, S., Biernacka, J. M., Brichant-Petitjean, C., Bui, E., Calkin, C. V., Cheng, A. T., Chillotti, C., Cichon, S., Clark, S., Czerni, P. M., Dantas, C., ... Alda, M. (2013). Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS one</i> , 8(6), e65636. <a href="https://doi.org/10.1371/journal.pone.0065636">https://doi.org/10.1371/journal.pone.0065636</a>	3.530
65	2013	Musil, R., Zill, P., Seemüller, F., Bondy, B., Meyer, S., Spellmann, I., ..., Adli, M., ... & Riedel, M. (2013). Genetics of emergent suicidality during antidepressive treatment—data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>European Neuropsychopharmacology</i> , 23(7), 663-674.	3.355
66	2013	Berghöfer, A., Alda, M., Adli, M., Baethge, C., Bauer, M., Bschor, T., ... & Pfennig, A. (2013). Stability of lithium treatment in bipolar disorder-long-term follow-up of 346 patients. <i>International journal of bipolar disorders</i> , 1(1), 1-8.	
67	2012	Seemüller, F., Riedel, M., Obermeier, M., Schennach-Wolff, R., Spellmann, I., Meyer, S., ..., Adli, M., ... & Möller, H. J. (2012). The validity of self-rated psychotic symptoms in depressed inpatients. <i>European psychiatry</i> , 27(7), 547-552.	43.680
68	2012	Lange, C., Adli, M., Zschucke, E., Beyer, R., Ising, M., Uhr, M., & Birmaher, B. (2012). Affective set-shifting deficits in patients with major depression in remission. <i>Journal of psychiatric research</i> , 46(12), 1623-1626.	4.460
69	2012	Ricken, R., Birmaher, B., Schlattmann, P., Bschor, T., Adli, M., Mönter, N., &	3.740

		Bauer, M. (2012). Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders—effects on bone mineral density. <i>Journal of affective disorders</i> , 136(1-2), e89-e94.	
70	2012	Stoy, M., Schlagenhauf, F., Sterzer, P., BERPohl, F., Hägele, C., Suchotzki, K., ..., Adli, M., ... & Ströhle, A. (2012). Hyporeactivity of ventral striatum towards incentive stimuli in unmedicated depressed patients normalizes after treatment with escitalopram. <i>Journal of psychopharmacology</i> , 26(5), 677-688.	3.396
71	2010	Henkel, V., Seemüller, F., Obermeier, M., Adli, M., Bauer, M., Kronmüller, K., ... & Möller, H. J. (2011). Relationship between baseline severity of depression and antidepressant treatment outcome. <i>Pharmacopsychiatry</i> , 44(01), 27-32.	2.317
72	2011	Riedel, M., Möller, H. J., Obermeier, M., Adli, M., Bauer, M., Kronmüller, K., ... & Seemüller, F. (2011). Clinical predictors of response and remission in inpatients with depressive syndromes. <i>Journal of Affective Disorders</i> , 133(1-2), 137-149.	3.383
73	2010	BERPohl, F., Kahnt, T., Dalanay, U., Hägele, C., Sajonz, B., Wegner, T., ..., Adli, M., ... & Heinz, A. (2010). Altered representation of expected value in the orbitofrontal cortex in mania. <i>Human brain mapping</i> , 31(7), 958-969.	5.395
74	2010	Seemüller, F., Möller, H. J., Obermeier, M., Adli, M., Bauer, M., Kronmüller, K., Holsboer, F., Brieger, P., Laux, G., Bender, W., Heuser, I., Zeiler, J., Gaebel, W., Schennach-Wolff, R., Henkel, V., & Riedel, M. (2010). Do efficacy and effectiveness samples differ in antidepressant treatment outcome? An analysis of eligibility criteria in randomized controlled trials. <i>The Journal of clinical psychiatry</i> , 71(11), 1425–1433.	5.218
75	2010	Riedel, M., Möller, H. J., Obermeier, M., Schennach-Wolff, R., Bauer, M., Adli, M., ... & Seemüller, F. (2010). Response and remission criteria in major depression—a validation of current practice. <i>Journal of psychiatric research</i> , 44(15), 1063-1068.	4.679
76	2010	Abou Jamra, R., Schulze, T. G., Becker, T., Brockschmidt, F. F., Green, E., Alblas, M. A., ..., Adli, M., ... & Schumacher, J. (2010). A systematic association mapping on chromosome 6q in bipolar affective disorder—evidence for the melanin-concentrating-hormone-receptor-2 gene as a risk factor for bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 153(4), 878-884.	3.932
77	2010	Seemüller, F., Riedel, M., Obermeier, M., Bauer, M., Adli, M., Kronmüller, K., ... & Möller, H. J. (2010). Outcomes of 1014 naturalistically treated inpatients with major depressive episode. <i>European Neuropsychopharmacology</i> , 20(5), 346-355.	3.661
78	2010	Bauer, M., Adli, M., Bschor, T., Pilhatsch, M., Pfennig, A., Sasse, J., ... & Lewitzka, U. (2010). Lithium's emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. <i>Neuropsychobiology</i> , 62(1), 36-42.	1.752
79	2010	Schulze, T. G., Alda, M., Adli, M., Akula, N., Arda, R., Bui, E. T., ... & McMahon, F. J. (2010). The International Consortium on Lithium Genetics (ConLiGen): an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> , 62(1), 72-78.	1.752



80	2010	Mazurek, B., Olze, H., Haupt, H., Klapp, B. F., & Adli, M. (2010). Molekularbiologische Aspekte der Neuroplastizität: Ansätze für die Therapie bei Tinnitus und Hörstörungen: Tinnitus. HNO. Hals-, Nasen-, Ohrenärzte, 58(10).	1.752
81	2010	Mazurek, B., Stöver, T., Haupt, H., Klapp, B. F., & Adli, M. (2010). Bedeutung von Stress: Seine Rolle im auditorischen System und bei der Tinnitusentstehung. HNO. Hals-, Nasen-, Ohrenärzte, 58(2), 162-172.	570
82	2009	Seemüller, F., Riedel, M., Obermeier, M., Bauer, M., Adli, M., Mundt, C., ... & Möller, H. J. (2009). The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. International journal of neuropsychopharmacology, 12(2), 181-189.	4.378
83	2009	Bermpohl, F., Dalanay, U., Kahnt, T., Sajonz, B., Heimann, H., Ricken, R., ..., Adli, M., ... & Bauer, M. (2009). A preliminary study of increased amygdala activation to positive affective stimuli in mania. Bipolar disorders, 11(1), 70-75.	3.959
84	2009	Bauer, M., Glenn, T., Grof, P., Rasgon, N., Alda, M., Marsh, W., ..., Adli, M., ... & Whybrow, P. C. (2009). Comparison of sleep/wake parameters for self-monitoring bipolar disorder. Journal of affective disorders, 116(3), 170-175.	3.271
85	2009	Henkel, V., Seemüller, F., Obermeier, M., Adli, M., Bauer, M., Mundt, C., ... & Riedel, M. (2009). Does early improvement triggered by antidepressants predict response/remission?—Analysis of data from a naturalistic study on a large sample of inpatients with major depression. Journal of affective disorders, 115(3), 439-449.	3.271
86	2009	Bermpohl, F., Walter, M., Sajonz, B., Lücke, C., Hägele, C., Sterzer, P., ..., Adli, M., ... & Northoff, G. (2009). Attentional modulation of emotional stimulus processing in patients with major depression—alterations in prefrontal cortical regions. Neuroscience letters, 463(2), 108-113.	2.200
87	2008	Berghöfer, A., Alda, M., Adli, M., Baethge, C., Bauer, M., Bschor, T., ... & Müller-Oerlinghausen, B. (2008). Long-term effectiveness of lithium in bipolar disorder: a multicenter investigation of patients with typical and atypical features. The Journal of clinical psychiatry, 69(12), 0-0.	5.053
88	2008	Seemüller, F., Riedel, M., Wickelmaier, F., Adli, M., Mundt, C., Marneros, A., ... & Henkel, V. (2008). Atypical symptoms in hospitalised patients with major depressive episode: frequency, clinical characteristics, and internal validity. Journal of affective disorders, 108(3), 271-278.	3.271
89	2008	Stamm, T. J., Adli, M., Kirchheiner, J., Smolka, M. N., Kaiser, R., Tremblay, P. B., & Bauer, M. (2008). Serotonin transporter gene and response to lithium augmentation in depression. Psychiatric genetics, 18(2), 92-97.	2.696
90	2007	Bauer, M., Blumentritt, H., Finke, R., Schlattmann, P., Adli, M., Baethge, C., ... & Berghöfer, A. (2007). Using ultrasonography to determine thyroid size and prevalence of goiter in lithium-treated patients with affective disorders. Journal of affective disorders, 104(1-3), 45-51.	3.271
91	2007	Knubben, K., Reischies, F. M., Adli, M., Schlattmann, P., Bauer, M., & Dimeo, F. (2007). A randomised, controlled study on the effects of a short-term endurance	2.126

		training programme in patients with major depression. <i>British journal of sports medicine</i> , 41(1), 29-33.	
92	2007	Grunze, H., Adli, M., Bauer, M., Berger, M., Bergmann, A., Bräunig, P., ... & Walden, J. (2007). Clinical standing of valproate treatment of bipolar disorders. <i>Fortschritte der Neurologie-psychiatrie</i> , 75(4), 220-235.	793
93	2005	Baethge, C., Baldessarini, R. J., Mathiske-Schmidt, K., Hennen, J., Berghöfer, A., Müller-Oerlinghausen, B., ..., Adli, M., ... & Bauer, M. (2005). Long-term combination therapy versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. <i>The Journal of clinical psychiatry</i> , 66(2), 0-0.	5.053
94	2005	Baethge, C., Blumentritt, H., Berghöfer, A., Bschor, T., Glenn, T., Adli, M., ... & Finke, R. (2005). Long-term lithium treatment and thyroid antibodies: a controlled study. <i>Journal of Psychiatry and Neuroscience</i> , 30(6), 423.	4.123
95	2003	Bschor, T., Baethge, C., Adli, M., Eichmann, U., Ising, M., Uhr, M., ... & Bauer, M. (2003). Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. <i>Journal of psychiatric research</i> , 37(2), 135-143.	4.679
96	2003	Bschor, T., Baethge, C., Adli, M., Lewitzka, U., Eichmann, U., & Bauer, M. (2003). Hypothalamic-pituitary-thyroid system activity during lithium augmentation therapy in patients with unipolar major depression. <i>Journal of Psychiatry and Neuroscience</i> , 28(3), 210.	4.123
97	2003	Bschor, T., Baethge, C., Adli, M., Eichmann, U., Ising, M., Uhr, M., ... & Bauer, M. (2003). Lithium augmentation increases post-dexamethasone cortisol in the dexamethasone suppression test in unipolar major depression. <i>Depression and anxiety</i> , 17(1), 43-48.	2.526
98	2002	Bauer, M., Berghöfer, A., Bschor, T., Baumgartner, A., Kiesslinger, U., Hellweg, R., ... & Müller-Oerlinghausen, B. (2002). Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> , 27(4), 620-628.	6.835
99	2002	Bschor, T., Adli, M., Baethge, C., Eichmann, U., Ising, M., Uhr, M., ... & Bauer, M. (2002). Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> , 27(3), 470-478.	6.835
100	2002	Bschor, T., Berghöfer, A., Ströhle, A., Kunz, D., Adli, M., Müller-Oerlinghausen, B., & Bauer, M. (2002). How long should the lithium augmentation strategy be maintained? A 1-year follow-up of a placebo-controlled study in unipolar refractory major depression. <i>Journal of clinical psychopharmacology</i> , 22(4), 427-430.	4.371
101	2002	Bauer, M., Forsthoff, A., Baethge, C., Adli, M., Berghöfer, A., Döpfmer, S., & Bschor, T. (2003). Lithium augmentation therapy in refractory depression—update 2002. <i>European archives of psychiatry and clinical neuroscience</i> , 253(3), 132-139.	2.852

## C Reviews

102	2018	Bauer, M., Rush, A. J., Ricken, R., Pilhatsch, M., & Adli, M. (2019). Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 52(3), 117–125.	1.765
103	2017	Ricken, R., Ulrich, S., Schlattmann, P., & Adli, M. (2017). Tranylcypromine in mind (Part II): review of clinical pharmacology and meta-analysis of controlled studies in depression. <i>European Neuropsychopharmacology</i> , 27(8), 714-731.	4.577
104	2017	Ulrich, S., Ricken, R., & Adli, M. (2017). Tranylcypromine in mind (Part I): Review of pharmacology. <i>European Neuropsychopharmacology</i> , 27(8), 697-713.	4.577
105	2017	Holzinger, F., Fahrenkrog, S., Roll, S., Kleefeld, F., Adli, M., & Heintze, C. (2017). Discharge management strategies and post-discharge care interventions for depression—Systematic review and meta-analysis. <i>Journal of affective disorders</i> , 223, 82-94.	3.845
106	2017	Gruebner, O., Rapp, M. A., Adli, M., Kluge, U., Galea, S., & Heinz, A. (2017). Cities and mental health. <i>Deutsches Ärzteblatt International</i> , 114(8), 121.	3.738
107	2016	Köhler, S., Cierpinsky, K., Kronenberg, G., & Adli, M. (2016). The serotonergic system in the neurobiology of depression: Relevance for novel antidepressants. <i>Journal of Psychopharmacology</i> , 30(1), 13-22.	3.898
108	2016	Borgmann, M., Holtkamp, M., Adli, M., & Behr, J. (2016). Depression und Epilepsie. <i>Der Nervenarzt</i> , 87(7), 724-730.	787
109	2014	Bauer, M., Adli, M., Ricken, R., Severus, E., & Pilhatsch, M. (2014). Role of lithium augmentation in the management of major depressive disorder. <i>CNS drugs</i> , 28(4), 331-342.	4.376
110	2014	Bschor, T., Bauer, M., & Adli, M. (2014). Chronic and treatment resistant depression: diagnosis and stepwise therapy. <i>Deutsches Ärzteblatt International</i> , 111(45), 766.	3.518
111	2013	Krings-Ernst, I., Ulrich, S., & Adli, M. (2013). Antidepressant treatment with MAO-inhibitors during general and regional anesthesia: a review and case report of spinal anesthesia for lower extremity surgery without discontinuation of tranylcypromine. <i>Int J Clin Pharmacol Ther</i> , 51(10), 763-70.	1.396
112	2012	Köhler, S., Bauer, M., & Adli, M. (2012). Behandlungsstrategien der therapieresistenten Depression. <i>Psychiatrie und Psychotherapie up2date</i> , 6(03), 137-150.	
113	2011	Rentzsch, J., Ricken, R., & Adli, M. (2011). Akutbehandlung der Manie. <i>Psychiatrie und Psychotherapie up2date</i> , 5(04), 209-224.	
114	2009	Riedel, M., Seemüller, F., Wickelmaier, F., Schennach-Wolff, R., Adli, M., Bauer, M., ... & Henkel, V. (2009). Häufigkeit und klinische Charakteristika von atypisch depressiven Symptomen. <i>Nervenheilkunde</i> , 28(04), 193-199.	373
115	2009	Wiethoff, K., Ricken, R., Keck, M. E., Baghai, T., Bauer, M., Möller, H. J., & Adli, M. (2009). Das Berliner Algorithmusprojekt. <i>Nervenheilkunde</i> , 28(04), 179-185.	0.0
116	2008	Bschor, T., & Adli, M. (2008). Treatment of depressive disorders. <i>Deutsches</i>	1.099

		Ärzteblatt International, 105(45), 782.	
117	2006	Adli, M., Bauer, M., & Rush, A. J. (2006). Algorithms and collaborative-care systems for depression: Are they effective and why?: A systematic review. <i>Biological psychiatry</i> , 59(11), 1029-1038.	8.672
118	2005	Wiethoff, K., Baghai, T., Heinz, A., Bauer, M., & Adli, M. (2005). Depression, Suizidalität-Algorithmusgestützte Behandlung depressiver Erkrankungen. <i>Medizinische Welt</i> , 56(7-8), 332-337.	
119	2005	Wiethoff, K., Bauer, M., Baghai, T., Heinz, A., & Adli, M. (2005). Therapiealgorithmen in der Depressionsbehandlung—Das Berliner Algorithmusprojekt. <i>Nervenheilkunde</i> , 24(05), 381-387.	0
120	2004	Möller, H. J., Adli, M., Laux, G., Müller, N., & Schmitt, J. (2004). unter Mitwirkung einer Expertengruppe „Kognitive Störungen bei Antidepressivabehandlung“. Kognitive und psychomotorische Effekte von Antidepressiva unter besonderer Berücksichtigung von SSRIs.	02.02
121	2003	Bauer, M., Forsthoff, A., Baethge, C., Adli, M., Berghöfer, A., Döpfmer, S., & Bschor, T. (2003). Lithium augmentation therapy in refractory depression—update 2002. <i>European archives of psychiatry and clinical neuroscience</i> , 253(3), 132-139.	2.852
122	2003	Bauer, M., Adli, M., Baethge, C., Berghöfer, A., Sasse, J., Heinz, A., & Bschor, T. (2003). Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. <i>The Canadian Journal of Psychiatry</i> , 48(7), 440-448.	2.828
123	2003	Bauer, M., Adli, M., Bschor, T., Heinz, A., Rasgon, N., Frye, M., ... & Whybrow, P. C. (2003). Clinical applications of levothyroxine in refractory mood disorders. <i>Clin Appl Bipolar Disord</i> , 2, 49-56.	2.531
124	2003	Adli, M., Rush, A. J., Möller, H. J., & Bauer, M. (2003). Algorithms for optimizing the treatment of depression: making the right decision at the right time. <i>Pharmacopsychiatry</i> , 36(S 3), 222-229.	2.402
125	2003	Bschor, T., Lewitzka, U., Sasse, J., Adli, M., Köberle, U., & Bauer, M. (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. <i>Pharmacopsychiatry</i> , 36(S 3), 230-234.	2.402
126	2003	Bschor, T., Lewitzka, U., Sasse, J., Adli, M., Köberle, U., & Bauer, M. (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. <i>Pharmacopsychiatry</i> , 36(S 3), 230-234.	2.402
127	1998	Adli, M., Bschor, T., Canata, B., Döpfmer, S., & Bauer, M. (1998). Lithium in der Behandlung der akuten Depression. <i>Fortschritte der Neurologie· Psychiatrie</i> , 66(10), 435-441.	7.93

## D Fallberichte

128	2006	Pilhatsch, M. K., Burghardt, R., Wandinger, K. P., Bauer, M., & Adli, M. (2006). Augmentation with atomoxetine in treatment-resistant depression with psychotic features. <i>Pharmacopsychiatry</i> , 39(02), 79-80.	2.402
-----	------	--	-------

129	1999	Adli, M., Rossius, W., & Bauer, M. (1999). Olanzapin in der Behandlung depressiver Störungen mit psychotischer Symptomatik. <i>Der Nervenarzt</i> , 70(1), 68-71.	8.14
-----	------	---	------

## E Comments & Letters

130	2017	Adli, M., Berger, M., Brakemeier, E. L., Engel, L., Fingerhut, J., Gomez-Carrillo, A., ... & Stollmann, J. (2017). Neurourbanism: Towards a new discipline. <i>The Lancet Psychiatry</i> , 4(3), 183-185.	11.588
131	2015	Berger, M., Adli, M., Beine, K. H., Bschor, T., Herpertz, S., & Lauterbach, K. (2015). Das Krankenhaus-Psych-Budget: ein Alternativkonzept. <i>Dtsch Ärztebl</i> , 112(13), A574-576.	3.608
132	2015	Adli, M., & Berger, M. (2016). Trizyklische Antidepressiva zur Initialbehandlung einer depressiven Episode? Kontra. <i>Der Nervenarzt</i> , 87(5), 561-562.	7.87
133	2015	Bschor, T., Bauer, M., & Adli, M. (2015). Comment on: Chronic and treatment resistant depression: diagnosis and stepwise therapy. <i>Deutsches Ärzteblatt international</i> , 112(24), 421-422.	3.738
134	2014	Adli, M., & Hegerl, U. (2014). Do we underestimate the benefits of antidepressants?. <i>Lancet (London, England)</i> , 383(9926), 1361-1362.	39.207
135	2014	Fakhri, H., Ricken, R., Adli, M., Fajol, A., Walter, M., Föller, M., ... & Berlin Research Network of Depression. (2014). Impact of lithium treatment on FGF-23 serum concentrations in depressive patients. <i>Journal of clinical psychopharmacology</i> , 34(6), 745.	3.761
136	2011	Adli, M., Kleinert, S., Bonk, M., Wesselingh, S., & Ganten, D. (2011). Science to policy: M8 Alliance invites policy makers to step in. <i>The Lancet</i> , 378(9801), 1447-1449.	30.758
137	1999	Grunze, H., Schlösser, S., & Walden, J. (1999). Lithium in der Behandlung der akuten Depression <i>Fortschr Neurol Psychiat</i> 1998; 66: 435-441 [M Adli, T.Bschor, B. Canata. S. Döpfmer, M. Bauer: Lithium in the treatment of acute depression. <i>Fortschr Neurol Psychiat</i> 1998;66: 43]. <i>Fortschritte der Neurologie-Psychiatrie</i> , 67(8), 384-386.	7.93

## F Editor

138	2017	Adli, M. (2017). <i>Stress and the City: Warum Städte uns krank machen. Und warum sie trotzdem gut für uns sind.</i> C. Bertelsmann.
139	2005	Bauer, M., Berghöfer, A., & Adli, M. (Eds.). (2005). <i>Akute und therapieresistente Depressionen: Pharmakotherapie-Psychotherapie-Innovationen.</i> Springer.

## G Buchkapitel

140	2018	Schramm, E., Bauer, M., Adli, M. (2018) Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), <i>Therapie psychischer</i>
-----	------	--

		Erkrankungen: State of the Art (14. Auflage). Urban & Fischer.
141	2017	Schramm, E., Bauer, M., Adli, M. (2017). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (13. Auflage, S. 183-208). Urban & Fischer.
142	2016	Schramm, E., Bauer, M., Adli, M. (2016). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (12. Auflage, S. 183-208). Urban & Fischer.
143	2015	Schramm, E., Bauer, M., Adli, M. (2015). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (11. Auflage, S. 183-208). Urban & Fischer.
144	2014	Schramm, E., Bauer, M., Adli, M. (2014). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (10. Auflage, S. 183-208). Urban & Fischer.
145	2013	Schramm, E., Bauer, M., Adli, M. (2013). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (9. Auflage, S. 183-208). Urban & Fischer.
146	2012	Schramm, E., Bauer, M., Adli, M. (2012). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (8. Auflage). Urban & Fischer.
147	2011	Schramm, E., Bauer, M., Adli, M. (2011). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (7. Auflage, S. 165-188). Urban & Fischer.
148	2008	Pfennig, A., Adli, M. (2008). Antidepressiva-Hochdosisbehandlung. In T. Bschor (Hrsg.), Behandlungsmanual therapieresistente Depression (S. 40-47). Kohlhammer.
149	2008	Wiethoff, K., Adli, M. (2008). Systematisierte Therapiealgorithmen (antidepressive Stufenpläne). In T. Bschor (Hrsg.), Behandlungsmanual therapieresistente Depression (S. 408-418). Kohlhammer.
150	2006	Bschor, T., Lewitzka, U., Adli, M. (2006). Lithium in non-psychiatric conditions. In M. Bauer, P. Grof, B. Müller-Oerlinghausen (Eds.), Lithium in Neuropsychiatry – The Comprehensive Guide (pp. 237-250). Taylor and Francis Books.
151	2005	Bauer, M., Pfennig, A., Mavrogiorgou, P., Juckel, G., Adli, M., Sasse, J., Heinz, A. (2005). Perspektiven für Quetiapin in der Behandlung der unipolaren Depression. In H. J. Möller (Hrsg.), Quetiapin. Erfahrungen und Ausblicke (S. 131-141). Schattauer.
152	2005	Fähser, N. C., Wiethoff, K., Adli, M. (2005). Therapiealgorithmen in der Langzeitpsychopharmakologie. In M. Linden, W. E. Müller, Rehabilitationspsychopharmakologie - Psychopharmakotherapie chronifizierender und chronifizierter Erkrankungen (S. 43-58). Deutscher Ärzteverlag.
153	2005	Adli, M., Wiethoff, K. (2005). Nicht-pharmakologische Behandlungsstrategien der Depression. In M. Bauer (Hrsg.), Neurobiologie und Therapie bipolarer Erkrankungen (S. 103-121). Reihe „Uni-Med Science“. Uni-Med.
154	2004	Adli, M., Wiethoff, K. (2004). Nicht-pharmakologische Behandlungsstrategien der Depression. In M. Bauer M (Hrsg.), Neurobiologie und Therapie depressiver

		Erkrankungen (S. 96-112). Reihe „Uni-Med Science“. Uni-Med.
155	2005	Berghöfer, A., Adli, M., Bauer, M. (2005). Antidepressiva-Übersicht für die klinische Praxis. In M. Bauer, A. Berghöfer, M. Adli (Hrsg.), Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen (S. 587-600). Springer.
156	2005	Adli, M., Wiethoff, K., Baghai, T., Bauer, M. (2005). Algorithmusgestützte Behandlung stationärer Patienten mit depressiven Erkrankungen: das Berliner Algorithmusprojekt. In M. Bauer, A. Berghöfer, M. Adli (Hrsg.), Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen (S. 477-487). Springer.
157	2004	Adli, M., Bauer, M. (2004). Elektrokonvulsionstherapie bei therapieresistenten Depressionen. In T. Baghai, R. Frey, S. Kasper, H.-J. Möller (Hrsg.), Elektrokonvulsionstherapie - klinische und wissenschaftliche Aspekte (S. 366-393). Springer.
158	2003	Berghöfer, A., Adli, M., Baethge, C., Bauer, M., Bschor, T., Müller-Oerlinghausen, B., Schäfer, M., Willich, S. N. (2003). Phasenprophylaxe bipolarer Störungen. In Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), A. Erfurth (Red.), Weißbuch Bipolare Störungen in Deutschland (S. 131-200), BoD GmbH.
159	2002	Berghöfer, A., Adli, M., Baethge, C., Bauer, M., Bschor, T., Müller-Oerlinghausen, B., Schäfer, M., Willich, S. N. (2002). Phasenprophylaxe bipolarer Störungen. In Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), A. Erfurth (Red.), Kurzfassung Weißbuch Bipolare Störungen in Deutschland (S. 67-74). Conference Point.
160	2001	Adli, M., Kießlinger, U., Smolka, M., Neu, P., Linden, M., Bauer, M. (2001). Does algorithm-guided stepwise treatment in depression have an influence on treatment execution? In E. Fromn (Ed.), Jahrbuch 2001 des Fachbereichs Humanmedizin der Freien Universität Berlin (S. 466).
161	2000	Adli, M., Kießlinger, U., Neu, P., Smolka, M., Linden, M., Bauer, M. (2000). Efficacy of an algorithm-guided treatment regimen in depression compared to standard treatment as usual: The Berlin Algorithm Project. In E. Fromm (Ed.), Jahrbuch 2000 des Fachbereichs Humanmedizin der Freien Universität Berlin (S. 439).
162	1999	Kießlinger, U., Adli, M., Neu, P., Smolka, M., Linden, M., Bauer, M. (1999). Beschreibung medikamentöser Depressionsbehandlung. In Jahrbuch 1999, Fachbereich Humanmedizin, Universitätsklinikum Benjamin Franklin der Freien Universität Berlin (S. 494).

### H Weitere Publikationen (nicht peer-reviewed)

163	2016	Adli, M., Berger, M., Brakemeier, E. L., Engel, L., Fingerhut, J., Hehl, R., ... & Stollmann, J. (2016). Neurourbanistik–ein methodischer Schlußschluss zwischen Stadtplanung und Neurowissenschaften. Die Psychiatrie, 13(02), 70-78.
164	2012	Kiermeir, J., Gassner, L. M., Siebörger, A., Wiethoff, K., Ricken, R., Stamm, T., ... & Adli, M. (2012). Euthymic Therapy to Reduce Residual Symptoms of Depression and Strengthen Self-Care A Randomised Controlled Trial. German Journal of Psychiatry, 15(1), 15-22.
165	2010	Lange, C., & Adli, M. (2010). Schwelbrand der Seele. MMW-Fortschritte der Medizin, 152(3), 34-35.

166	2009	Heimann, H., Dietz, F., Lange, C., Adli, M. (2009). Behandlung von depressiven Episoden – Relevanz der Vollremission. <i>Neuro aktuell</i> , 2, 31-33.
167	2006	Bauer, M., Pfennig, A., Wiethoff, K., Sasse, J., Ricken, R., Pilhatsch, M., & Adli, M. (2006). Warum ist die Remission ein wichtiges Ziel in der Depressionsbehandlung?. <i>psychoneuro</i> , 32(02), 67-71.
168	2005	Bauer, M., Köberle, U., Sasse, J., Gutzmann, C., Neuhaus, K., Adli, M., Pfennig, A., Heinz, A. (2005). Rezidivprophylaxe Bipolarer Erkrankungen - auf was es ankommt. <i>Schweizer Zeitschrift für Psychiatrie &amp; Neurologie</i> , 1, 37-44.
169	2005	Adli, M. (2005). Bipolarer Alkoholiker: mit Valproinsäure zwei Fliegen mit einer Klappe schlagen? <i>Info Neurologie Psychiatrie</i> , 7 [suppl1], 12-13.
170	2005	Bauer, M., Stamm, T., Sasse, J., Adli, M. (2005). Duloxetine – a novel dual acting antidepressant [Duloxetin - ein neues Antidepressivum mit dualem Wirkmechanismus]. <i>Die Psychiatrie</i> , 2, 244-251.
171	2004	Pfennig, A., Adli, M., Bauer, M. (2004). Atypische Neuroleptika bei wahnhafter Depression. <i>Info Neurologie Psychiatrie</i> , 6 [suppl1], 36–37.
172	2004	Adli, M. (2004). Die „maskierte“ bipolare Störung: Fehldiagnose unipolare Depression vermeiden. <i>Der Neurologe &amp; Psychiater</i> , 3, 38-42.
173	2003	Sasse, J., Köberle, U., Bschor, T., Adli, M., Trendelenburg, M., & Bauer, M. (2003). Bipolare Depression: L-Thyroxin-Augmentation als Möglichkeit einer medikamentösen Behandlung. <i>psychoneuro</i> , 29(09), 400-402.
174	2003	Adli, M., Bauer, M. (2003). Wahnhafte Depression – eine vernachlässigte Sonderform. (Neuroleptika bei wahnhafter Depression). <i>Info Neurologie Psychiatrie</i> , 2, 44-50.