

Publikationsliste Prof. Dr. med. Mazda Adli (1. September 2024)

Impact Factor (JIF): 4,762
 RCR: 1,612
 Citations: 6,976
 h-index: 46

Inhaltsverzeichnis

A Originalarbeiten (Erst- und Letztautorenschaften)..... 1
 B Co-Autorenschaft 11
 C Reviews33
 D Fallberichte.....40
 E Comments & Letters40
 F Editor42
 G Buchkapitel42
 H Weitere Publikationen (nicht peer-reviewed)47

A Originalarbeiten (Erst- und Letztautorenschaften)

1	2023	Ulrich, S., Buspavanich, P., Schlattmann, P., Buchbauer, H., Hindinger, C., Behr, J., Ricken, R., Adli, M.(2023). Enantiomer Plasma Concentrations of Tranylcypromine as a Test for Peripheral Monoamine Oxidase Inhibition. Ther Drug Monit. 2023;45(5):708-10.	2.075
2	2023	Dimitrov-Discher, A., Gu, L., Pandit, L., Veer, I.M., Walter, H., Adli, M., Knöll, M. (2023). Stress and streets: How the network structure of streets is associated with stress-related brain activation. J. Environ. Psychol. 2023;91.	6.159

3	2022	Dimitrov-Discher, A., Wenzel, J., Kabisch, N., Hemmerling, J., Bunz, M., Schöndorf, J., Walter, H., Veer, I. M., & Adli, M. (2022). Residential green space and air pollution are associated with brain activation in a socialstress paradigm. <i>Scientific Reports</i> , 12(1), 10614.	4.997
4	2021	Tonne, C., Adair, L., Adlakha, D., Anguelovski, I., Belesova, K., Berger, M., Brelsford, C., Dadvand, P., Dimitrova, A., Giles-Corti, B., Heinz, A., Mehran, N., Nieuwenhuijsen, M., Pelletier, F., Ranzani, O., Rodenstein, M., Rybski, D., Samavati, S., Satterthwaite, D., Schöndorf, J., ... Adli, M. (2021). Defining pathways to healthy sustainable urban development. <i>Environment international</i> , 146, 106236.	11.800
5	2020	Adli, M., & Schöndorf, J. (2020). Macht uns die Stadt krank? Wirkung von Stadtstress auf Emotionen, Verhalten und psychische Gesundheit [Does the city make us ill? The effect of urban stress on emotions, behavior, and mental health]. <i>Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz</i> , 63(8), 979–986.	1.595
6	2020	Nowak, J., Dimitrov, A., Oei, N., Walter, H., Adli, M., & Veer, I. M. (2020). Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> , 114, 104585.	3.700

7	2020	Ulrich, S., Ricken, R., Buspavanich, P., Schlattmann, P., & Adli, M. (2020). Efficacy and Adverse Effects of Tranylcypramine and Tricyclic Antidepressants in the Treatment of Depression: A Systematic Review and Comprehensive Meta-analysis. <i>Journal of clinical psychopharmacology</i> , 40(1), 63–74.	3.118
8	2019	Bopp, S. K., Heilbronner, U., Schlattmann, P., Mühleisen, T. W., Bschor, T., Richter, C., ... & Ricken, R. (2019). Leptin gene polymorphisms are associated with weight gain during lithium augmentation in patients with major depression. <i>European Neuropsychopharmacology</i> , 29(2), 211-221.	5.415
9	2019	Buspavanich P, Behr J, Stamm T, Schlattmann P, Bschor T, Richter C, Hellweg R, Heinz A, Berger M, Hindinger C, Rentzsch J, de Millas W, Jockers-Scherübl MC, Bräunig P, Adli M, Ricken R. Treatment response of lithium augmentation in geriatric compared to non-geriatric patients with treatment-resistant depression. <i>J Affect Disord</i> . 2019 May 15;251:136-140. doi: 10.1016/j.jad.2019.03.057. Epub 2019 Mar 20. PMID: 30921597.	6.533
10	2018	Dimitrov, A., Veer, I. M., Kleeblatt, J., Seyfarth, F., Roenneberg, T., Ising, M., ... & Adli, M. (2020). Chronotype is associated with psychological well-being depending on the composition of the study sample. <i>Journal of health psychology</i> , 25(9), 1236-1247.	3.789

11	2018	Ricken, R., Busche, M., Schlattmann, P., Himmerich, H., Bopp, S., Bschor, T., ... & Adli, M. (2018). Cytokine serum levels remain unchanged during lithium augmentation of antidepressants in major depression. <i>Journal of psychiatric research</i> , 96, 203-208.	5.250
12	2018	Ricken, R., Wiethoff, K., Reinhold, T., Stamm, T. J., Baghai, T. C., Fisher, R., ... & Adli, M. (2018). A standardized stepwise drug treatment algorithm for depression reduces direct treatment costs in depressed inpatients. Results from the German Algorithm Project (GAP3). <i>Journal of affective disorders</i> , 228, 173-177.	6.533
13	2017	Adli, M., Wiethoff, K., Baghai, T. C., Fisher, R., Seemüller, F., Laakmann, G., ... & Bauer, M. (2017). How effective is algorithm-guided treatment for depressed inpatients? Results from the randomized controlled multicenter German algorithm project 3 trial. <i>International Journal of Neuropsychopharmacology</i> , 20(9), 721-730.	5.678
14	2017	Ricken, R., Bopp, S., Schlattmann, P., Himmerich, H., Bschor, T., Richter, C., ... & Adli, M. (2017). Ghrelin serum concentrations are associated with treatment response during lithium augmentation of antidepressants. <i>International Journal of Neuropsychopharmacology</i> , 20(9), 692-697.	5.678

15	2016	Ricken, R., Bopp, S., Schlattmann, P., Himmerich, H., Bschor, T., Richter, C., ... & Adli, M. (2016). Leptin serum concentrations are associated with weight gain during lithium augmentation. <i>Psychoneuroendocrinology</i> , 71, 31-35.	3.700
16	2016	Stamm, T. J., Rampp, C., Wiethoff, K., Stingl, J., Mössner, R., O' Malley, G., ... & Adli, M. (2016). The FKBP5 polymorphism rs1360780 influences the effect of an algorithm-based antidepressant treatment and is associated with remission in patients with major depression. <i>Journal of Psychopharmacology</i> , 30(1), 40-47.	4.562
17	2015	Adli, M., & Berger, M. (2016). Trizyklische Antidepressiva zur Initialbehandlung einer depressiven Episode? Kontra [Tricyclic antidepressants for initial treatment of depressive episodes? Con]. <i>Der Nervenarzt</i> , 87(5), 561–562.	1.297
18	2015	Köhler, S., Wiethoff, K., Ricken, R., Stamm, T., Baghai, T. C., Fisher, R., Seemüller, F., Brieger, P., Cordes, J., Malevani, J., Laux, G., Hauth, I., Möller, H. J., Zeiler, J., Heinz, A., Bauer, M., & Adli, M. (2015). Characteristics and differences in treatment outcome of inpatients with chronic vs. episodic major depressive disorders. <i>Journal of affective disorders</i> , 173, 126–133.	6.533

19	2014	Fakhri, H., Ricken, R., Adli, M., Fajol, A., Walter, M., Föller, M., ... & Berlin Research Network of Depression. (2014). Impact of lithium treatment on FGF-23 serum concentrations in depressive patients. <i>Journal of clinical psychopharmacology</i> , 34(6), 745.	3.118
20	2014	Stamm, T. J., Becker, D., Sondergeld, L. M., Wiethoff, K., Hiemke, C., O'Malley, G., ... & Adli, M. (2014). Prediction of antidepressant response to venlafaxine by a combination of early response assessment and therapeutic drug monitoring. <i>Pharmacopsychiatry</i> , 47(04/05), 174-179.	2.544
21	2013	Lange, C., Zschucke, E., Ising, M., Uhr, M., BERPohl, F., & Adli, M. (2013). Evidence for a normal HPA axis response to psychosocial stress in patients remitted from depression. <i>Psychoneuroendocrinology</i> , 38(11), 2729-2736.	3.700
22	2013	Ricken, R., Adli, M., Lange, C., Krusche, E., Stamm, T. J., Gaus, S., ... & Lang, U. E. (2013). Brain-derived neurotrophic factor serum concentrations in acute depressive patients increase during lithium augmentation of antidepressants. <i>Journal of clinical psychopharmacology</i> , 33(6), 806-809.	3.118

23	2013	Stamm, T. J., Stingl, J., Wiethoff, K., Ricken, R., Heinz, A., Bauer, M., ... & Adli, M. (2013). Depression with psychotic features is influenced by the polymorphism of the serotonin transporter gene. <i>Journal of affective disorders</i> , 151(2), 605-610.	6.533
24	2011	Ricken, R., Wiethoff, K., Reinhold, T., Schietsch, K., Stamm, T., Kiermeir, J., ... & Adli, M. (2011). Algorithm-guided treatment of depression reduces treatment costs—results from the randomized controlled German Algorithm Project (GAPII). <i>Journal of affective disorders</i> , 134(1-3), 249-256.	6.533
25	2011	Sterzer, P., Hilgenfeldt, T., Freudenberg, P., Bempohl, F., & Adli, M. (2011). Access of emotional information to visual awareness in patients with major depressive disorder. <i>Psychological medicine</i> , 41(8), 1615–1624.	10.592
26	2010	Wiethoff, K., Bauer, M., Baghai, T. C., Möller, H. J., Fisher, R., Hollinde, D., ... & Cordes, J. (2010). Prevalence and treatment outcome in anxious versus nonanxious depression: results from the German Algorithm Project. <i>The Journal of clinical psychiatry</i> , 71(8), 0-0.	5.300

27	2009	Adli, M., Bschor, T., Bauer, M., Lucka, C., Lewitzka, U., Ising, M., ... & Baethge, C. (2009). Long-term outcome after lithium augmentation in unipolar depression: focus on HPA system activity. <i>Neuropsychobiology</i> , 60(1), 23-30.	3.210
28	2009	Adli, M., Kleinert, S., Lafont, A., Kahn, A., & Ganten, D. (2009). Shaping future health: Berlin Evolution of Medicine Summit. <i>Lancet</i> (London, England), 373(9663), 519-520.	202.731
29	2009	Bauer, M., Pfennig, A., Linden, M., Smolka, M. N., Neu, P., & Adli, M. (2009). Efficacy of an algorithm-guided treatment compared with treatment as usual: a randomized, controlled study of inpatients with depression. <i>Journal of clinical psychopharmacology</i> , 29(4), 327-333.	3.118
30	2008	Adli, M., Pilhatsch, M., Bauer, M., Köberle, U., Ricken, R., Janssen, G., ... & Bschor, T. (2008). Safety of high-intensity treatment with the irreversible monoamine oxidase inhibitor tranylcypromine in patients with treatmentresistant depression. <i>Pharmacopsychiatry</i> , 41(06), 252-257.	2.544

31	2008	Adli, M., Wiethoff, K., Baethge, C., Pfennig, A., Stamm, T., & Bauer, M. (2008). Olanzapine in the treatment of depression with psychotic features: A prospective open-label study. <i>International journal of psychiatry in clinical practice</i> , 12(3), 202-209.	2.750
32	2008	Bauer, M., Glenn, T., Whybrow, P. C., Grof, P., Rasgon, N., Alda, M., Marsh, W., Sagduyu, K., Schmid, R., & Adli, M. (2008). Changes in selfreported sleep duration predict mood changes in bipolar disorder. <i>Psychological medicine</i> , 38(7), 1069–1071.	10.592
33	2008	Mahlberg, R., Adli, M., Bschor, T., & Kienast, T. (2008). Age effects on trail making test during acute depressive and manic episode. <i>International Journal of Neuroscience</i> , 118(9), 1347-1356.	2.590
34	2008	Mahlberg, R., Kienast, T., Bschor, T., & Adli, M. (2008). Evaluation of time memory in acutely depressed patients, manic patients, and healthy controls using a time reproduction task. <i>European Psychiatry</i> , 23(6), 430-433.	7.156

35	2007	Adli, M., Hollinde, D. L., Stamm, T., Wiethoff, K., Tsahuridu, M., Kirchheiner, J., ... & Bauer, M. (2007). Response to lithium augmentation in depression is associated with the glycogen synthase kinase 3-beta- 50T/C single nucleotide polymorphism. <i>Biological psychiatry</i> , 62(11), 1295-1302.	12.81
36	2005	Adli, M., Baethge, C., Heinz, A., Langlitz, N., & Bauer, M. (2005). Is dose escalation of antidepressants a rational strategy after a medium-dose treatment has failed?. <i>European archives of psychiatry and clinical neuroscience</i> , 255(6), 387-400.	5.760
37	2005	Adli, M., Whybrow, P. C., Grof, P., Rasgon, N., Gyulai, L., Baethge, C., ... & Bauer, M. (2005). Use of polypharmacy and self-reported mood in outpatients with bipolar disorder. <i>International journal of psychiatry in clinical practice</i> , 9(4), 251-256.	2.750
38	2002	Adli, M., Berghofer, A., Linden, M., Helmchen, H., Muller-Oerlinghausen, B., Mackert, A., & Bauer, M. (2002). Effectiveness and feasibility of a standardized stepwise drug treatment regimen algorithm for inpatients with depressive disorders: results of a 2-year observational algorithm study. <i>The Journal of Clinical Psychiatry</i> , 63(9), 0-0.	5.300

B Co-Autorenschaft

1	2024	Ou, A.H., Rosenthal, S.B., Adli, M., Akiyama, K., Akula, N., Alda, M., Amare, A.T., Arda, R., Arias, B., Aubry, J.M., Backlund, L., Bauer, M., Baune, B.T., Bellivier, F., Benabarre, A., Bengesser, S., Bhattacharjee, A.K., Biernacka, J.M., Cervantes. (2024). Lithium response in bipolar disorder is associated with focal adhesion and PI3K-Akt networks: a multi-omics replication study. <i>Transl Psychiatry</i> . 2024;14(1):109.	7.989
2	2024	Herrera-Rivero, M., Adli, M., Akiyama, K., Akula, N., Amare, A.T., Arda, R., Arias, B., Aubry, J.M., Backlund, L., Bellivier, F., Benabarre, A., Bengesser, S., Bhattacharjee, A.K., Biernacka, J.M., Birner, A., Cearns, M., Cervantes, P., Chen, H.C. (2024). Exploring the genetics of lithium response in bipolar disorders. <i>Int J Bipolar Disord</i> . 2024;12(1):20.	4.837
3	2024	Schowe, A.M., Godara, M., Czamara, D., Adli, M., Singer, T., Binder, E.B.(2024). Genetic predisposition for negative affect predicts mental health burden during the COVID-19 pandemic. <i>Eur Arch Psy Clin N</i> . 2024;N/A.	5.300
4	2023	Nöhles, V.B., Bempohl, F., Falkai, P., Reif-Leonhard, C., Jessen, F., Adli, M., Otte, C., Meyer-Lindenberg, A., Bauer, M., Rubarth, K., Angheliescu, I.G., Rujescu, D., Correll, C.U.(2023). Patient characteristics, validity of clinical diagnoses and Outcomes Associated with Suicidality in Inpatients with Symptoms of Depression (OASIS-D): design, procedures and outcomes. <i>BMC Psychiatry</i> . 2023;23(1):744.	3.400

5	2023	Herrera-Rivero, M., Adli, M., Akiyama, K., Akula, N., Amare, A.T., Arda, R., Arias, B., Aubry, J.M., Backlund, L., Bellivier, F., Benabarre, A., Bengesser, S., Bhattacharjee, A.K., Biernacka, J.M., Birner, A., Cearns, M., Cervantes, P., Chen, H.C.(2023). Exploring the genetics of lithium response in bipolar disorders. Res Sq. 2023;12.	
6	2023	Herrera-Rivero, M., Gutiérrez-Fragoso, K., Thalamuthu, A., Amare, A.T., Adli, M., Akiyama, K., Akula, N., Arda, R., Arias, B., Aubry, J.M., Backlund, L., Bellivier, F., Benabarre, A., Bengesser, S., Abesh, B., Biernacka, J., Birner, A., Cearns, M. (2023). Immunogenetics of lithium response and psychiatric phenotypes in patients with bipolar disorder. Res Sq. 2023.	
7	2023	Kelsoe, J., Ou, A., Rosenthal, S., Adli, M., Akiyama, K., Akula, N., Alda, M., Amare, A.T., Arda, R., Arias, B., Aubry, J.M., Backlund, L., Banzato, C., Bauer, M., Baune, B., Bellivier, F., Benabarre, A., Bengesser, S., Abesh, B., Biernacka, J.(2023). Lithium Response in Bipolar Disorder is Associated with Focal Adhesion and PI3K-Akt Networks: A Multi-omics Replication Study. Res Sq. 2023;14.	
8	2023	Seemüller, F., Schennach, R., Musil, R., Obermeier, M., Adli, M., Bauer, M., Brieger, P., Laux, G., Gaebel, W., Falkai, P., Riedel, M., Möller, H.J.(2023). A factor analytic comparison of three commonly used depression scales (HAMD, MADRS, BDI) in a large sample of depressed inpatients. BMC Psychiatry. 2023;23(1):548.	3.400

9	2023	Amare AT, Thalamuthu A, Schubert KO, Fullerton JM, Ahmed M, Hartmann S, Papiol S, Heilbronner U, Degenhardt F, Tekola-Ayele F, Hou L, Hsu YH, Shekhtman T, Adli M, ... Baune BT. Association of polygenic score and the involvement of cholinergic and glutamatergic pathways with lithium treatment response in patients with bipolar disorder. <i>Mol Psychiatry</i> . 2023 Jul 11. doi: 10.1038/s41380-023-02149-1. Epub ahead of print. PMID: 37433967.	11.000
10	2023	Osterland SL, Adli M, Saritas T, Schlattmann P, Behr J, Müller-Mertel R, Hoffmann K, Stamm TJ, Bschor T, Richter C, Steinacher B, Jockers-Scherübl MC, Köhler S, Heinz A, Ricken R, Buspavanich P. Acute effects of lithium augmentation on the kidney in geriatric compared with non-geriatric patients with treatment-resistant depression. <i>Acta Psychiatr Scand</i> . 2023 Mar;147(3):267-275. doi: 10.1111/acps.13531. Epub 2023 Jan 10. PMID: 36585782.	7.734
11	2022	Bschor T, Adli M, Alda M, Baethge C, Etain B, Glenn T, Grof P, Hajek T, Hayes J, Manchia M, Müller-Oerlinghausen B, Nielsen RE, Ritter P, Rybakowski JK, Sani G, Selo ML, Young AH, Tondo L; International Group for The Study of Lithium Treated Patients (IGSLI). Letter of response to Nabi Z, Stansfeld J, Plöderl M, Wood L, Moncrieff J. Effects of lithium on suicide and suicidal behaviour: a systematic review and meta-analysis of randomised trials. <i>Epidemiol Psychiatr Sci</i> . 2022 Sep 16;31:e65. doi: 10.1017/S204579602200049X. <i>Epidemiol Psychiatr Sci</i> . 2022 Nov 28;31:e84. doi: 10.1017/S2045796022000671. PMID: 36440546; PMCID: PMC9714210.	8.100
12	2022	Cearns, M., Amare, A., Schubert, K., Thalamuthu, A., Frank, J., Streit, F., . . . Baune, B. (2022). Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: Machine learning approach. <i>The British Journal of Psychiatry</i> , 1-10. doi:10.1192/bjp.2022.28	10.671

13	2022	Silveira, S. J., Hecht, M., Matthäus, H., Adli, M., Voelkle, M. C., & Singer, T. (2022). Coping with the COVID-19 Pandemic: Perceived Changes in Psychological Vulnerability, Resilience and Social Cohesion before, during and after Lockdown. <i>International Journal of Environmental Research and Public Health</i> , 19(6).	4.614
14	2022	Silveira, S. J., Hecht, M., Adli, M., Voelkle, M., & Singer, T. (2022). Exploring the Structure and Interrelations of Time-Stable Psychological Resilience, Psychological Vulnerability, and Social Cohesion. <i>Frontiers in Psychiatry</i> , 13.	5.435
15	2022	Berger M, Kermer J, Behr J, Schulz-Menger J, Bilal S, Osterland SL, O'Malley G, Bschor T, Schlattmann P, Stamm T, Steinacher B, de Millas W, Richter C, Heinz A, Adli M, Buspavanich P, Ricken R. Electrocardiographic Changes During Initiation of Lithium Augmentation of Antidepressant Pharmacotherapy. <i>J Clin Psychopharmacol</i> . 2022 Jan-Feb 01;42(1):87-91. doi: 10.1097/JCP.0000000000001496. PMID: 34854829.	3.118
16	2022	Seemüller F, Kolter M, Musil R, Schennach R, Adli M, Bauer M, Brieger P, Laux G, Riedel M, Falkai P, Möller HJ, Padberg F. Chronic vs non-chronic depression in psychiatric inpatient care - Data from a large naturalistic multicenter trial. <i>J Affect Disord</i> . 2022 Feb 15;299:73-84. doi: 10.1016/j.jad.2021.11.042. Epub 2021 Nov 17. PMID: 34800575.	6.533

17	2022	Cearns, M., Amare, A. T., Schubert, K. O., Thalamuthu, A., Frank, J., Streit, F., Adli, M., Akula, N., Akiyama, K., Arda, R., Arias, B., Aubry, J. M., Backlund, L., Bhattacharjee, A. K., Bellivier, F., Benabarre, A., Bengesser, S., Biernacka, J. M., Birner, A., Brichant-Petitjean, C., ... Baune, B. T. (2022). Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>The British journal of psychiatry : the journal of mental science</i> , 1–10. Advance online publication.	9.319
18	2021	Berger, M., Kermer, J., Behr, J., Schulz Menger, J., Bilal, S., Osterland, S. L., O'Malley, G., Bschor, T., Schlattmann, P., Stamm, T., Steinacher, B., de Millas, W., Richter, C., Heinz, A., Adli, M., Buspavanich, P., & Ricken, R. (2021). Electrocardiographic Changes During Initiation of Lithium Augmentation of Antidepressant Pharmacotherapy. <i>Journal of clinical psychopharmacology</i> , 10.1097/JCP.0000000000001496. Advance online publication.	3.118
19	2021	Amare, A. T., Schubert, K. O., Hou, L., Clark, S. R., Papiol, S., Cearns, M., Heilbronner, U., Degenhardt, F., Tekola-Ayele, F., Hsu, Y. H., Shekhtman, T., Adli, M., Akula, N., Akiyama, K., Arda, R., Arias, B., Aubry, J. M., Backlund, L., Bhattacharjee, A. K., Bellivier, F., ... Baune, B. T. (2021). Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular psychiatry</i> , 26(6), 2457–2470.	11.000
20	2021	Bopp, S. K., Heilbronner, U., Schlattmann, P., Buspavanich, P. J., Lang, U. E., Heinz, A., Schulze, T. G., Adli, M., Mühleisen, T. W., & Ricken, R. (2021). A GWAS top hit for circulating leptin is associated with weight gain but not with leptin protein levels in lithium-augmented patients with major depression. <i>European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology</i> , 53, 114–119.	5.600

21	2021	Buspavanich, P., Adli, M., Himmerich, H., Berger, M., Busche, M., Schlattmann, P., ... & Ricken, R. (2021). Faster speed of onset of the depressive episode is associated with lower cytokine serum levels (IL-2,-4,-6,-10, TNF- α and IFN- γ) in patients with major depression. <i>Journal of psychiatric research</i> , 141, 287-292.	5.250
22	2021	Coombes BJ, Millischer V, Batzler A, Larrabee B, Hou L, Papiol S, Heilbronner U, Adli M, Akiyama K, Akula N, Amare AT, ... , Biernacka JM. Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> . 2021 Dec;7(3-4):80-89. doi: 10.1159/000519707. Epub 2021 Nov 18. PMID: 36408127; PMCID: PMC8740189.	2.3
23	2021	Dimitrov, A., Nowak, J., Ligdorf, A., Oei, N. Y., Adli, M., Walter, H., & Veer, I. M. (2021). Natural sleep loss is associated with lower mPFC activity during negative distracter processing. <i>Cognitive, Affective, & Behavioral Neuroscience</i> , 21(1), 242-253.	3.526
24	2021	Le Clerc, S., Lombardi, L., Baune, B. T., Amare, A. T., Schubert, K. O., Hou, L., Clark, S. R., Papiol, S., Cearns, M., Heilbronner, U., Degenhardt, F., Tekola-Ayele, F., Hsu, Y. H., Shekhtman, T., Adli, M., Akula, N., Akiyama, K., Ardu, R., Arias, B., Aubry, J. M., ... Tamouza, R. (2021). HLA-DRB1 and HLADQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific reports</i> , 11(1), 17823.	4.997

25	2021	Seemüller, F., Kolter, M., Musil, R., Schennach, R., Adli, M., Bauer, M., Brieger, P., Laux, G., Riedel, M., Falkai, P., Möller, H. J., & Padberg, F. (2021). Chronic vs non-chronic depression in psychiatric inpatient care - Data from a large naturalistic multicenter trial. <i>Journal of affective disorders</i> , S0165- 0327(21)01261-1. Advance online publication.	6.533
26	2020	Bauer, M., Rush, A. J., Ricken, R., Pilhatsch, M., & Adli, M. (2019). Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 52(3), 117–125.	2.544
27	2020	Nowak, J., Dimitrov, A., Oei, N., Walter, H., Adli, M., & Veer, I. M. (2020). Association of naturally occurring sleep loss with reduced amygdala resting-state functional connectivity following psychosocial stress. <i>Psychoneuroendocrinology</i> , 114, 104585.	3.700
28	2019	Schennach, R., Obermeier, M., Spellmann, I., Seemüller, F., Musil, R., Jäger, M., Schmauss, M., Laux, G., Pfeiffer, H., Naber, D., Schmidt, L. G., Gaebel, W., Klosterkötter, J., Heuser, I., Bauer, M., Adli, M., Zeiler, J., Bender, W., Kronmüller, K. T., Ising, M., ... Riedel, M. (2019). Remission in schizophrenia - What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophrenia research</i> , 209, 185– 192.	4.500

29	2019	Kalman, J. L., Papiol, S., Forstner, A. J., Heilbronner, U., Degenhardt, F., Strohmaier, J., Adli, M., Adorjan, K., Akula, N., Alda, M., Anderson-Schmidt, H., Andlauer, T. F., Anghelescu, I. G., Ardu, R., Arias, B., Arolt, V., Aubry, J. M., Backlund, L., Bartholdi, K., Bauer, M., ... Schulze, T. G. (2019). Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar disorders</i> , 21(1), 68–75.	5.345
30	2019	Buspavanich, P., Behr, J., Stamm, T., Schlattmann, P., Bschor, T., Richter, C., ..., Adli, M., ... & Ricken, R. (2019). Treatment response of lithium augmentation in geriatric compared to non-geriatric patients with treatment-resistant depression. <i>Journal of affective disorders</i> , 251, 136-140.	6.533
31	2018	Jacobs, A., Hagin, M., Shugol, M., Shomron, N., Pillar, N., Fañanás, L., ..., Adli, M., ... & Popovic, D. (2020). The black sheep of the family-whole-exome sequencing in family of lithium response discordant bipolar monozygotic twins. <i>European Neuropsychopharmacology</i> , 34, 19-27.	5.415
32	2018	Amare, A. T., Schubert, K. O., Hou, L., Clark, S. R., Papiol, S., Heilbronner, U., ..., Adli, M., ... & Baune, B. T. (2018). Association of polygenic score for schizophrenia and HLA antigen and inflammation genes with response to lithium in bipolar affective disorder: a genome-wide association study. <i>JAMA psychiatry</i> , 75(1), 65-74.	25.936

33	2018	Schennach, R., Obermeier, M., Spellmann, I., Seemüller, F., Musil, R., Jäger, M., ..., Adli, M., ... & Riedel, M. (2019). Remission in schizophrenia—What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. <i>Schizophrenia research</i> , 209, 185-192.	4.500
34	2018	Musil, R., Seemüller, F., Meyer, S., Spellmann, I., Adli, M., Bauer, M., ..., Adli, M., ... & Riedel, M. (2018). Subtypes of depression and their overlap in a naturalistic inpatient sample of major depressive disorder. <i>International journal of methods in psychiatric research</i> , 27(1), e1569.	4.182
35	2017	Haffner, P., Quinlivan, E., Fiebig, J., Sondergeld, L. M., Strasser, E. S., Adli, M., ... & Stamm, T. J. (2018). Improving functional outcome in bipolar disorder: a pilot study on metacognitive training. <i>Clinical psychology & psychotherapy</i> , 25(1), 50-58.	3.600
36	2017	Spellmann, I., Schennach, R., Seemüller, F., Meyer, S., Musil, R., Jäger, M., ..., Adli, M., ... & Möller, H. J. (2017). Validity of remission and recovery criteria for schizophrenia and major depression: comparison of the results of two one-year follow-up naturalistic studies. <i>European archives of psychiatry and clinical neuroscience</i> , 267(4), 303-313.	5.760

37	2016	Strasser, E. S., Haffner, P., Fiebig, J., Quinlivan, E., Adli, M., & Stamm, T. J. (2016). Behavioral measures and self-report of impulsivity in bipolar disorder: no association between Stroop test and Barratt Impulsiveness Scale. <i>International Journal of Bipolar Disorders</i> , 4(1), 1-10.	5.571
38	2016	Hasselmann, H., Bellmann-Strobl, J., Ricken, R., Oberwahrenbrock, T., Rose, M., Otte, C., ..., Adli, M., ... & Gold, S. M. (2016). Characterizing the phenotype of multiple sclerosis-associated depression in comparison with idiopathic major depression. <i>Multiple Sclerosis Journal</i> , 22(11), 1476-1484.	5.855
39	2016	Hou, L., Heilbronner, U., Degenhardt, F., Adli, M., Akiyama, K., Akula, N., ..., Adli, M., ... & Schulze, T. G. (2016). Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>The Lancet</i> , 387(10023), 1085-1093.	202.731
40	2016	Hou, L., Bergen, S. E., Akula, N., Song, J., Hultman, C. M., Landén, M., ..., Adli, M., ... & McMahon, F. J. (2016). Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human molecular genetics</i> , 25(15), 3383-3394.	3.500

41	2016	Seemüller, F., Obermeier, M., Schennach, R., Bauer, M., Adli, M., Brieger, P., ... & Möller, H. J. (2016). Stability of remission rates in a 3year follow-up of naturalistic treated depressed inpatients. BMC psychiatry, 16(1), 1-10.	4.400
42	2015	Bauer, M., Berman, S., Stamm, T., Plotkin, M., Adli, M., Pilhatsch, M., ... & Schlagenhauf, F. (2016). Levothyroxine effects on depressive symptoms and limbic glucose metabolism in bipolar disorder: a randomized, placebocontrolled positron emission tomography study. Molecular psychiatry, 21(2), 229-236.	11.000
43	2015	Willert, A., Mohnke, S., Erk, S., Schnell, K., Romanczuk-Seiferth, N., Quinlivan, E., ..., Adli, M., ... & Walter, H. (2015). Alterations in neural Theory of Mind processing in euthymic patients with bipolar disorder and unaffected relatives. Bipolar disorders, 17(8), 880-891.	5.345
44	2014	Stamm, T. J., Lewitzka, U., Sauer, C., Pilhatsch, M., Smolka, M. N., Koeberle, U., ... & Frye, M. A. (2013). Supraphysiologic doses of levothyroxine as adjunctive therapy in bipolar depression: a randomized, doubleblind, placebo-controlled study. The Journal of clinical psychiatry, 74(2), 0-0.	5.300

45	2014	Rentzsch, J., Adli, M., Wiethoff, K., de Castro, A. G. C., & Gallinat, J. (2014). Pretreatment anterior cingulate activity predicts antidepressant treatment response in major depressive episodes. <i>European archives of psychiatry and clinical neuroscience</i> , 264(3), 213-223.	5.760
46	2014	Seemüller, F., Meier, S., Obermeier, M., Musil, R., Bauer, M., Adli, M., ... & Möller, H. J. (2014). Three-Year long-term outcome of 458 naturalistically treated inpatients with major depressive episode: severe relapse rates and risk factors. <i>European archives of psychiatry and clinical neuroscience</i> , 264(7), 567-575.	5.760
47	2013	Musil, R., Zill, P., Seemüller, F., Bondy, B., Meyer, S., Spellmann, I., ..., Adli, M., ... & Riedel, M. (2013). Genetics of emergent suicidality during antidepressive treatment—data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>European Neuropsychopharmacology</i> , 23(7), 663-674.	5.415
48	2013	Rhein, C., Naumann, J., Mühle, C., Zill, P., Adli, M., Hegerl, U., ... & Kornhuber, J. (2012). The acid sphingomyelinase sequence variant p. A487V is not associated with decreased levels of enzymatic activity. In <i>JIMD Reports Case and Research Reports</i> , 2012/5 (pp. 1-6). Springer, Berlin, Heidelberg.	0.402

49	2013	<p>Manchia, M., Adli, M., Akula, N., Arda, R., Aubry, J. M., Backlund, L., Banzato, C. E., Baune, B. T., Bellivier, F., Bengesser, S., Biernacka, J. M., Brichant-Petitjean, C., Bui, E., Calkin, C. V., Cheng, A. T., Chillotti, C., Cichon, S., Clark, S., Czerski, P. M., Dantas, C., ... Alda, M. (2013). Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PloS one</i>, 8(6), e65636.</p> <p>https://doi.org/10.1371/journal.pone.0065636</p>	3.700
50	2013	<p>Musil, R., Zill, P., Seemüller, F., Bondy, B., Meyer, S., Spellmann, I., ..., Adli, M., ... & Riedel, M. (2013). Genetics of emergent suicidality during antidepressive treatment— data from a naturalistic study on a large sample of inpatients with a major depressive episode. <i>European Neuropsychopharmacology</i>, 23(7), 663-674.</p>	5.415
51	2013	<p>Berghöfer, A., Alda, M., Adli, M., Baethge, C., Bauer, M., Bschor, T., ... & Pfennig, A. (2013). Stability of lithium treatment in bipolar disorder—long-term follow-up of 346 patients. <i>International journal of bipolar disorders</i>, 1(1), 1-8.</p>	5.571
52	2012	<p>Seemüller, F., Riedel, M., Obermeier, M., Schennach-Wolff, R., Spellmann, I., Meyer, S., ..., Adli, M., ... & Möller, H. J. (2012). The validity of self-rated psychotic symptoms in depressed inpatients. <i>European psychiatry</i>, 27(7), 547-552.</p>	7.156

53	2012	Lange, C., Adli, M., Zschucke, E., Beyer, R., Ising, M., Uhr, M., & BERPPOHL, F. (2012). Affective set-shifting deficits in patients with major depression in remission. <i>Journal of psychiatric research</i> , 46(12), 1623-1626.	5.250
54	2012	Ricken, R., BERPPOHL, F., Schlattmann, P., Bschor, T., Adli, M., Mönter, N., & Bauer, M. (2012). Long-term treatment with supraphysiological doses of thyroid hormone in affective disorders—effects on bone mineral density. <i>Journal of affective disorders</i> , 136(12), e89-e94.	6.533
55	2012	Stoy, M., Schlagenhaut, F., Sterzer, P., BERPPOHL, F., Hägele, C., Suchotzki, K., ..., Adli, M., ... & Ströhle, A. (2012). Hyporeactivity of ventral striatum towards incentive stimuli in unmedicated depressed patients normalizes after treatment with escitalopram. <i>Journal of psychopharmacology</i> , 26(5), 677-688.	4.562
56	2010	Henkel, V., Seemüller, F., Obermeier, M., Adli, M., Bauer, M., Kronmüller, K., ... & Möller, H. J. (2011). Relationship between baseline severity of depression and antidepressant treatment outcome. <i>Pharmacopsychiatry</i> , 44(01), 27-32.	2.544

57	2011	Riedel, M., Möller, H. J., Obermeier, M., Adli, M., Bauer, M., Kronmüller, K., ... & Seemüller, F. (2011). Clinical predictors of response and remission in inpatients with depressive syndromes. <i>Journal of Affective Disorders</i> , 133(1-2), 137-149.	6.533
58	2010	Berpohl, F., Kahnt, T., Dalanay, U., Hägele, C., Sajonz, B., Wegner, T., ..., Adli, M., ... & Heinz, A. (2010). Altered representation of expected value in the orbitofrontal cortex in mania. <i>Human brain mapping</i> , 31(7), 958-969.	5.399
59	2010	Seemüller, F., Möller, H. J., Obermeier, M., Adli, M., Bauer, M., Kronmüller, K., Holsboer, F., Brieger, P., Laux, G., Bender, W., Heuser, I., Zeiler, J., Gaebel, W., Schennach-Wolff, R., Henkel, V., & Riedel, M. (2010). Do efficacy and effectiveness samples differ in antidepressant treatment outcome? An analysis of eligibility criteria in randomized controlled trials. <i>The Journal of clinical psychiatry</i> , 71(11), 1425–1433.	5.300
60	2010	Riedel, M., Möller, H. J., Obermeier, M., Schennach-Wolff, R., Bauer, M., Adli, M., ... & Seemüller, F. (2010). Response and remission criteria in major depression—a validation of current practice. <i>Journal of psychiatric research</i> , 44(15), 1063-1068.	5.250

61	2010	Abou Jamra, R., Schulze, T. G., Becker, T., Brockschmidt, F. F., Green, E., Alblas, M. A., ..., Adli, M., ... & Schumacher, J. (2010). A systematic association mapping on chromosome 6q in bipolar affective disorder— evidence for the melanin-concentratinghormone-receptor-2 gene as a risk factor for bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 153(4), 878-884.	3.358
62	2010	Seemüller, F., Riedel, M., Obermeier, M., Bauer, M., Adli, M., Kronmüller, K., ... & Möller, H. J. (2010). Outcomes of 1014 naturalistically treated inpatients with major depressive episode. <i>European Neuropsychopharmacology</i> , 20(5), 346-355.	5.415
63	2010	Bauer, M., Adli, M., Bschor, T., Pilhatsch, M., Pfennig, A., Sasse, J., ... & Lewitzka, U. (2010). Lithium's emerging role in the treatment of refractory major depressive episodes: augmentation of antidepressants. <i>Neuropsychobiology</i> , 62(1), 36-42.	3.210
64	2010	Schulze, T. G., Alda, M., Adli, M., Akula, N., Arda, R., Bui, E. T., ... & McMahon, F. J. (2010). The International Consortium on Lithium Genetics (ConLiGen): an initiative by the NIMH and IGSLI to study the genetic basis of response to lithium treatment. <i>Neuropsychobiology</i> , 62(1), 72-78.	3.210

65	2010	Mazurek, B., Olze, H., Haupt, H., Klapp, B. F., & Adli, M. (2010). Molekularbiologische Aspekte der Neuroplastizität: Ansätze für die Therapie bei Tinnitus und Hörstörungen: Tinnitus. HNO. Hals-, Nasen-, Ohrenärzte, 58(10).	1.33
66	2010	Mazurek, B., Stöver, T., Haupt, H., Klapp, B. F., & Adli, M. (2010). Bedeutung von Stress: Seine Rolle im auditorischen System und bei der Tinnitusentstehung. HNO. Hals-, Nasen-, Ohrenärzte, 58(2), 162-172.	1.33
67	2009	Seemüller, F., Riedel, M., Obermeier, M., Bauer, M., Adli, M., Mundt, C., ... & Möller, H. J. (2009). The controversial link between antidepressants and suicidality risks in adults: data from a naturalistic study on a large sample of in-patients with a major depressive episode. International journal of neuropsychopharmacology, 12(2), 181-189.	5.678
68	2009	Berpohl, F., Dalanay, U., Kahnt, T., Sajonz, B., Heimann, H., Ricken, R., ..., Adli, M., ... & Bauer, M. (2009). A preliminary study of increased amygdala activation to positive affective stimuli in mania. Bipolar disorders, 11(1), 70-75.	5.345

69	2009	Bauer, M., Glenn, T., Grof, P., Rasgon, N., Alda, M., Marsh, W., ..., Adli, M., ... & Whybrow, P. C. (2009). Comparison of sleep/wake parameters for self-monitoring bipolar disorder. <i>Journal of affective disorders</i> , 116(3), 170-175.	6.533
70	2009	Henkel, V., Seemüller, F., Obermeier, M., Adli, M., Bauer, M., Mundt, C., ... & Riedel, M. (2009). Does early improvement triggered by antidepressants predict response/remission?— Analysis of data from a naturalistic study on a large sample of inpatients with major depression. <i>Journal of affective disorders</i> , 115(3), 439-449.	6.533
71	2009	Berpohl, F., Walter, M., Sajonz, B., Lücke, C., Hägele, C., Sterzer, P., ..., Adli, M., ... & Northoff, G. (2009). Attentional modulation of emotional stimulus processing in patients with major depression—alterations in prefrontal cortical regions. <i>Neuroscience letters</i> , 463(2), 108-113.	2.500
72	2008	Berghöfer, A., Alda, M., Adli, M., Baethge, C., Bauer, M., Bschor, T., ... & Müller Oerlinghausen, B. (2008). Long-term effectiveness of lithium in bipolar disorder: a multicenter investigation of patients with typical and atypical features. <i>The Journal of clinical psychiatry</i> , 69(12), 0-0.	5.300

73	2008	Seemüller, F., Riedel, M., Wickelmaier, F., Adli, M., Mundt, C., Marneros, A., ... & Henkel, V. (2008). Atypical symptoms in hospitalised patients with major depressive episode: frequency, clinical characteristics, and internal validity. <i>Journal of affective disorders</i> , 108(3), 271-278.	6.533
74	2008	Stamm, T. J., Adli, M., Kirchheiner, J., Smolka, M. N., Kaiser, R., Tremblay, P. B., & Bauer, M. (2008). Serotonin transporter gene and response to lithium augmentation in depression. <i>Psychiatric genetics</i> , 18(2), 92-97.	2.574
75	2007	Bauer, M., Blumentritt, H., Finke, R., Schlattmann, P., Adli, M., Baethge, C., ... & Berghöfer, A. (2007). Using ultrasonography to determine thyroid size and prevalence of goiter in lithium-treated patients with affective disorders. <i>Journal of affective disorders</i> , 104(13), 45-51.	6.533
76	2007	Knubben, K., Reischies, F. M., Adli, M., Schlattmann, P., Bauer, M., & Dimeo, F. (2007). A randomised, controlled study on the effects of a short-term endurance training programme in patients with major depression. <i>British journal of sports medicine</i> , 41(1), 29-33.	18.479

77	2007	Grunze, H., Adli, M., Bauer, M., Berger, M., Bergmann, A., Bräunig, P., ... & Walden, J. (2007). Clinical standing of valproate treatment of bipolar disorders. Fortschritte der Neurologie-psychiatrie, 75(4), 220-235.	5.345
78	2005	Baethge, C., Baldessarini, R. J., Mathiske Schmidt, K., Hennen, J., Berghöfer, A., MüllerOerlinghausen, B., ..., Adli, M., ... & Bauer, M. (2005). Long-term combination therapy versus monotherapy with lithium and carbamazepine in 46 bipolar I patients. The Journal of clinical psychiatry, 66(2), 0-0.	3.118
79	2005	Baethge, C., Blumentritt, H., Berghöfer, A., Bschor, T., Glenn, T., Adli, M., ... & Finke, R. (2005). Long-term lithium treatment and thyroid antibodies: a controlled study. Journal of Psychiatry and Neuroscience, 30(6), 423.	4.300
80	2003	Bschor, T., Baethge, C., Adli, M., Eichmann, U., Ising, M., Uhr, M., ... & Bauer, M. (2003). Association between response to lithium augmentation and the combined DEX/CRH test in major depressive disorder. Journal of psychiatric research, 37(2), 135-143.	5.250

81	2003	Bschor, T., Baethge, C., Adli, M., Lewitzka, U., Eichmann, U., & Bauer, M. (2003). Hypothalamic-pituitary-thyroid system activity during lithium augmentation therapy in patients with unipolar major depression. <i>Journal of Psychiatry and Neuroscience</i> , 28(3), 210.	4.300
82	2003	Bschor, T., Baethge, C., Adli, M., Eichmann, U., Ising, M., Uhr, M., ... & Bauer, M. (2003). Lithium augmentation increases postdexamethasone cortisol in the dexamethasone suppression test in unipolar major depression. <i>Depression and anxiety</i> , 17(1), 43-48.	8.128
83	2002	Bauer, M., Berghöfer, A., Bschor, T., Baumgartner, A., Kiesslinger, U., Hellweg, R., ... & Müller-Oerlinghausen, B. (2002). Supraphysiological doses of L-thyroxine in the maintenance treatment of prophylaxis-resistant affective disorders. <i>Neuropsychopharmacology</i> , 27(4), 620-628.	8.304
84	2002	Bschor, T., Adli, M., Baethge, C., Eichmann, U., Ising, M., Uhr, M., ... & Bauer, M. (2002). Lithium augmentation increases the ACTH and cortisol response in the combined DEX/CRH test in unipolar major depression. <i>Neuropsychopharmacology</i> , 27(3), 470-478.	8.304
85	2002	Bschor, T., Berghöfer, A., Ströhle, A., Kunz, D., Adli, M., Müller-Oerlinghausen, B., & Bauer, M. (2002). How long should the lithium augmentation strategy be maintained? A 1 year follow-up of a placebo-controlled study in unipolar refractory major depression. <i>Journal of clinical psychopharmacology</i> , 22(4), 427-430.	3.118

86	2002	Bauer, M., Forsthoff, A., Baethge, C., Adli, M., Berghöfer, A., Döpfmer, S., & Bschor, T. (2003). Lithium augmentation therapy in refractory depression—update 2002. <i>European archives of psychiatry and clinical neuroscience</i> , 253(3), 132-139.	5.760
----	------	--	-------

C Reviews

1		2018	Bauer, M., Rush, A. J., Ricken, R., Pilhatsch, M., & Adli, M. (2019). Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 52(3), 117–125.	2.544
2		2017	Ricken, R., Ulrich, S., Schlattmann, P., & Adli, M. (2017). Tranylcypromine in mind (Part II): review of clinical pharmacology and metaanalysis of controlled studies in depression. <i>European Neuropsychopharmacology</i> , 27(8), 714-731.	5.415
3		2017	Ulrich, S., Ricken, R., & Adli, M. (2017). Tranylcypromine in mind (Part I): Review of pharmacology. <i>European Neuropsychopharmacology</i> , 27(8), 697-713.	5.415
4		2017	Holzinger, F., Fahrenkrog, S., Roll, S., Kleefeld, F., Adli, M., & Heintze, C. (2017). Discharge management strategies and postdischarge care interventions for depression– Systematic review and meta analysis. <i>Journal of affective disorders</i> , 223, 82-94.	6.533

5		2017	Gruebner, O., Rapp, M. A., Adli, M., Kluge, U., Galea, S., & Heinz, A. (2017). Cities and mental health. <i>Deutsches Ärzteblatt International</i> , 114(8), 121.	8,251
6		2016	Köhler, S., Cierpinsky, K., Kronenberg, G., & Adli, M. (2016). The serotonergic system in the neurobiology of depression: Relevance for novel antidepressants. <i>Journal of Psychopharmacology</i> , 30(1), 13-22.	4.562
7		2016	Borgmann, M., Holtkamp, M., Adli, M., & Behr, J. (2016). Depression und Epilepsie. <i>Der Nervenarzt</i> , 87(7), 724-730.	1.297
8		2014	Bauer, M., Adli, M., Ricken, R., Severus, E., & Pilhatsch, M. (2014). Role of lithium augmentation in the management of major depressive disorder. <i>CNS drugs</i> , 28(4), 331-342.	6.000

9		2014	Bschor, T., Bauer, M., & Adli, M. (2014). Chronic and treatment resistant depression: diagnosis and stepwise therapy. Deutsches Ärzteblatt International, 111(45), 766.	8,251
10		2013	Krings-Ernst, I., Ulrich, S., & Adli, M. (2013). Antidepressant treatment with MAO-inhibitors during general and regional anesthesia: a review and case report of spinal anesthesia for lower extremity surgery without discontinuation of tranylcypromine. Int J Clin Pharmacol Ther, 51(10), 763-70.	0.976
11		2012	Köhler, S., Bauer, M., & Adli, M. (2012). Behandlungsstrategien der therapieresistenten Depression. Psychiatrie und Psychotherapie up2date, 6(03), 137-150.	
12		2011	Rentzsch, J., Ricken, R., & Adli, M. (2011). Akutbehandlung der Manie. Psychiatrie und Psychotherapie up2date, 5(04), 209-224.	

13		2009	Riedel, M., Seemüller, F., Wickelmaier, F., Schennach-Wolff, R., Adli, M., Bauer, M., ... & Henkel, V. (2009). Häufigkeit und klinische Charakteristika von atypisch depressiven Symptomen. Nervenheilkunde, 28(04), 193-199.	0.126
14		2009	Wiethoff, K., Ricken, R., Keck, M. E., Baghai, T., Bauer, M., Möller, H. J., & Adli, M. (2009). Das Berliner Algorithmusprojekt. Nervenheilkunde, 28(04), 179-185.	0.900
15		2008	Bschor, T., & Adli, M. (2008). Treatment of depressive disorders. Deutsches Ärzteblatt International, 105(45), 782.	8,251
16		2006	Adli, M., Bauer, M., & Rush, A. J. (2006). Algorithms and collaborative-care systems for depression: Are they effective and why?: A systematic review. Biological psychiatry, 59(11), 1029-1038.	12.81

17		2005	Wiethoff, K., Baghai, T., Heinz, A., Bauer, M., & Adli, M. (2005). Depression, Suizidalität Algorithmusgestützte Behandlung depressiver Erkrankungen. <i>Medizinische Welt</i> , 56(7-8), 332-337.	
18		2005	Wiethoff, K., Bauer, M., Baghai, T., Heinz, A., & Adli, M. (2005). Therapiealgorithmen in der Depressionsbehandlung—Das Berliner Algorithmusprojekt. <i>Nervenheilkunde</i> , 24(05), 381-387.	0.900
19		2004	Möller, H. J., Adli, M., Laux, G., Müller, N., & Schmitt, J. (2004). unter Mitwirkung einer Expertengruppe „Kognitive Störungen bei Antidepressivabehandlung “. <i>Kognitive und psychomotorische Effekte von Antidepressiva unter besonderer Berücksichtigung von SSRIs.</i>	
20		2003	Bauer, M., Forsthoff, A., Baethge, C., Adli, M., Berghöfer, A., Döpfmer, S., & Bschor, T. (2003). Lithium augmentation therapy in refractory depression—update 2002. <i>European archives of psychiatry and clinical neuroscience</i> , 253(3), 132-139.	5.760

21		2003	Bauer, M., Adli, M., Baethge, C., Berghöfer, A., Sasse, J., Heinz, A., & Bschor, T. (2003). Lithium augmentation therapy in refractory depression: clinical evidence and neurobiological mechanisms. The Canadian Journal of Psychiatry, 48(7), 440-448.	5.321
22		2003	Bauer, M., Adli, M., Bschor, T., Heinz, A., Rasgon, N., Frye, M., ... & Whybrow, P. C. (2003). Clinical applications of levothyroxine in refractory mood disorders. Clin Appl Bipolar Disord, 2, 49-56.	
23		2003	Adli, M., Rush, A. J., Möller, H. J., & Bauer, M. (2003). Algorithms for optimizing the treatment of depression: making the right decision at the right time. Pharmacopsychiatry, 36(S 3), 222229.	2.544
24		2003	Bschor, T., Lewitzka, U., Sasse, J., Adli, M., Köberle, U., & Bauer, M. (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. Pharmacopsychiatry, 36(S 3), 230-234.	2.544

25		2003	Bschor, T., Lewitzka, U., Sasse, J., Adli, M., Köberle, U., & Bauer, M. (2003). Lithium augmentation in treatment-resistant depression: clinical evidence, serotonergic and endocrine mechanisms. Pharmacopsychiatry, 36(S 3), 230-234.	2.544
26		1998	Adli, M., Bschor, T., Canata, B., Döpfmer, S., & Bauer, M. (1998). Lithium in der Behandlung der akuten Depression. Fortschritte der Neurologie· Psychiatrie, 66(10), 435-441.	0.760

D Fallberichte

1	2006	Pilhatsch, M. K., Burghardt, R., Wandinger, K. P., Bauer, M., & Adli, M. (2006). Augmentation with atomoxetine in treatment-resistant depression with psychotic features. <i>Pharmacopsychiatry</i> , 39(02), 79-80.	2.544
2	1999	Adli, M., Rossius, W., & Bauer, M. (1999). Olanzapin in der Behandlung depressiver Störungen mit psychotischer Symptomatik. <i>Der Nervenarzt</i> , 70(1), 68-71.	1.297

E Comments & Letters

1	2021	Kraft, J., Ricken, R., Braun, A., Ripke, S., Buspavanich P., & Adli, M. (2021). Polygenic predictors of treatment outcome following lithium augmentation in major depression <i>European Neuropsychopharmacology</i> , 2021-10-01, Jahrgang 51, Seiten e181-e181,	5.415
2	2020	Buspavanich, P., König, C., Adli, M. (2020). Rezidivprophylaxe Depression: Pharmakotherapie. <i>Psychiat Psychother up2date</i> . 2020;14:487–498. Volltext: http://www.thieme-connect.de/products/ejournals/pdf/10.1055/a-0888-7850.pdf DOI: 10.1055/a-0888-7850	
3	2019	Ulrich, S., Ricken, R., Buspavanich, P., Adli, M. (2019). Tranylcypromine versus tricyclic antidepressants for depression: A comprehensive meta-analysis. <i>Pharmacopsychiatry</i> . 2019;52(2). DOI: 10.1055/s-0039-1679166	2.544
4	2017	Adli, M., Berger, M., Brakemeier, E. L., Engel, L., Fingerhut, J., Gomez-Carrillo, A., ... & Stollmann, J. (2017). Neurourbanism: Towards a new discipline. <i>The Lancet Psychiatry</i> , 4(3), 183-185.	77.056

5	2015	Berger, M., Adli, M., Beine, K. H., Bschor, T., Herpertz, S., & Lauterbach, K. (2015). Das Krankenhaus-Psych-Budget: ein Alternativkonzept. Dtsch Ärztebl, 112(13), A574-576.	8,251
6	2015	Adli, M., & Berger, M. (2016). Trizyklische Antidepressiva zur Initialbehandlung einer depressiven Episode? Kontra. Der Nervenarzt, 87(5), 561-562.	1.297
7	2015	Bschor, T., Bauer, M., & Adli, M. (2015). Comment on: Chronic and treatment resistant depression: diagnosis and stepwise therapy. Deutsches Arzteblatt international, 112(24), 421–422.	8,251
8	2014	Adli, M., & Hegerl, U. (2014). Do we underestimate the benefits of antidepressants?. Lancet (London, England), 383(9926), 1361-1362.	202.731
9	2014	Fakhri, H., Ricken, R., Adli, M., Fajol, A., Walter, M., Föller, M., ... & Berlin Research Network of Depression. (2014). Impact of lithium treatment on FGF-23 serum concentrations in depressive patients. Journal of clinical psychopharmacology, 34(6), 745.	3.118
10	2011	Adli, M., Kleinert, S., Bonk, M., Wesselingh, S., & Ganten, D. (2011). Science to policy: M8 Alliance invites policy makers to step in. The Lancet, 378(9801), 1447-1449.	202.731
11	1999	Grunze, H., Schlösser, S., & Walden, J. (1999). Lithium in der Behandlung der akuten Depression Fortschr Neurol Psychiat 1998; 66: 435-441 [M Adli, T.Bschor, B. Canata. S. Döpfmer, M. Bauer: Lithium in the treatment of acute depression. Fortschr Neurol Psychiat 199866: 43]. Fortschritte der Neurologie Psychiatrie, 67(8), 384–386.	0.760

F Editor

1	2022	Adli, M. (Hrsg.), Hautzinger M. (Hrsg.) (2022). Praxishandbuch Depression: Ursachen - Diagnostik – Therapie. Urban & Fischer Verlag/Elsevier GmbH.	
2	2017	Adli, M. (2017). Stress and the City: Warum Städte uns krank machen. Und warum sie trotzdem gut für uns sind. C. Bertelsmann.	
3	2005	Bauer, M., Berghöfer, A., & Adli, M. (Eds.). (2005). Akute und therapieresistente Depressionen: Pharmakotherapie Psychotherapie Innovationen. Springer.	

G Buchkapitel

1	2024	Schramm, E., Bauer, M., Adli, M. (2024) Chronische und therapieresistente Depressionen. In U. Voderholzer (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (20. Auflage). Urban & Fischer.	
2	2023	Schramm, E., Bauer, M., Adli, M. (2023) Chronische und therapieresistente Depressionen In U. Voderholzer (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (19. Auflage). Urban & Fischer.	
3	2018	Schramm, E., Bauer, M., Adli, M. (2018) Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (14. Auflage). Urban & Fischer.	

4	2017	Schramm, E., Bauer, M., Adli, M. (2017). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (13. Auflage, S. 183-208). Urban & Fischer.	
5	2016	Schramm, E., Bauer, M., Adli, M. (2016). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (12. Auflage, S. 183-208). Urban & Fischer.	
6	2015	Schramm, E., Bauer, M., Adli, M. (2015). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (11. Auflage, S. 183-208). Urban & Fischer.	
7	2014	Schramm, E., Bauer, M., Adli, M. (2014). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (10. Auflage, S. 183-208). Urban & Fischer.	
8	2013	Schramm, E., Bauer, M., Adli, M. (2013). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (9. Auflage, S. 183-208). Urban & Fischer.	
9	2012	Schramm, E., Bauer, M., Adli, M. (2012). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (8. Auflage). Urban & Fischer.	

10	2011	Schramm, E., Bauer, M., Adli, M. (2011). Chronische und therapieresistente Depressionen. In U. Voderholzer, F. Hohagen (Hrsg.), Therapie psychischer Erkrankungen: State of the Art (7. Auflage, S. 165-188). Urban & Fischer.	
11	2008	Pfennig, A., Adli, M. (2008). Antidepressiva Hochdosisbehandlung. In T. Bschor (Hrsg.), Behandlungsmanual therapieresistente Depression (S. 40-47). Kohlhammer.	
12	2008	Wiethoff, K., Adli, M. (2008). Systematisierte Therapiealgorithmen (antidepressive Stufenpläne). In T. Bschor (Hrsg.), Behandlungsmanual therapieresistente Depression (S. 408-418). Kohlhammer.	
13	2006	Bschor, T., Lewitzka, U., Adli, M. (2006). Lithium in non-psychiatric conditions. In M. Bauer, P. Grof, B. Müller-Oerlinghausen (Eds.), Lithium in Neuropsychiatry – The Comprehensive Guide (pp. 237-250). Taylor and Francis Books.	
14	2005	Bauer, M., Pfennig, A., Mavrogiorgou, P., Juckel, G., Adli, M., Sasse, J., Heinz, A. (2005). Perspektiven für Quetiapin in der Behandlung der unipolaren Depression. In H. J. Möller (Hrsg.), Quetiapin. Erfahrungen und Ausblicke (S. 131-141). Schattauer.	
15	2005	Fähser, N. C., Wiethoff, K., Adli, M. (2005). Therapiealgorithmen in der Langzeitpsychopharmakologie. In M. Linden, W. E. Müller, Rehabilitationspsychopharmakologie - Psychopharmakotherapie chronifizierender und chronifizierter Erkrankungen (S. 43-58). Deutscher Ärzteverlag.	

16	2005	Adli, M., Wiethoff, K. (2005). Nicht pharmakologische Behandlungsstrategien der Depression. In M. Bauer (Hrsg.), Neurobiologie und Therapie bipolarer Erkrankungen (S. 103- 121). Reihe „Uni-Med Science“. Uni-Med.	
17	2005	Berghöfer, A., Adli, M., Bauer, M. (2005). Antidepressiva-Übersicht für die klinische Praxis. In M. Bauer, A. Berghöfer, M. Adli (Hrsg.), Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen (S. 587-600). Springer.	
18	2005	Adli, M., Wiethoff, K., Baghai, T., Bauer, M. (2005). Algorithmusgestützte Behandlung stationärer Patienten mit depressiven Erkrankungen: das Berliner Algorithmusprojekt. In M. Bauer, A. Berghöfer, M. Adli (Hrsg.), Akute und therapieresistente Depressionen. Pharmakotherapie, Psychotherapie, Innovationen (S. 477-487). Springer.	
19	2004	Adli, M., Wiethoff, K. (2004). Nicht-pharmakologische Behandlungsstrategien der Depression. In M. Bauer M (Hrsg.), Neurobiologie und Therapie depressiver Erkrankungen (S. 96-112). Reihe „Uni-Med Science“. Uni-Med.	
20	2004	Adli, M., Bauer, M. (2004). Elektrokonvulsionstherapie bei therapieresistenten Depressionen. In T. Baghai, R. Frey, S. Kasper, H.-J. Möller (Hrsg.), Elektrokonvulsionstherapie - klinische und wissenschaftliche Aspekte (S. 366-393). Springer.	
21	2003	Berghöfer, A., Adli, M., Baethge, C., Bauer, M., Bschor, T., Müller-Oerlinghausen, B., Schäfer, M., Willich, S. N. (2003). Phasenprophylaxe bipolarer Störungen. In Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), A. Erfurth (Red.), Weißbuch Bipolare Störungen in	

		Deutschland (S. 131-200), BoD GmbH.	
22	2002	Berghöfer, A., Adli, M., Baethge, C., Bauer, M., Bschor, T., Müller-Oerlinghausen, B., Schäfer, M., Willich, S. N. (2002). Phasenprophylaxe bipolarer Störungen. In Deutsche Gesellschaft für Bipolare Störungen e.V. (Hrsg.), A. Erfurth (Red.), Kurzfassung Weißbuch Bipolare Störungen in Deutschland (S. 67-74). Conference Point.	
23	2001	Adli, M., Kießlinger, U., Smolka, M., Neu, P., Linden, M., Bauer, M. (2001). Does algorithmguided stepwise treatment in depression have an influence on treatment execution? In E. Fromn (Ed.), Jahrbuch 2001 des Fachbereichs Humanmedizin der Freien Universität Berlin (S. 466).	
24	2000	Adli, M., Kießlinger, U., Neu, P., Smolka, M., Linden, M., Bauer, M. (2000). Efficacy of an algorithm-guided treatment regimen in depression compared to standard treatment as usual: The Berlin Algorithm Project. In E. Fromm (Ed.), Jahrbuch 2000 des Fachbereichs Humanmedizin der Freien Universität Berlin (S. 439).	
25	1999	Kießlinger, U., Adli, M., Neu, P., Smolka, M., Linden, M., Bauer, M. (1999). Beschreibung medikamentöser Depressionsbehandlung. In Jahrbuch 1999, Fachbereich Humanmedizin, Universitätsklinikum Benjamin Franklin der Freien Universität Berlin (S. 494).	

H Weitere Publikationen (nicht peer-reviewed)

1	2016	Adli, M., Berger, M., Brakemeier, E. L., Engel, L., Fingerhut, J., Hehl, R., ... & Stollmann, J. (2016). Neurourbanistik–ein methodischer Schulterschluss zwischen Stadtplanung und Neurowissenschaften. <i>Die Psychiatrie</i> , 13(02), 70-78.	
2	2012	Kiermeir, J., Gassner, L. M., Siebörger, A., Wiethoff, K., Ricken, R., Stamm, T., ... & Adli, M. (2012). Euthymic Therapy to Reduce Residual Symptoms of Depression and Strengthen Self-Care A Randomised Controlled Trial. <i>German Journal of Psychiatry</i> , 15(1), 15-22.	
3	2010	Lange, C., & Adli, M. (2010). Schwelbrand der Seele. <i>MMW Fortschritte der Medizin</i> , 152(3), 3435.	
4	2009	Heimann, H., Dietz, F., Lange, C., Adli, M. (2009). Behandlung von depressiven Episoden – Relevanz der Vollremission. <i>Neuro aktuell</i> , 2, 3133.	

5	2006	Bauer, M., Pfennig, A., Wiethoff, K., Sasse, J., Ricken, R., Pilhatsch, M., & Adli, M. (2006). Warum ist die Remission ein wichtiges Ziel in der Depressionsbehandlung?. psychoneuro, 32(02), 67-71.	
6	2005	Bauer, M., Köberle, U., Sasse, J., Gutzmann, C., Neuhaus, K., Adli, M., Pfennig, A., Heinz, A. (2005). Rezidivprophylaxe Bipolarer Erkrankungen - auf was es ankommt. Schweizer Zeitschrift für Psychiatrie & Neurologie, 1, 37-44.	
7	2005	Adli, M. (2005). Bipolarer Alkoholiker: mit Valproinsäure zwei Fliegen mit einer Klappe schlagen? Info Neurologie Psychiatrie, 7 [suppl1], 12- 13.	
8	2005	Bauer, M., Stamm, T., Sasse, J., Adli, M. (2005). Duloxetine – a novel dual acting antidepressant [Duloxetin - ein neues Antidepressivum mit dualem Wirkmechanismus]. Die Psychiatrie, 2, 244-251.	

9	2004	Pfennig, A., Adli, M., Bauer, M. (2004). Atypische Neuroleptika bei wahnhafter Depression. Info Neurologie Psychiatrie, 6 [suppl1], 36–37.	
10	2004	Adli, M. (2004). Die „maskierte“ bipolare Störung: Fehldiagnose unipolare Depression vermeiden. Der Neurologe & Psychiater, 3, 38-42.	
11	2003	Sasse, J., Köberle, U., Bschor, T., Adli, M., Trendelenburg, M., & Bauer, M. (2003). Bipolare Depression: L-Thyroxin-Augmentation als Möglichkeit einer medikamentösen Behandlung. psychoneuro, 29(09), 400-402.	
12	2003	Adli, M., Bauer, M. (2003). Wahnhafte Depression – eine vernachlässigte Sonderform. (Neuroleptika bei wahnhafter Depression). Info Neurologie Psychiatrie, 2, 44-50.	